



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing

8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/1163C/17

Company Name : Pearlie White Pte Ltd

Date Received : 17/02/2017 Date Reported: 20/02/2017

Sample Description : One sample of Toothpaste

Date Tested: 17/02/2017-20/02/2017

The sample consisted of 3 x 10g tubes of toothpaste marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 39, the following result was obtained:

Pearlie White Anti-Cavity Toothpaste 10g	Total Aerobic Microbial Count (SCDA, 35°C/3 days)
B/N: RR040 Expiry: FEB 2020	Not detected (<10 CFU/g)

Notes: 1) CFU - Colony Forming Units
 2) SCDA - Soybean-Casein Digest Agar
 3) < - Less than


 Cheong Teck Geok
 Assistant Chemist


 Phang Ken Aun
 Manager
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd
 5004 Ang Mo Kio Ave 5
 #05-06 TechPlace II
 Singapore 569872.

/jaz