




MUSEUM STORAGE SOLUTIONS 



# Table of Contents

## Specialty Museum Storage Products

Institutions	<b>3</b>
A Green Effect	<b>4</b>
A Growing Need	<b>5</b>
Exclusive Design Features	<b>7</b>
Additional Museum Storage Options	<b>9</b>
Entomology Storage Cabinets	<b>11</b>
Herbarium Storage Cabinets	<b>13</b>
Vertical Storage Systems for Paintings or Textiles	<b>17</b>
Storage for Artwork, Negatives, Flats, Sheets, and Prints	<b>19</b>
Art, Historical and Natural Storage Cabinets	<b>23</b>

Make it mobile...  
save space with

# *Aisle-Saver*<sup>®</sup>

*Synergy Series*<sup>™</sup>



Designed to be used with a wide variety of shelving and cabinets, Aisle-Saver can reduce the space required for storage by as much as 50%.

Storage units are mounted on movable carriages, which ride on a leveled rail system. The movement can be electronic, manual or mechanical assist. When the carriage is moved, an aisle is created to allow access to stored items.


The units glide smoothly over the leveled rails, eliminating jarring and vibration.






The electronic Aisle-Saver Synergy system offers additional benefits. Solid-state electronics and fewer moving parts increase system reliability. Maximum programming flexibility allows users to easily customize for security and safety.

Aisle-Saver provides high-density storage and retrieval solutions to store practically anything, including: paper or electronic media, three-dimensional objects, fine art and much more.





Many of the world's finest institutions have entrusted Borroughs to help preserve their valuable artifacts.

Benton County Historical Society  
California Academy of Sciences  
Canadian Museum of Nature  
Carnegie Museum of Natural History  
Chicago Field Museum  
Dallas Museum of Art  
Field Museum of Natural History  
Glencairn Museum  
Hartwick College  
Hofstra University  
Kentucky Gateway Museum Center  
Minneapolis Institute of Arts  
Missouri Historical Society  
MoMA, MoMA Annex  
Napier Heritage Society  
National Postal Museum

Penn Museum  
Philadelphia Museum of Art  
Price Tower Arts Center Inc.  
Royal Ontario Museum  
SER-Everglades National Park  
Smithsonian  
State University College  
SUNY at Albany  
SUNY College at Oneonta  
The Whalehead Club  
University of Georgia  
University of Michigan  
University of Puerto Rico  
US Army/WSMR  
White Sands Missile Range  
Youngstown State

## A Green Effect

The protection, conservation, and reduction in the use of natural resources are important goals for Borroughs Corporation. Because the impact on the environment is important, Borroughs Corporation has undergone many changes to continually improve the way we do business.

- Powder coat paint system implemented using no volatile organic compounds (VOC's).
- Universal waste including, but not limited to batteries, fluorescent lights, and computer monitor recycling.
- Packaging materials are recycled.
- All Federal, State and Local environmental regulations are met.
- City environmental compliance awards received twice within past five years.
- Estimated potential annual energy savings from recycling of steel equates to over 64,000 gallons of gasoline or more than 1,000,000 kilowatts of electricity. This is enough electrical power to supply over 100 average size houses annually.
- Implementing an effective environmental management system that meets ISO 14001:2004 standards.
- Implementing SVE and AS monitoring systems to improve the aquifer.



All of these actions help reduce harmful effects on the environment and show our commitment to the conservation of planet resources for generations to come.

## A Growing Need

**When the Field Museum** decided to upgrade its herbarium storage, they talked to several potential cabinet suppliers. “We wanted to move to a mobile storage system,” says Christine Niezgoda, the Botany Department Collections Manager. “Our existing cabinets were free-standing units that could not be placed on mobile carriages.” After reviewing the offerings from the various cabinet suppliers, the museum replaced their old cabinets with Borroughs cabinets. “All herbarium cabinets have basically the same design,” says Ms. Niezgoda.


**“It’s the details in the fabrication and components that make the difference.”**

---

“Borroughs offered the quality, protection and functionality we wanted.”










## Exclusive Design Features

### 100% Closed Cell Silicone Gaskets



Mechanically held in place, they provide an airtight storage environment that minimizes exposure to dust, insects and other contaminants.

### 90 Degree Lift-Off Pin Hinge



Doors open a full 180 degrees and lift off easily for curatorial convenience. No tools are required.

## Standard Features

### Full Overhang Top

To ensure watertight protection from unexpected hazards, cabinets are designed with a full overhang top.

### Ergonomic Recessed Handles

Easy to grasp and open. Key lockable. Designed to be ergonomically correct. Because they are recessed, the doors lay flat when open and accommodate complete aisle closure in high-density mobile storage applications.

### Three Point Latching System

The system ensures maximum security and a tight seal by requiring a single handle turn, which engages the door at three points.

### Heavy-Duty Reinforced Steel Construction

High quality steel provides the extra strength and rigidity necessary to withstand the heaviest of loads.

### Label Holder



3"x 5" zinc plated steel card holder makes identification easy.

### Powder Coat Paint



This non-gassing baked finish ensures that collections are safe for long-term storage.

### Four Levelers Adjustable From Inside



Allows easy leveling of cabinet. Four inside leveling screws for easy adjustment. No special tools required, adjustable with a standard socket wrench.

# Additional Museum Storage Options

## Adjustable Shelf



Using slotted uprights, the “bayonet” universal mountings snap into place and can be adjusted for flexibility. Equally impressive, the shelves hold excessive weight loads.

## Caster Base



Heavy-duty frame construction with casters to allow easy ability to move cabinets.

## Slide-Out Tray



On fixed runners, the trays slide out easily for specimen access.

## Rolled Textile Storage



Available in drawer-mounted, cabinet or rack styles.

## Full-Suspension Ball-Bearing Slides




Roll-out drawers provide full extension and hold up to 500 lbs. on select models.

## Visual Doors



Full-view safety glass for easy viewing of objects in storage.

### Long Arm Storage



Storage for all varieties of longer collections (weapons, arms, spears) cushioned cut-outs for long lasting conservation for every collection.

### Pull-Out Work Shelf



Pull-out workshelf for curatorial convenience. A pull-out work shelf helps to sort through objects without taking them to another area.

### Flip-Down Drawer Front



This feature is wonderful for oversized cabinets. Helps to eliminate the lifting of heavier items out of a drawer but offers the security of additional protection from the front.

### Textile Rod



Adjustable textile rod for hanging garments.

### Open Front Full Extension Drawer



Convenient and easy removal of objects out of a drawer without lifting or damaging.

### Vents



Vents with closure for additional air-flow to the collection.

# Entomology Storage Cabinets

## model E10

## E-Series Standard Features

- Lift-off reinforced doors
- Three-point latching system
- Lever-Ease recessed full lever handles, with key lock
- Vanguard closed-cell pure silicone gasket, mechanically held in place
- Heavy-duty reinforced steel construction
- Baked powder coat finish, non off-gassing, non-reactive, solvent free
- Plated hardware
- Sealed, waterproof top
- Four levelers adjustable from inside
- Choose from 8 standard colors; custom colors available
- Slotted uprights to match runner configuration
- One 3"x 5" label holder per door
- Protective drawer bumper stop



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
Cornell Style Cabinet (Capacity 11)	E10-CO	23"	21"	42 <sup>1</sup> / <sub>2</sub> "	210 lbs.
Cornell Style Drawer		19"	16 <sup>1</sup> / <sub>2</sub> "	3"	
USNM Style Cabinet (Capacity 11)	E10-US	23"	21"	42 <sup>1</sup> / <sub>2</sub> "	210 lbs.
USNM Style Drawer		18"	18"	2 <sup>7</sup> / <sub>8</sub> "	
Smithsonian Style Cabinet (Capacity 13)	E10-SM	23"	21"	42 <sup>1</sup> / <sub>2</sub> "	210 lbs.
Smithsonian Style Drawer		18"	17 <sup>7</sup> / <sub>8</sub> "	2 <sup>9</sup> / <sub>16</sub> "	
California Style Cabinet (Capacity 13)	E10-CA	23"	21"	42 <sup>1</sup> / <sub>2</sub> "	210 lbs.
California Style Drawer		19"	17"	2 <sup>1</sup> / <sub>2</sub> "	

## model E40



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
Cornell Style Cabinet (Capacity 24)	E40-CO	23"	21"	84"	270 lbs.
Cornell Style Drawer		19"	16 <sup>1/2</sup> "	3"	
USNM Style Cabinet (Capacity 24)	E40-US	23"	21"	84"	270 lbs.
USNM Style Drawer		18"	18"	2 <sup>7/8</sup> "	
Smithsonian Style Cabinet (Capacity 28)	E40-SM	23"	21"	84"	270 lbs.
Smithsonian Style Drawer		18"	17 <sup>7/8</sup> "	2 <sup>9/16</sup> "	
California Style Cabinet (Capacity 28)	E40-CA	23"	21"	84"	270 lbs.
California Style Drawer		19"	17"	2 <sup>1/2</sup> "	
<b>OPTIONS</b>					
Pull-out shelf for Cornell and California	EPOS-COCA	19"	18"	2"	25 lbs.
Pull-out shelf for USNM and Smithsonian	EPOS-USSM	18"	18"	2"	25 lbs.

## model E60



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
Cornell Style Cabinet (Capacity 48)	E60-CO	44"	21"	84"	470 lbs.
Cornell Style Drawer		19"	16 <sup>1/2</sup> "	3"	
USNM Style Cabinet (Capacity 48)	E60-US	44"	21"	84"	470 lbs.
USNM Style Drawer		18"	18"	2 <sup>7/8</sup> "	
Smithsonian Style Cabinet (Capacity 56)	E60-SM	44"	21"	84"	470 lbs.
Smithsonian Style Drawer		18"	17 <sup>7/8</sup> "	2 <sup>9/16</sup> "	
California Style Cabinet (Capacity 56)	E60-CA	44"	21"	84"	470 lbs.
California Style Drawer		19"	17"	2 <sup>1/2</sup> "	
<b>OPTIONS</b>					
Pull-out shelf for Cornell and California	EPOS-COCA	19"	18"	2"	25 lbs.
Pull-out shelf for USNM and Smithsonian	EPOS-USSM	18"	18"	2"	25 lbs.

# Herbarium Storage Cabinets

## model H10

## H-Series Standard Features

- Lift-off reinforced doors, each door seals and operates independently
- Three-point latching system
- Lever-Ease recessed full lever handles, with key lock
- Vanguard closed-cell pure silicone gasket, mechanically held in place
- Heavy-duty reinforced steel construction
- Baked powder coat finish, non off-gassing, non-reactive, solvent free
- Plated hardware
- Sealed, waterproof top
- Four levelers adjustable from inside
- Choose from 8 standard colors; custom colors available
- Space in front and rear of shelf allows for air flow
- One 3" x 5" label holder per door



Includes 12 compartments  
(each 12<sup>1</sup>/<sub>2</sub>" x 17<sup>3</sup>/<sub>4</sub>" x 5<sup>13</sup>/<sub>16</sub>")

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H10 Cabinet	H10	28 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	42 <sup>1</sup> / <sub>2</sub> "	170 lbs.
OPTIONS					
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.



## model H20



Includes 24 compartments  
(each 12<sup>1</sup>/<sub>2</sub>" x 17<sup>3</sup>/<sub>4</sub>" x 5<sup>13</sup>/<sub>16</sub>" )

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H20 Cabinet	H20	55 <sup>3</sup> / <sub>32</sub> "	19 <sup>1</sup> / <sub>2</sub> "	42 <sup>1</sup> / <sub>2</sub> "	291 lbs.
<b>OPTIONS</b>					
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.

## model H40



Includes 26 compartments  
(each 12<sup>1</sup>/<sub>2</sub>" x 17<sup>3</sup>/<sub>4</sub>" x 5<sup>13</sup>/<sub>16</sub>" )

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H40 Cabinet with right hand swing door	H40-RH	28 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	305 lbs.
H40 Cabinet with (1) work shelf installed	H40-RH1WS	28 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	315 lbs.
H40 Cabinet with left hand swing door	H40-LH	28 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	305 lbs.
H40 Cabinet with (1) work shelf installed	H40-LH1WS	28 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	315 lbs.
<b>OPTIONS</b>					
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Sanitary Pallet Base	H40RSPB	28 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	4 <sup>1</sup> / <sub>2</sub> "	25 lbs.

## model H60



Includes 52 compartments  
(each 12<sup>1</sup>/<sub>2</sub>" x 17<sup>3</sup>/<sub>4</sub>" x 5<sup>13</sup>/<sub>16</sub>")

**Option for work shelves**

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H60 Cabinet	H60	55 <sup>3</sup> / <sub>32</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	560 lbs.
H60 Cabinet with 2 workshelves	H60-2WS	55 <sup>3</sup> / <sub>32</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	580 lbs.
<b>OPTIONS</b>					
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Sanitary Pallet Base	H60RSPB	55 <sup>3</sup> / <sub>32</sub> "	19 <sup>1</sup> / <sub>2</sub> "	4 <sup>1</sup> / <sub>2</sub> "	32 lbs.

## model M40DRY



- Adjustable control heater  
5120/2560 BTUH  
1500/750 watts-120 volts  
12.5/6.2 Amps AC
- Overheat protection and thermal protectors
- Heater element "ON" indicator/fan "ON" indicator
- Auto reset
- Temperature indicator degree high-130 plus; relative to content density
- Four perforated air vents-2 intakes and 2 exhausts; Upward air movement

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M40DRY cabinet with 5 perforated shelves adjustable in height one-inch centers	M40DRY	29"	32"	84"	375 lbs.
<b>OPTIONS</b>					
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.

## Carts



### Transfer Cart

The transfer cart is designed to help move the collection from one building to the next or interchanging within the collection area.

### Herbarium Cart

Two-sided herbarium carts for the curatorial convenience of moving your collections with ease.



### Utility Cart

A specially designed work cart for curatorial convenience and assistance. Top can be inverted (as shown) or tray style like bottom shelf.



# Vertical Storage for Paintings or Textiles



## Art Till Cabinet



Custom designed to handle various artpiece sizes. Shelving is adjustable on 1 1/2" centers (top to bottom) to aid in spacing height requirements. Shelf widths are custom as well and designed to fit the application.

## Mobile Nesting Storage



The most compact storage available. Carriages nest together to save space.

## Mobile Storage



Mechanical or Powered carriages are available in lengths to 40'. Custom wire racking is used to hold art work.


## Vertical Storage Systems



Tracks and supporting hardware are anchored or attached to the ceiling above.

## Clothing and Textile Storage

### Costume and Clothing Storage



Store virtually any clothing item in a vertical or horizontal mode.

### Rolled Textile and Rug Storage



Cantilever design makes for easy removal of tubes. Lengths up to 120" provide dense storage. Stair-step design gives clean visual to retrieve collection.

## Retractable Art Rack



### System Benefits

- Easy storage and moving because of guiding mechanism
- Optimized space utilization and maximized capacity
- Torsion proof construction
- Emission free materials
- Optimal airflow
- Maximum longevity with minimum maintenance
- No obstructions through tracks on floor
- Various grating sizes provide maximum hanging flexibility
- Panels offer continuous hanging surfaces without obstructions
- Center distances between panels can be changed

#### SYSTEM

Retractable (*shown above*)

#### DESCRIPTION

These racks mount to the floor removing the need for ceiling support. The linear motion allows individual units to be accessed without disturbing adjacent art work.

#### ACCESSORIES

System compatible picture hooks

S hooks - Safely hang artwork from 2" stainless steel hooks (26 lb. load capacity)



## Storage for Artwork, Negatives, Flats, Sheets, and Prints

### Standard Features

- Heavy duty reinforced steel construction
- Baked powder coat finish, non off-gassing, non-reactive, solvent free
- Sealed, waterproof top
- Plated hardware
- One 2" x 4" label holder per drawer
- Two pulls per drawer
- 3/4 extension, Roller Bearing Suspension (200 lb. capacity)
- Five drawers per unit
- Designed to stack
- Choose from 8 standard colors; custom colors available

\*Custom Cabinet Shown

## model FFS



Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
35" X 30" CABINET WITH 5 DRAWERS INSTALLED	FFS-353019	35 <sup>1/8</sup> "	30"	19 <sup>1/2</sup> '	190 lbs.
Drawer Dimensions		30 <sup>23/32</sup> "	26"	2"	
RECESSED BASE FOR 35" X 30"	MAB-353004	35 <sup>1/8</sup> "	27"	4"	32 lbs.
42" X 30" CABINET WITH 5 DRAWERS INSTALLED	FFS-423019	42 <sup>1/8</sup> "	30"	19 <sup>1/2</sup> '	210 lbs.
Drawer Dimensions		37 <sup>23/32</sup> "	26"	2"	
RECESSED BASE FOR 42" X 30"	MAB-423004	42 <sup>1/8</sup> "	27"	4"	38 lbs.
48" X 37" CABINET WITH 5 DRAWERS INSTALLED	FFS-483719	48 <sup>1/8</sup> "	37"	19 <sup>1/2</sup> '	290 lbs.
Drawer Dimensions		43 <sup>23/32</sup> "	33 <sup>1/2</sup> "	2"	
RECESSED BASE FOR 48" X 37"	MAB-483704	48 <sup>1/8</sup> "	34"	4"	48 lbs.
55" X 43" CABINET WITH 5 DRAWERS INSTALLED	FFS-554319	55 <sup>1/8</sup> "	43"	19 <sup>1/2</sup> '	390 lbs.
Drawer Dimensions		50 <sup>23/32</sup> "	39 <sup>1/2</sup> "	2"	
RECESSED BASE FOR 55" X 43"	MAB-554304	55 <sup>1/8</sup> "	40"	4"	58 lbs.
59" X 47" CABINET WITH 5 DRAWERS INSTALLED	FFS-594719	59 <sup>1/8</sup> "	47"	19 <sup>1/2</sup> '	450 lbs.
Drawer Dimensions		54 <sup>23/32</sup> "	43"	2"	
RECESSED BASE FOR 59" X 47"	MAB-594704	59 <sup>1/8</sup> "	44"	4"	68 lbs.
69" X 55" CABINET WITH 5 DRAWERS INSTALLED	FFS-695519	69 <sup>1/8</sup> "	55"	19 <sup>1/2</sup> '	575 lbs.
Drawer Dimensions		64 <sup>23/32</sup> "	51 <sup>1/2</sup> "	2"	
RECESSED BASE FOR 69" X 55"	MAB-695504	69 <sup>1/8</sup> "	52"	4"	80 lbs.
79" X 49" CABINET WITH 5 DRAWERS INSTALLED	FFS-794919	79 <sup>1/8</sup> "	49"	19 <sup>1/2</sup> '	705 lbs.
Drawer Dimensions		74 <sup>23/32</sup> "	45"	2"	
RECESSED BASE FOR 79" X 49"	MAB-794904	79 <sup>1/8</sup> "	46"	4"	95 lbs.

\* note: cabinet bottom is open, base or other cabinet is required for closure.

## model FF4



### FF4, FF4W and FF6

Are made with telescoping accuride slides which fully extend and boast a 500 lb. capacity.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
FF4 Cabinet w/4 (3") drawers installed	FF4	55 <sup>1</sup> / <sub>4</sub> "	44 <sup>1</sup> / <sub>2</sub> "	19 "	450 lbs.
FF4L Cabinet w/4 (3") locking drawers installed	FF4L	55 <sup>1</sup> / <sub>4</sub> "	44 <sup>1</sup> / <sub>2</sub> "	19 "	450 lbs.
Drawer Inside Dimensions		50 <sup>3</sup> / <sub>16</sub> "	41 <sup>15</sup> / <sub>16</sub> "	3 "	
<b>OPTIONS</b>					
Recessed Base	FFRB	55 <sup>1</sup> / <sub>4</sub> "	41 <sup>1</sup> / <sub>2</sub> "	3 "	37 lbs.
Dolly Base w/4 Locking Casters	FFDBLC	55 <sup>1</sup> / <sub>4</sub> "	44 <sup>1</sup> / <sub>2</sub> "	6 "	110 lbs.

## model FF4W



model shown is FF4

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
FF4W Cabinet w/4 (3") drawers installed	FF4W	92 <sup>1</sup> / <sub>4</sub> "	62 <sup>1</sup> / <sub>2</sub> "	19 "	950 lbs.
FF4WL Cabinet w/4 (3") locking drawers installed	FF4WL	92 <sup>1</sup> / <sub>4</sub> "	62 <sup>1</sup> / <sub>2</sub> "	19 "	950 lbs.
Drawer Inside Dimensions		87	60 <sup>1</sup> / <sub>8</sub> "	3 "	
<b>OPTIONS</b>					
Recessed Base	FFWRB	92 <sup>1</sup> / <sub>4</sub> "	59 <sup>1</sup> / <sub>2</sub> "	3 "	51 lbs.
Dolly Base w/4 Locking Casters	FFWDBLC	92 <sup>1</sup> / <sub>4</sub> "	62 <sup>1</sup> / <sub>2</sub> "	6 "	155 lbs.

## model FF6



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
FF6 Cabinet w/6 (3") drawers installed	FF6	55 <sup>1</sup> / <sub>4</sub> "	44 <sup>1</sup> / <sub>2</sub> "	26 <sup>7</sup> / <sub>16</sub> "	610 lbs.
FF6L Cabinet w/6 (3") locking drawers installed	FF6L	55 <sup>1</sup> / <sub>4</sub> "	44 <sup>1</sup> / <sub>2</sub> "	26 <sup>7</sup> / <sub>16</sub> "	610 lbs.
Drawer Inside Dimensions		50 <sup>3</sup> / <sub>16</sub> "	41 <sup>15</sup> / <sub>16</sub> "	3 "	
<b>OPTIONS</b>					
Recessed Base	FFRB	55 <sup>1</sup> / <sub>4</sub> "	41 <sup>1</sup> / <sub>2</sub> "	3 "	37 lbs.
Dolly Base w/4 Locking Casters	FFDBLC	55 <sup>1</sup> / <sub>4</sub> "	44 <sup>1</sup> / <sub>2</sub> "	6 "	110 lbs.



## Print, Drawing and Photograph Storage



Print, drawing and photograph storage solution to accommodate 3 different size solander boxes.

---

Fixed angles and pull out shelves for ease of handling. Options include a pull out workshelf.

## Conservation Lab Cabinet - Custom



Bi-fold Door Conservation Lab Cabinet

This cabinet allows for the storage of objects that need to be housed in drawers, shelves or objects that need to be rolled.

---

Cabinets can be configured to suit any type of collection.

# Art, Historical and Natural Storage Cabinets

## Standard Features

- Lever-Ease recessed full lever handles, with key lock
- Vanguard closed-cell pure silicone gasket, mechanically held in place
- Heavy-duty reinforced steel construction
- Baked powder coat finish, non-off gassing, non-reactive, solvent free
- Sealed, waterproof top
- Plated hardware
- One 3"x 5" label holder per door
- Choose from 8 standard colors; custom colors available

## model M10



- One lift-off reinforced door
- Three-point latching system
- EZ Glide\* Track System with low-friction high-slip coating, in D-499 Glacier White

Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M10 Cabinet	M10	28 <sup>7/8</sup> "	40 <sup>1/4</sup> "	39 <sup>1/2</sup> "	210 lbs.
M10 Cabinet with vent	M10V	28 <sup>7/8</sup> "	40 <sup>1/4</sup> "	39 <sup>1/2</sup> "	211 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M10RSPB	28 <sup>7/8</sup> "	40 <sup>1/4</sup> "	4 <sup>1/2</sup> "	36 lbs.
Dolly Base w/4 Locking Casters	M10DBLC	28 <sup>7/8</sup> "	40 <sup>1/4</sup> "	6"	92 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
*EZ Glide 1" high drawer, half-width (16 maximum)	MHW2D	23 <sup>7/8</sup> "	36"	1 <sup>1/2</sup> "	15 lbs.
*EZ Glide 2" high drawer, half-width (10 maximum)	MHW3D	23 <sup>7/8</sup> "	36"	2 <sup>1/2</sup> "	16 lbs.
*EZ Glide 3" high drawer, half-width (8 maximum)	MHW4D	23 <sup>7/8</sup> "	36"	3 <sup>1/2</sup> "	17 lbs.

## model M20



- Two lift-off reinforced doors, each door operates and is sealed independently
- Three-point latching system
- Four levelers, adjustable from inside
- EZ Glide\* Track System with low-friction high-slip coating, in D-499 Glacier White

**Cabinet dimensions shown are exterior.  
Drawer dimensions shown are interior.**

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M20 Cabinet w/adjustable vents	M20-V	57"	40 <sup>1/4</sup> "	39 <sup>1/2</sup> "	317 lbs.
M20 Cabinet w/o vents	M20	57"	40 <sup>1/4</sup> "	39 <sup>1/2</sup> "	318 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M20RSPB	57"	40 <sup>1/4</sup> "	4 <sup>1/2</sup> "	46 lbs.
Dolly Base w/4 Locking Casters	M20DBLC	57"	40 <sup>1/4</sup> "	6"	115 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Center Divider	M20EZRCDD	1"	37 <sup>1/2</sup> "	32 <sup>3/4</sup> "	82 lbs.
*EZ Glide 1" high drawer, full-width (16 maximum)	M20FW2D	52"	36"	1 <sup>1/2</sup> "	29 lbs.
*EZ Glide 1" high drawer, half-width (32 maximum)	MHW2D	23 <sup>7/8</sup> "	36"	1 <sup>1/2</sup> "	15 lbs.
*EZ Glide 2" high drawer, full-width (10 maximum)	MF20FW3D	52"	36"	2 <sup>1/2</sup> "	31 lbs.
*EZ Glide 2" high drawer, half-width (20 maximum)	MHW3D	23 <sup>7/8</sup> "	36"	2 <sup>1/2</sup> "	16 lbs.
*EZ Glide 3" high drawer, full-width (8 maximum)	M20FW4D	52"	36"	3 <sup>1/2</sup> "	33 lbs.
*EZ Glide 3" high drawer, half-width (16 maximum)	MHW4D	23 <sup>7/8</sup> "	36"	3 <sup>1/2</sup> "	17 lbs.
*Borroughs EZ Glide Track System denotes non-ball bearing tray.					

## model M22



- Two lift-off reinforced doors
- Three-point latching system
- Four levelers, adjustable from inside
- EZ Glide\* Track System with low-friction high-slip coating, in D-499 Glacier White

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M22 Cabinet w/adjustable vents	M22-V	49 <sup>1/4</sup> "	30 <sup>1/2</sup> "	47 <sup>3/4</sup> "	251 lbs.
M20 Cabinet w/o vents	M22	49 <sup>1/4</sup> "	30 <sup>1/2</sup> "	47 <sup>3/4</sup> "	250 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M22RSPB	49 <sup>1/4</sup> "	30 <sup>1/2</sup> "	4 <sup>1/2</sup> "	41 lbs.
Dolly Base w/4 Locking Casters	M22DBLC	49 <sup>1/4</sup> "	30 <sup>1/2</sup> "	6"	85 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Center Divider	M22EZRCDD	1"	26 <sup>1/4</sup> "	41"	69 lbs.
*EZ Glide 1" high drawer, full-width (20 maximum)	M22FW2D	44 <sup>1/4</sup> "	26 <sup>1/4</sup> "	1 <sup>1/2</sup> "	20 lbs.
*EZ Glide 1" high drawer, half-width (40 maximum)	M22HW2D	21"	26 <sup>1/4</sup> "	1 <sup>1/2</sup> "	10 lbs.
*EZ Glide 2" high drawer, full-width (13 maximum)	MF22FW3D	44 <sup>1/4</sup> "	26 <sup>1/4</sup> "	2 <sup>1/2</sup> "	22 lbs.
*EZ Glide 2" high drawer, half-width (26 maximum)	M22HW3D	21"	26 <sup>1/4</sup> "	2 <sup>1/2</sup> "	11 lbs.
*EZ Glide 3" high drawer, full-width (10 maximum)	M22FW4D	44 <sup>1/4</sup> "	26 <sup>1/4</sup> "	3 <sup>1/2</sup> "	24 lbs.
*EZ Glide 3" high drawer, half-width (20 maximum)	M22HW4D	21"	26 <sup>1/4</sup> "	3 <sup>1/2</sup> "	12 lbs.
*Borroughs EZ Glide Track System denotes non-ball bearing tray.					

## model M30



- Two lift-off reinforced doors
- Three-point latching system
- Four levelers, adjustable from inside
- Slotted uprights with 1" spacing

Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M30 Cabinet w/solid metal doors	M30-SD	58"	32"	39 <sup>1/2</sup> "	220 lbs.
M30 Cabinet w/solid metal doors w/vents	M30-SDV	58"	32"	39 <sup>1/2</sup> "	221 lbs.
M30 Cabinet w/metal frame glass doors	M30-GD	58"	32"	39 <sup>1/2</sup> "	270 lbs.
M30 Cabinet w/metal frame glass doors w/vents	M30-GDV	58"	32"	39 <sup>1/2</sup> "	271 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	MRSPPB	58"	32"	4 <sup>1/2</sup> "	45 lbs.
Dolly base w/4 locking casters	MDBLC	58"	32"	6"	100 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Center Divider	M30RCD	1"	30"	32 <sup>3/4</sup> "	36 lbs.
<b>SHELVES – ADJUSTABLE WITH UNIVERSAL BAYONET MOUNT</b>					
Full-width shelf (400 lb. capacity)	MFWS400	54 <sup>1/2</sup> "	29 <sup>1/4</sup> "	1"	40 lbs.
Half-width shelf (400 lb. capacity)	MHWS400	26 <sup>1/2</sup> "	29 <sup>1/4</sup> "	1"	22 lbs.
Full-width, heavy duty shelf (1000 lb. capacity)	MFWS1000	54 <sup>1/2</sup> "	29 <sup>1/4</sup> "	1"	49 lbs.
<b>SHELVES – FULL EXTENSION+</b>					
Full-width shelf (100 lb. capacity)	MFWS100	51 <sup>5/8</sup> "	28 <sup>1/4</sup> "	3/4"	50 lbs.
Half-width shelf (100 lb. capacity)	MHWS100	23 <sup>3/4</sup> "	28 <sup>1/4</sup> "	3/4"	38 lbs.
Full-width shelf (250 lb. capacity)	MFWS250	51 <sup>1/4</sup> "	28 <sup>1/4</sup> "	3/4"	66 lbs.
Half-width shelf (250 lb. capacity)	MHWS250	23 <sup>3/8</sup> "	28 <sup>1/4</sup> "	3/4"	50 lbs.
Full-width shelf (500 lb. capacity)	MFWS500	51 <sup>1/4</sup> "	28 <sup>1/4</sup> "	3/4"	66 lbs.
Half-width shelf (500 lb. capacity)	MHWS500	23 <sup>3/8</sup> "	28 <sup>1/4</sup> "	3/4"	50 lbs.
<b>DRAWERS (INCLUDING MOUNTS) DRAWER - 100 LB. CAPACITY</b>					
1 <sup>3/4</sup> " high drawer, full-width (16 maximum)	M2FWD100	51 <sup>1/2</sup> "	27 <sup>9/16</sup> "	1 <sup>3/8</sup> "	44 lbs.
1 <sup>3/4</sup> " high drawer, half-width (32 maximum)	M2HWD100	23 <sup>3/8</sup> "	27 <sup>9/16</sup> "	1 <sup>3/8</sup> "	34 lbs.
2 <sup>3/4</sup> " high drawer, full-width (10 maximum)	M3FWD100	51 <sup>1/2</sup> "	27 <sup>9/16</sup> "	2 <sup>3/8</sup> "	47 lbs.
2 <sup>3/4</sup> " high drawer, half-width (20 maximum)	M3HWD100	23 <sup>3/8</sup> "	27 <sup>9/16</sup> "	2 <sup>3/8</sup> "	37 lbs.
3 <sup>3/4</sup> " high drawer, full-width (8 maximum)	M4FWD100	51 <sup>1/2</sup> "	27 <sup>9/16</sup> "	3 <sup>3/8</sup> "	48 lbs.
3 <sup>3/4</sup> " high drawer, half-width (16 maximum)	M4HWD100	23 <sup>3/8</sup> "	27 <sup>9/16</sup> "	3 <sup>3/8</sup> "	38 lbs.
4 <sup>3/4</sup> " high drawer, full-width (6 maximum)	M5FWD100	51 <sup>1/2</sup> "	27 <sup>9/16</sup> "	4 <sup>3/8</sup> "	51 lbs.
4 <sup>3/4</sup> " high drawer, half-width (12 maximum)	M5HWD100	23 <sup>3/8</sup> "	27 <sup>9/16</sup> "	4 <sup>3/8</sup> "	41 lbs.
6 <sup>3/4</sup> " high drawer, full-width (4 maximum)	M7FWD100	51 <sup>1/2</sup> "	27 <sup>9/16</sup> "	6 <sup>3/8</sup> "	55 lbs.
6 <sup>3/4</sup> " high drawer, half-width (8 maximum)	M7HWD100	23 <sup>3/8</sup> "	27 <sup>9/16</sup> "	6 <sup>3/8</sup> "	45 lbs.
8 <sup>3/4</sup> " high drawer, full-width (3 maximum)	M9FWD100	51 <sup>1/2</sup> "	27 <sup>9/16</sup> "	8 <sup>3/8</sup> "	61 lbs.
8 <sup>3/4</sup> " high drawer, half-width (6 maximum)	M9HWD100	23 <sup>3/8</sup> "	27 <sup>9/16</sup> "	8 <sup>3/8</sup> "	51 lbs.
Rolled textile, open bottom drawer w/mounts	MROTEXT	49 <sup>7/8</sup> "	27"	4 <sup>3/4</sup> "	57 lbs.

**Drawers include full extension, full suspension ball-bearing slides.**

**Slides attach to cabinet with bayonet mounts and adjust vertically without tools**

DRAWERS (INCLUDING MOUNTS)		DRAWER - 250 LB. CAPACITY			
3 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (8 maximum)	M4FWD250	51"	27 <sup>9</sup> / <sub>16</sub> "	3 <sup>3</sup> / <sub>8</sub> "	63 lbs.
3 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (16 maximum)	M4HWD250	22 <sup>7</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	3 <sup>3</sup> / <sub>8</sub> "	53 lbs.
4 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (6 maximum)	M5FWD250	51"	27 <sup>9</sup> / <sub>16</sub> "	4 <sup>3</sup> / <sub>8</sub> "	66 lbs.
4 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (12 maximum)	M5HWD250	22 <sup>7</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	4 <sup>3</sup> / <sub>8</sub> "	56 lbs.
6 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (4 maximum)	M7FWD250	51"	27 <sup>9</sup> / <sub>16</sub> "	6 <sup>3</sup> / <sub>8</sub> "	70 lbs.
6 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (8 maximum)	M7HWD250	22 <sup>7</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	6 <sup>3</sup> / <sub>8</sub> "	60 lbs.
8 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (3 maximum)	M9FWD250	51"	27 <sup>9</sup> / <sub>16</sub> "	8 <sup>3</sup> / <sub>8</sub> "	76 lbs.
8 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (6 maximum)	M9HWD250	22 <sup>7</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	8 <sup>3</sup> / <sub>8</sub> "	66 lbs.
DRAWERS (INCLUDING MOUNTS)		DRAWER - 500 LB. CAPACITY			
3 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (8 maximum)	M4FWD500	51"	27 <sup>9</sup> / <sub>16</sub> "	3 <sup>3</sup> / <sub>8</sub> "	63 lbs.
3 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (16 maximum)	M4HWD500	22 <sup>7</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	3 <sup>3</sup> / <sub>8</sub> "	53 lbs.
4 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (6 maximum)	M5FWD500	51"	27 <sup>9</sup> / <sub>16</sub> "	4 <sup>3</sup> / <sub>8</sub> "	66 lbs.
4 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (12 maximum)	M5HWD500	22 <sup>7</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	4 <sup>3</sup> / <sub>8</sub> "	56 lbs.
6 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (4 maximum)	M7FWD500	51"	27 <sup>9</sup> / <sub>16</sub> "	6 <sup>3</sup> / <sub>8</sub> "	70 lbs.
6 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (8 maximum)	M7HWD500	22 <sup>7</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	6 <sup>3</sup> / <sub>8</sub> "	60 lbs.
8 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (3 maximum)	M9FWD500	51"	27 <sup>9</sup> / <sub>16</sub> "	8 <sup>3</sup> / <sub>8</sub> "	76 lbs.
8 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (6 maximum)	M9HWD500	22 <sup>7</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	8 <sup>3</sup> / <sub>8</sub> "	66 lbs.
OPTIONS					
EZ Glide full-height, fixed-runner panel system, with protective drawer bumpers	MEZRUNHH	5 <sup>8</sup> / <sub>8</sub> "	30"	31 <sup>7</sup> / <sub>8</sub> "	55 lbs.
*EZ GLIDE DRAWERS					
Removable center divider	M30EZRCD	1"	29 <sup>1</sup> / <sub>2</sub> "	31 <sup>3</sup> / <sub>4</sub> "	60 lbs.
1 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (16 maximum)	MEZ2FW	53"	27 <sup>3</sup> / <sub>4</sub> "	1 <sup>1</sup> / <sub>2</sub> "	25 lbs.
1 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (32 maximum)	MEZ2HW	24 <sup>3</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	1 <sup>1</sup> / <sub>2</sub> "	15 lbs.
2 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (10 maximum)	MEZ3FW	53"	27 <sup>3</sup> / <sub>4</sub> "	2 <sup>1</sup> / <sub>2</sub> "	26 lbs.
2 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (20 maximum)	MEZ3HW	24 <sup>3</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	2 <sup>1</sup> / <sub>2</sub> "	16 lbs.
3 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (8 maximum)	MEZ4FW	53"	27 <sup>3</sup> / <sub>4</sub> "	3 <sup>1</sup> / <sub>2</sub> "	28 lbs.
3 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (16 maximum)	MEZ4HW	24 <sup>3</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	3 <sup>1</sup> / <sub>2</sub> "	17 lbs.
OPTIONS					
ADDITIONAL ITEMS					
Textile Tubes	M60TEXTUB	49 <sup>7</sup> / <sub>8</sub> "	1"	1"	2.5 lbs.
Full-width Reference Shelf	MFWREFSH	54"	29 <sup>1</sup> / <sub>4</sub> "	2"	40 lbs.
Half-width Reference Shelf	MHWREFSH	26 <sup>1</sup> / <sub>8</sub> "	29 <sup>1</sup> / <sub>4</sub> "	2"	25 lbs.

Drawer tracks are lined with a low-friction, high-slip coating, in D-499 Glacier White.

\*Borrighs EZ Glide Track System denotes non-ball bearing tray.

## model M40



- One lift-off reinforced door
- Three-point latching system
- Four levelers, adjustable from inside
- Slotted uprights with 1" spacing

Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M40 Cabinet w/solid metal doors	M40-SD	29"	32"	84"	260 lbs.
M40 Cabinet w/solid metal doors w/vents	M40-SDV	29"	32"	84"	261 lbs.
M40 Cabinet w/metal frame glass doors	M40-GD	29"	32"	84"	290 lbs.
M40 Cabinet w/metal frame glass doors w/vents	M40-GDV	29"	32"	84"	291 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M40RSPB	29"	32"	4 1/2"	40 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
<b>SHELVES – ADJUSTABLE WITH UNIVERSAL BAYONET MOUNT</b>					
Full-width shelf (400 lb. capacity)	M40FWS400	25 1/4"	29 1/4"	1"	22 lbs.
Full-width, heavy-duty shelf (1000 lb. capacity)	M40FWS1000	25 1/4"	29 1/4"	1"	28 lbs.
<b>SHELVES – FULL EXTENSION +</b>					
Full-width shelf (100 lb. capacity)	M40FWS100	22 5/8"	28 1/4"	3/4"	38 lbs.
Full-width shelf (250 lb. capacity)	M40FWS250	22 1/4"	28 1/4"	3/4"	50 lbs.
Full-width shelf (500 lb. capacity)	M40FWS500	22 1/4"	28 1/4"	3/4"	50 lbs.
<b>DRAWERS (INCLUDING MOUNTS) DRAWER - 100 LB. CAPACITY</b>					
1 3/4" high drawer, full-width (38 maximum)	M402FWD100	22 1/4"	27 9/16"	1 3/8"	34 lbs.
2 3/4" high drawer, full-width (25 maximum)	M403FWD100	22 1/4"	27 9/16"	2 3/8"	37 lbs.
3 3/4" high drawer, full-width (19 maximum)	M404FWD100	22 1/4"	27 9/16"	3 3/8"	38 lbs.
4 3/4" high drawer, full-width (15 maximum)	M405FWD100	22 1/4"	27 9/16"	4 3/8"	41 lbs.
6 3/4" high drawer, full-width (11 maximum)	M407FWD100	22 1/4"	27 9/16"	6 3/8"	45 lbs.
8 3/4" high drawer, full-width (8 maximum)	M409FWD100	22 1/4"	27 9/16"	8 3/8"	51 lbs.
<b>DRAWERS (INCLUDING MOUNTS) DRAWER - 250 LB. CAPACITY</b>					
3 3/4" high drawer, full-width (19 maximum)	M404FWD250	21 3/4"	27 9/16"	3 3/8"	53 lbs.
4 3/4" high drawer, full-width (15 maximum)	M405FWD250	21 3/4"	27 9/16"	4 3/8"	56 lbs.
6 3/4" high drawer, full-width (11 maximum)	M407FWD250	21 3/4"	27 9/16"	6 3/8"	60 lbs.
8 3/4" high drawer, full-width (8 maximum)	M409FWD250	21 3/4"	27 9/16"	8 3/8"	66 lbs.
<b>ADDITIONAL ITEMS</b>					
Art Frame Assembly, vertical, full-height	ARTFRA	1 1/2"	29"	70"	60 lbs.
Full-width Reference Shelf	MFWREFSH	54"	29 1/4"	2"	25 lbs.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
<b>DRAWERS (INCLUDING MOUNTS)</b>		<b>DRAWER - 500 LB. CAPACITY</b>			
3 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (19 maximum)	M404FWD500	21 <sup>3</sup> / <sub>4</sub> "	27 <sup>9</sup> / <sub>16</sub> "	3 <sup>3</sup> / <sub>8</sub> "	53 lbs.
4 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (15 maximum)	M405FWD500	21 <sup>3</sup> / <sub>4</sub> "	27 <sup>9</sup> / <sub>16</sub> "	4 <sup>3</sup> / <sub>8</sub> "	56 lbs.
6 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (11 maximum)	M407FWD500	21 <sup>3</sup> / <sub>4</sub> "	27 <sup>9</sup> / <sub>16</sub> "	6 <sup>3</sup> / <sub>8</sub> "	60 lbs.
8 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (8 maximum)	M409FWD500	21 <sup>3</sup> / <sub>4</sub> "	27 <sup>9</sup> / <sub>16</sub> "	8 <sup>3</sup> / <sub>8</sub> "	66 lbs.

<b>OPTIONS</b>					
EZ Glide full-height fixed runner panel system, with protective drawer bumpers	MEZRUNFH	5/8"	30"	76 <sup>3</sup> / <sub>8</sub> "	110 lbs.
<b>*EZ GLIDE DRAWERS</b>					
1 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (38 maximum)	M40EZ2FW	24"	27 <sup>3</sup> / <sub>4</sub> "	1 <sup>1</sup> / <sub>2</sub> "	14 lbs.
2 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (25 maximum)	M40EZ3FW	24"	27 <sup>3</sup> / <sub>4</sub> "	2 <sup>1</sup> / <sub>2</sub> "	15 lbs.
3 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (19 maximum)	M40EZ4FW	24"	27 <sup>3</sup> / <sub>4</sub> "	3 <sup>1</sup> / <sub>2</sub> "	16 lbs.

\*Borroughs EZ Glide Track System denotes non-ball bearing tray.

Options with \*EZ Glide Track System

Drawer tracks are lined with a low friction, high-slip coating, in D-499 Glacier White.

+ Overall height of shelf including track is 3/4"

Drawers include full extension, full suspension ball-bearing slides.

Slides attach to cabinet with bayonet mounts and adjust vertically without tools.

## model M60



- Two lift-off reinforced doors
- Three-point latching system
- Four levelers, adjustable from inside
- Slotted uprights with 1" spacing

**Cabinet dimensions shown are exterior.  
Drawer dimensions shown are interior.**

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M60 Cabinet w/solid metal doors	M60-SD	58"	32"	84"	325 lbs.
M60 Cabinet w/solid metal doors w/vents	M60-SDV	58"	32"	84"	326 lbs.
M60 Cabinet w/metal frame glass doors	M60-GD	58"	32"	84"	375 lbs.
M60 Cabinet w/metal frame glass doors w/vents	M60-GDV	58"	32"	84"	376 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	MRSPB	58"	32"	4 <sup>1</sup> / <sub>2</sub> "	45 lbs.
Dolly Base w/4 Locking Casters	MDBLC	58"	32"	6"	100 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Center Divider, full-height	M60RCD	1"	30"	77 <sup>1</sup> / <sub>4</sub> "	80 lbs.
Removable Center Divider, half-height	MHHRC	1"	30"	38 <sup>5</sup> / <sub>8</sub> "	40 lbs.
Garment Rod & Brackets	MCOATROD				5 lbs.
<b>SHELVES – ADJUSTABLE WITH UNIVERSAL BAYONET MOUNT</b>					
Full-width shelf (400 lb. capacity)	MFWS400	54 <sup>1</sup> / <sub>2</sub> "	29 <sup>1</sup> / <sub>4</sub> "	1"	40 lbs.
Half-width shelf (400 lb. capacity)	MHWS400	26 <sup>1</sup> / <sub>2</sub> "	29 <sup>1</sup> / <sub>4</sub> "	1"	22 lbs.
Full-width, heavy-duty shelf (1000 lb. capacity)	MFWS1000	54 <sup>1</sup> / <sub>2</sub> "	29 <sup>1</sup> / <sub>4</sub> "	1"	49 lbs.
<b>SHELVES – FULL EXTENSION +</b>					
Full-width shelf (100 lb. capacity)	MFWS100	51 <sup>5</sup> / <sub>8</sub> "	28 <sup>1</sup> / <sub>4</sub> "	3/4"	50 lbs.
Half-width shelf (100 lb. capacity)	MHWS100	23 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>4</sub> "	3/4"	38 lbs.
Full-width shelf (250 lb. capacity)	MFWS250	51 <sup>1</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>4</sub> "	3/4"	66 lbs.
Half-width shelf (250 lb. capacity)	MHWS250	23 <sup>3</sup> / <sub>8</sub> "	28 <sup>1</sup> / <sub>4</sub> "	3/4"	50 lbs.
Full-width shelf (500 lb. capacity)	MFWS500	51 <sup>1</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>4</sub> "	3/4"	66 lbs.
Half-width shelf (500 lb. capacity)	MHWS500	23 <sup>3</sup> / <sub>8</sub> "	28 <sup>1</sup> / <sub>4</sub> "	3/4"	50 lbs.
Weapons storage insert	M60WEAP	53"	18"	68"	94 lbs.
<b>DRAWERS (INCLUDING MOUNTS)</b>		<b>DRAWER - 100 LB. CAPACITY</b>			
1 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (38 maximum)	M2FWD100	51 <sup>1</sup> / <sub>2</sub> "	27 <sup>9</sup> / <sub>16</sub> "	1 <sup>3</sup> / <sub>8</sub> "	44 lbs.
1 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (76 maximum)	M2HWD100	23 <sup>3</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	1 <sup>3</sup> / <sub>8</sub> "	34 lbs.
2 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (25 maximum)	M3FWD100	51 <sup>1</sup> / <sub>2</sub> "	27 <sup>9</sup> / <sub>16</sub> "	2 <sup>3</sup> / <sub>8</sub> "	47 lbs.
2 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (50 maximum)	M3HWD100	23 <sup>3</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	2 <sup>3</sup> / <sub>8</sub> "	37 lbs.
3 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (19 maximum)	M4FWD100	51 <sup>1</sup> / <sub>2</sub> "	27 <sup>9</sup> / <sub>16</sub> "	3 <sup>3</sup> / <sub>8</sub> "	48 lbs.
3 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (38 maximum)	M4HWD100	23 <sup>3</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	3 <sup>3</sup> / <sub>8</sub> "	38 lbs.
4 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (15 maximum)	M5FWD100	51 <sup>1</sup> / <sub>2</sub> "	27 <sup>9</sup> / <sub>16</sub> "	4 <sup>3</sup> / <sub>8</sub> "	51 lbs.
4 <sup>3</sup> / <sub>4</sub> " high drawer, half-width (30 maximum)	M5HWD100	23 <sup>3</sup> / <sub>8</sub> "	27 <sup>9</sup> / <sub>16</sub> "	4 <sup>3</sup> / <sub>8</sub> "	41 lbs.
6 <sup>3</sup> / <sub>4</sub> " high drawer, full-width (11 maximum)	M7FWD100	51 <sup>1</sup> / <sub>2</sub> "	27 <sup>9</sup> / <sub>16</sub> "	6 <sup>3</sup> / <sub>8</sub> "	55 lbs.

Drawers include full extension, full suspension ball-bearing slides. Slides attach to cabinet with bayonet mounts and adjust vertically without tools.



+ Overall height of shelf including track is 3/4"

8 3/4" high drawer, full-width (8 maximum)	M9FWD100	51 1/2"	27 9/16"	8 3/8"	61 lbs.
8 3/4" high drawer, half-width (16 maximum)	M9HWD100	23 3/8"	27 9/16"	8 3/8"	51 lbs.
Rolled Textile, open bottom drawer (15 maximum)	MROTEXT	49 7/8"	27"	4 3/4"	57 lbs.
<b>OPTIONS</b>					
<b>ADDITIONAL ITEMS</b>					
Textile Tubes	M60TEXTUB	49 7/8"	1"	1"	2.5 lbs.
Art Frame Assembly, vertical, full-height	ARTFRA	1 1/2"	29"	70"	60 lbs.
Full-width Reference Shelf	MFWREFSH	54"	29 1/4"	2"	40 lbs.
Half-width Reference Shelf	MHWREFSH	26 1/8"	29 1/4"	2"	25 lbs.
<b>DRAWERS (INCLUDING MOUNTS) DRAWER - 250 LB. CAPACITY</b>					
3 3/4" high drawer, full-width (19 maximum)	M4FWD250	51"	27 9/16"	3 3/8"	63 lbs.
3 3/4" high drawer, half-width (38 maximum)	M4HWD250	22 7/8"	27 9/16"	3 3/8"	53 lbs.
4 3/4" high drawer, full-width (15 maximum)	M5FWD250	51"	27 9/16"	4 3/8"	66 lbs.
4 3/4" high drawer, half-width (30 maximum)	M5HWD250	22 7/8"	27 9/16"	4 3/8"	56 lbs.
6 3/4" high drawer, full-width (11 maximum)	M7FWD250	51"	27 9/16"	6 3/8"	70 lbs.
6 3/4" high drawer, half-width (22 maximum)	M7HWD250	22 7/8"	27 9/16"	6 3/8"	60 lbs.
8 3/4" high drawer, full-width (8 maximum)	M9FWD250	51"	27 9/16"	8 3/8"	76 lbs.
8 3/4" high drawer, half-width (16 maximum)	M9HWD250	22 7/8"	27 9/16"	8 3/8"	66 lbs.
<b>DRAWERS (INCLUDING MOUNTS) DRAWER - 500 LB. CAPACITY</b>					
3 3/4" high drawer, full-width (19 maximum)	M4FWD500	51"	27 9/16"	3 3/8"	63 lbs.
3 3/4" high drawer, half-width (38 maximum)	M4HWD500	22 7/8"	27 9/16"	3 3/8"	53 lbs.
4 3/4" high drawer, full-width (15 maximum)	M5FWD500	51"	27 9/16"	4 3/8"	66 lbs.
4 3/4" high drawer, half-width (30 maximum)	M5HWD500	22 7/8"	27 9/16"	4 3/8"	56 lbs.
6 3/4" high drawer, full-width (11 maximum)	M7FWD500	51"	27 9/16"	6 3/8"	70 lbs.
6 3/4" high drawer, half-width (22 maximum)	M7HWD500	22 7/8"	27 9/16"	6 3/8"	60 lbs.
8 3/4" high drawer, full-width (8 maximum)	M9FWD500	51"	27 9/16"	8 3/8"	76 lbs.
8 3/4" high drawer, half-width (16 maximum)	M9HWD500	22 7/8"	27 9/16"	8 3/8"	66 lbs.

Options with \*EZ Glide Track System

Drawer tracks are lined with a low friction, high-slip coating, in D-499 Glacier White.

EZ Glide full-height, fixed-runner panel system, with protective drawer bumpers	M60EZRUNFH	5/8"	30"	76 3/8"	110 lbs.
EZ Glide half-height, fixed-runner panel system, with protective drawer bumpers	MEZRUNHH	5/8"	30"	31 7/8"	55 lbs.
<b>*EZ GLIDE DRAWERS</b>					
Removable center divider, full-height	M60EZRCDD	1"	29"	76 1/4"	120 lbs.
Removable center divider, half-height	M60HHEZRCDD	1"	29"	38"	60 lbs.
1 3/4" high drawer, full-width (38 maximum)	MEZ2FW	53"	27 3/4"	1 1/2"	25 lbs.
1 3/4" high drawer, half-width (76 maximum)	MEZ2HW	24 3/8"	27 3/4"	1 1/2"	15 lbs.
2 3/4" high drawer, full-width (25 maximum)	MEZ3FW	53"	27 3/4"	2 1/2"	26 lbs.
2 3/4" high drawer, half-width (50 maximum)	MEZ3HW	24 3/8"	27 3/4"	2 1/2"	16 lbs.
3 3/4" high drawer, full-width (19 maximum)	MEZ4FW	53"	27 3/4"	3 1/2"	28 lbs.
3 3/4" high drawer, half-width (38 maximum)	MEZ4HW	24 3/8"	27 3/4"	3 1/2"	17 lbs.

## model M62



- Two lift-off reinforced doors
- Three-point latching system
- Four levelers, adjustable from inside
- Slotted uprights with 1" spacing

Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M62 Cabinet w/solid metal doors	M62-SD	96"	32"	79"	470 lbs.
M62 Cabinet w/solid metal doors w/vents	M62-SDV	96"	32"	79"	500 lbs.
M62 Cabinet w/metal frame glass doors	M62-GD	96"	32"	79"	600 lbs.
M62 Cabinet w/metal frame glass doors w/vents	M62-GDV	96"	32"	79"	620 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M62RSPB	96"	32"	4 1/2"	65 lbs.
Dolly Base w/4 locking casters	M62DBLC	96"	32"	6"	125 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Rolled Textile, open bottom drawer w/mounts	M62ROTEXT	87 7/8"	27"	4 3/4"	67 lbs.
Textile Tubes	M62TEXTUB	87 7/8"	1"	1"	5 lbs.
Art Frame Assembly, full-height, vertical	ARTFRA	1 1/2"	29"	70"	60 lbs.
<b>SHELVES</b>					
Full-width adjustable shelf – bayonet mount	M62FWSH	92 1/2"	29 1/4"	1"	65 lbs.
Full extension, full-width shelf (250 lb. capacity)	M62FWS250	89 1/4"	28 1/4"	3/4"	75 lbs.
Full extension, full-width shelf (500 lb. capacity)	M62FWS500	89 1/4"	28 1/4"	3/4"	80 lbs.
<b>DRAWERS (INCLUDING MOUNTS)</b>		<b>DRAWER - 250 LB. CAPACITY</b>			
3 3/4" high drawer, full-width (18 maximum)	M624FWD250	89"	27 9/16"	3 3/8"	80 lbs.
4 3/4" high drawer, full-width (14 maximum)	M625FWD250	89"	27 9/16"	4 3/8"	83 lbs.
6 3/4" high drawer, full-width (10 maximum)	M627FWD250	89"	27 9/16"	6 3/8"	88 lbs.
8 3/4" high drawer, full-width (8 maximum)	M629FWD250	89"	27 9/16"	8 3/8"	95 lbs.
<b>DRAWERS (INCLUDING MOUNTS)</b>		<b>DRAWER - 500 LB. CAPACITY</b>			
3 3/4" high drawer, full-width (18 maximum)	M624FWD500	89"	27 9/16"	3 3/8"	80 lbs.
4 3/4" high drawer, full-width (14 maximum)	M625FWD500	89"	27 9/16"	4 3/8"	83 lbs.
6 3/4" high drawer, full-width (10 maximum)	M627FWD500	89"	27 9/16"	6 3/8"	88 lbs.
8 3/4" high drawer, full-width (8 maximum)	M629FWD500	89"	27 9/16"	8 3/8"	95 lbs.

Drawers include full extension, full suspension ball-bearing slides.  
Slides attach to cabinet with bayonet mounts and adjust vertically without tools.

## model M64



- Two lift-off reinforced doors
- Three-point latching system
- Four levelers, adjustable from inside
- Protective drawer bumper stop

Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M64 Cabinet w/solid metal doors	M64-SD	39 <sup>1/2</sup> "	16 <sup>5/8</sup> "	84"	266 lbs.
M64 Cabinet w/solid metal doors w/vents	M64-SDV	39 <sup>1/2</sup> "	16 <sup>5/8</sup> "	84"	267 lbs.
M64 Cabinet w/metal frame glass doors	M64-GD	39 <sup>1/2</sup> "	16 <sup>5/8</sup> "	84"	295 lbs.
M64 Cabinet w/metal frame glass doors w/vents	M64-GDV	39 <sup>1/2</sup> "	16 <sup>5/8</sup> "	84"	296 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M64RSPB	39 <sup>1/2</sup> "	16 <sup>5/8</sup> "	4 <sup>1/2</sup> "	30 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
<b>SHELVES</b>					
Full-width adjustable shelf-bayonet mount (400 lb. capacity)	M64FWS400	36"	13 <sup>7/8</sup> "	1"	20 lbs.
Full extension, full-width shelf (100 lb. capacity)	M64FWS100	33 <sup>1/8</sup> "	12 <sup>7/8</sup> "	3/4"	35 lbs.
Full extension, full-width shelf (250 lb. capacity)	M64FWS250	32 <sup>3/4</sup> "	12 <sup>7/8</sup> "	3/4"	45 lbs.
<b>DRAWERS (INCLUDING MOUNTS)</b>		<b>DRAWER - 100 LB. CAPACITY</b>			
1 <sup>3/4</sup> " high drawer, full-width (38 maximum)	M642FWD100	33"	12 <sup>3/16</sup> "	1 <sup>3/8</sup> "	32 lbs.
3 <sup>3/4</sup> " high drawer, full-width (19 maximum)	M644FWD100	33"	12 <sup>3/16</sup> "	3 <sup>3/8</sup> "	36 lbs.


Drawers include full extension, full suspension ball-bearing slides.  
Slides attach to cabinet with bayonet mounts, adjust vertically without tools.

Notes:


While we have attempted to keep all dimensions and specifications as accurate as possible, we disclaim any implied warranty or representation about their accuracy, completeness, or appropriateness for a particular purpose. Product specifications may be subject to change at any time. Please consult your Borroughs representative or Customer Service for additional information.

# Borroughs Standard Powder Coat Colors


Borroughs powder coat finishes are high quality, durable and inert. Borroughs offers 8 standard colors. We also offer custom color matching, using Borroughs computerized technology.



010 Autumn Haze




159 Eggshell




445 White




065 Gray




040 Black



161 Mist Gray




D492 Parchment



F604 Pebble

The colors depicted on this publication have been reproduced using a printing process and are only provided as a guide. The actual painted product may vary. All colors are not available on all products. Please contact your Borroughs Dealer for details.



All products shown are available under GSA Federal Supply Schedule.  
**Contract #GS-27F-0045N.**



**Acme Visible - 1-800-663-9111**

**[www.acmevisible.com](http://www.acmevisible.com)**