



APC NetShelter SX, Server Rack Enclosure, 45U, Black, 2124H x 750W x 1200D mm [TAA]

AR3355

- Discontinued on: Mar 19, 2025
- ! To be end-of-service on: Feb 14, 2029

Product availability: Stock - Normally stocked in distribution

Overview

Lead time Usually in Stock

Main

Product or Component Type	Rack enclosure
Number of rack unit	45U
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels
	Leveling feet
	Mounting Hardware Pre-installed casters
	Side Panels

Physical

Height	83.62 in (212.4 cm)	
Width	29.53 in (75 cm)	
Depth	47.24 in (120 cm)	
Net Weight	372.6 lb(US) (169 kg)	
Color	Black	
Mounting preference	No preference	
Mounting Mode	Not rack-mountable	
Maximum Mounting Depth	41.26 in (104.8 cm)	
minimum mounting depth	10.31 in (26.19 cm)	
Rack Width	19"	
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels	
Permanent permissible load	2250 lb(US) (1020.6 kg) dynamic 3750 lb(US) (1701.0 kg) static	

Conformance

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Standards UL 2416 UL 60950-1

EIA-310E

Ordering and shipping details

Category	11309-APC RESALE PRODUCTS	
Discount Schedule	APC1	
GTIN	731304290223	
Returnability	No	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	88.19 in (224 cm)
Package 1 Width	52.52 in (133.4 cm)
Package 1 Length	33.46 in (85 cm)
Package 1 Weight	415.4 lb(US) (188.4 kg)

Contractual warranty

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	572	

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture		
Circularity Profile	End of Life Information	
Take-back	Yes	