


# Owner's Manual

## Universal Dual-Mount Adapter for 13" to 27" Displays

Model: DMA1327SD



**CAUTION: DO NOT EXCEED MAXIMUM LISTED WEIGHT CAPACITY. THE WEIGHT CAPACITY REMAINS THE SAME WHETHER SUPPORTING ONE OR TWO MONITORS. SERIOUS INJURY OR PROPERTY DAMAGE MAY OCCUR!**



75x75  
100x100



Este manual esta disponible en español en la página de Tripp Lite: [www.tripplite.com](http://www.tripplite.com)

Ce manuel est disponible en français sur le site Web de Tripp Lite : [www.tripplite.com](http://www.tripplite.com)

Русскоязычная версия настоящего руководства представлена на веб-сайте компании Tripp Lite по адресу: [www.tripplite.com](http://www.tripplite.com)

Dieses Handbuch ist in deutscher Sprache auf der Tripp Lite-Website verfügbar: [www.tripplite.com](http://www.tripplite.com)

### PROTECT YOUR INVESTMENT!

Register your product for quicker service and ultimate peace of mind.

You could also win an ISOBAR6ULTRA surge protector—a \$100 value!

[www.tripplite.com/warranty](http://www.tripplite.com/warranty)

# TRIPP·LITE



1111 W. 35th Street, Chicago, IL 60609 USA • [www.tripplite.com/support](http://www.tripplite.com/support)

Copyright © 2018 Tripp Lite. All rights reserved.

**NOTE:** Read the entire instruction manual before you start installation and assembly.



## WARNING

- Do not begin the installation until you have read and understood the instructions and warnings contained in this manual. If you have any questions regarding any of the instructions or warnings, please visit [www.tripplite.com/support](http://www.tripplite.com/support).
- This mounting bracket was designed to be installed and utilized **ONLY** as specified in this manual. Improper installation of this product may cause damage or serious injury.
- When converting a single-monitor display to a dual-monitor display using the DMA1327SD Dual-Mount Adapter, **DO NOT EXCEED THE MAXIMUM RATED WEIGHT CAPACITY**. The weight capacity remains the same whether supporting one or two monitors.
- This product should only be installed by someone of good mechanical ability, with basic building experience and a full understanding of this instruction manual.
- Always use an assistant or mechanical lifting equipment to safely lift and position equipment.
- Tighten screws firmly, but do not over-tighten. Over-tightening screws can damage the items, greatly reducing their holding power.
- This product is intended for indoor use only. Using this product outdoors could lead to product failure and personal injury.

## Warranty & Product Registration

### 5-Year Limited Warranty

Seller warrants this product, if used in accordance with all applicable instructions, to be free from original defects in material and workmanship for a period of 5 years from the date of initial purchase. If the product should prove defective in material or workmanship within that period, Seller will repair or replace the product, in its sole discretion.

THIS WARRANTY DOES NOT APPLY TO NORMAL WEAR OR TO DAMAGE RESULTING FROM ACCIDENT, MISUSE, ABUSE OR NEGLIGENCE. SELLER MAKES NO EXPRESS WARRANTIES OTHER THAN THE WARRANTY EXPRESSLY SET FORTH HEREIN. EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, ALL IMPLIED WARRANTIES, INCLUDING ALL WARRANTIES OF MERCHANTABILITY OR FITNESS, ARE LIMITED IN DURATION TO THE WARRANTY PERIOD SET FORTH ABOVE; AND THIS WARRANTY EXPRESSLY EXCLUDES ALL INCIDENTAL AND CONSEQUENTIAL DAMAGES. (Some states do not allow limitations on how long an implied warranty lasts, and some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may have other rights which vary from jurisdiction to jurisdiction).

**WARNING:** The individual user should take care to determine prior to use whether this device is suitable, adequate or safe for the use intended. Since individual applications are subject to great variation, the manufacturer makes no representation or warranty as to the suitability or fitness of these devices for any specific application.

### PRODUCT REGISTRATION


Visit [www.tripplite.com/warranty](http://www.tripplite.com/warranty) today to register your new Tripp Lite product. You'll be automatically entered into a drawing for a chance to win a FREE Tripp Lite product!\*

\* No purchase necessary. Void where prohibited. Some restrictions apply. See website for details.


Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

## Component Checklist

**IMPORTANT:** Ensure that you have received all parts according to the component checklist prior to installing. If any parts are missing or faulty, visit [www.triplite.com/support](http://www.triplite.com/support) for service.




VESA Head Bracket (x2)



Mounting Plate (x1)



VESA Bracket Bar (x2)



Bracket Bar Coupler (x1)



End Caps (x2)



Cable Hook (x2)



End Cap Screw (x2)



M6X30 Screw (x4)



M4X12 Screw (x12)



M5X12 Screw (x12)



D5 Washer (x12)



M5 Nut (x8)



M4 Nut (x4)




4 mm Hex Key (x1)




6 mm Hex Key (x1)

# Installation

## 1. Assemble VESA Bracket Bars




## 2. Slide VESA Head Brackets onto VESA Bracket Bar




## Installation

### 3. Attach Cable Management Hooks




### 4. Attach the Dual Bar Assembly to the Display Mount's VESA Head




# Installation

## 5. Attach Displays to Dual Bar Assembly



## 6.



It may be necessary to slightly loosen or tighten the adjustment screw, depending on the weight of display installed.


**⚠️** Attach the display to the VESA plate with the appropriate included screws.

**Do not over-tighten screws.**

When converting a single-monitor display to a dual-monitor display using the DMA1327SD Dual-Mount Adapter, **DO NOT EXCEED THE MAXIMUM RATED WEIGHT CAPACITY.** The weight capacity remains the same whether supporting one or two monitors.

## Installation

### 7. Adjust Displays to Desired Position or Tilt



## Maintenance

- Check that the bracket is secure and safe to use at regular intervals (at least every three months).
- Please visit [www.tripplite.com/support](http://www.tripplite.com/support) if you have any questions.



1111 W. 35th Street, Chicago, IL 60609 USA • [www.tripplite.com/support](http://www.tripplite.com/support)