ProductSheet

HP Z2 SFF G1i Workstation Desktop PC Wolf Pro Security Edition (BN5M5UT)

Tower power at a third of the size.



Re-engineered to get all the power of a full-size tower at a fraction of the size. The Z2 SFF AI workstation delivers high performance for intensive workflows—from 3D design to real time ray tracing—now and in the future. When demands change, you have the impressive ability to upgrade and expand.



Small form. Big power. Impressive expandability.

Design, simulate, and real-time ray trace on the Z2 SFF AI workstation, with low-profile NVIDIA RTXTM graphics and an Intel® Core™ Ultra processor,[1] including K-Series. Easily upgrade memory[2] and storage as work evolves with tool-less access.

Smaller design. Big impact.

Whether placed horizontally or vertically, the Z2 SFF defies space constraints. Its smaller size allows for 4 units across a 7U rack.[3] Stylish yet purposeful venting improves airflow to enable powerful K-series CPUs and NVIDIA low profile GPUs.

Power AI-accelerated workflows

Accelerate AI workflows with the Z2 SFF AI workstation. Iterate and problem solve faster on your local device with a powerful discrete GPU delivering AI TOPS while a built-in NPU[4] takes on productivity tasks.

Featuring

HP recommends Windows 11 Pro for business

Work anywhere without compromising on performance with Windows 11 and HP collaboration, security, and connectivity technology. Summarize and rewrite content, get relevant content recommendations, and stay organized with Microsoft Copilot. ^[7]

Security is your top priority

The HP Wolf Pro Security Edition provides preconfigured enterprise-level PC protection for small and medium sized businesses.

Smaller, Functional Design

The stunning new design features front and rear ledges, so you can easily move your system from location to location.

Independent Software Vendor Certifications

Work with confidence knowing your PC is certified by leading software vendors to ensure peak performance even on complex projects.

Specifications

Operating system Windows 11 Pro ⁽¹⁾ Intel [®] Core [™] Ultra 9 processor Processor Intel [®] Core [™] Ultra 9 285K (up to 5.7 GHz with Intel [®] Turbo Boost Technology, 36 MB L3 cache, 24 cores, 24 threads) (6.7) Chipset Intel [®] W 880 Memory 32 GB DDR5-5600 MT/s (2 × 16 GB) Memory Slots 4 UDIMM Internal Storage 1 TB HP Z Turbo Drive PCle [®] Gen4 TLC M.2 SSD External drive bays One slim ODD Graphics Discrete Graphics (discrete) NUDIA RTX™ 2000 Ada Generation (16 GB GDDR6 dedicated) Graphics (discrete) Integrated Graphics (discrete) Integrated Graphics (discrete) Integrated Graphics (discrete) Integrated Integrated Intel [®] Caphics Audio Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support Dimensions (W X D X H) 10 x 30.8 x 30.3 cm (Standard desktop orientation.) Weight Starting at 4.0 kg (Exact weight depends on configuration.) Weight Starting at 8.1b (Exact weight depends on configuration.) Keyboard HP B 320K Witted Keyboard Ports 2 USB Type-A 10Gbps signaling r	Form factor	Small form factor
Processor Intel® Core® Ultra 9 285K (up to 5.7 GHz with Intel® Turbo Boost Technology, 36 MB L3 cache, 24 cores, 24 threads) (6.7) Chipset	Operating system	Windows 11 Pro ^[1]
Chipset Intel® W880 Memory 32 GB DDR5-5600 MT/s (2 x 16 GB)	Processor family	Intel® Core™ Ultra 9 processor
Memory 32 GB DDR5-5600 MT/s (2 x 16 GB) Memory Slots 4 UDIMM Internal Storage 1 TB HP Z Turbo Drive PCIe® Gen4 TLC M.2 SSD External drive bays One slim ODD Graphics Discrete Graphics (discrete) NVIDIA RTXI™ 2000 Ada Generation (16 GB GDDR6 dedicated) Graphics (integrated) Intel® Graphics Audio Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support Dimensions (W x D x H) 10 x 30.8 x 30.3 cm (Standard desktop orientation.) Weight Starting at 4.0 kg (Exact weight depends on configuration.) Weight Starting at 8.8 lb (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard Pointig device HP Wired 320M Mouse Ports 2 USB Type-C* 20Gbps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M.2 SB Type-C* 20Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Ports 2 USB Type-C* 20Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Ports 2 USB Type-C* 20Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps	Processor	
Memory Slots 4 UDIMM Internal Storage 1 TB HP Z Turbo Drive PCIe® Gen4 TLC M.2 SSD External drive bays One slim ODD Graphics Discrete Graphics (discrete) N VIDIA RTX™ 2000 Ada Generation (16 GB GDDRG dedicated) Graphics (integrated) Intel® Graphics Audio Realtek ALG3252 codec, universal audio jack with CTIA and OMTP headset support Dimensions (W x D x H) 10 x 30.8 x 30.3 cm (Standard desktop orientation.) Dimensions (W x D x H) 3.3 x 12.1 x 11.9 in (Standard desktop orientation.) Weight Starting at 4.0 kg (Exact weight depends on configuration.) Weight Starting at 8.1 b (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard Pointing device HP Wired 320M Mouse Ports 2 USE Type-C* 20Gbps signalling rate; 4 USB Type-A 10Gbps signalling rate; 1 headphone/microphone combo Expansionslots 2 M.2 2280 PCIe 4 x4; 1 M.2 2230 for WLAN; 1 PCIe 5 x16; 1 M.2 2280 PCIe 5 x4; 1 PCIe 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 880Mbps signaling rate Package weight Starting at 6.5 kg Power 500 W Internal power adapter,	Chipset	Intel® W880
Internal Storage 1 TB HP Z Turbo Drive PCIe® Gen4 TLC M.2 SSD External drive bays One slim ODD Graphics Discrete Graphics (discrete) NVIDIA RTX™ 2000 Ada Generation (16 GB GDDR6 dedicated) Graphics (Integrated) Intel® Graphics Audio Realte ALC 2325 z odec, universal audio jack with CTIA and OMTP headset support Dimensions (W x D x H) 10 x 30.8 x 30.3 cm (Standard desktop orientation.) Dimensions (W x D x H) 3.9 x 12.1 x 11.9 in (Standard desktop orientation.) Weight Starting at 4.0 kg (Exact weight depends on configuration.) Weight (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard Pointing device HP Wired 320M Mouse Ports 2 USB Type-C® 20Gbps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M.2 2280 PCIe 4 x4; 1 M.2 2230 for WLAN; 1 PCIe 5 x16; 1 M.2 2280 PCIe 5 x4; 1 PCIe 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled stee; 4.1 least 25% ocean-bound plastic in system fans; System has a QRS code enabled experience where the user has access to a product portal — beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Memory	32 GB DDR5-5600 MT/s (2 x 16 GB)
External drive bays Discrete Graphics Discrete NVIDIA RTX™ 2000 Ada Generation (16 GB GDDR6 dedicated) Graphics (discrete) NVIDIA RTX™ 2000 Ada Generation (16 GB GDDR6 dedicated) Graphics (integrated) Integrated Audio Realtex ALC 3252 codec, universal audio jack with CTIA and OMTP headset support Dimensions (W x D x H) Dimensions (W x D x H) Starting at 4.0 sc (Exact weight depends on configuration.) Weight Starting at 4.0 sc (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard Pointing device HP Wired 320M Mouse Ports 2 USB Type-C* 20 Gbps signaling rate; 4 USB Type-A 10 Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M.2 2280 PCie 4 xq; 1 M.2 2230 for WLAN; 1 PCIe 5 x16; 1 M.2 2280 PCIe 5 xq; 1 PCIe 4 xq 2 USB Type-A 10 Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480 Mbps signaling rate Package dimensions (W x D x H) Package dimensions (W x D x H) Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Eccolabels Eperat* registered Energy star certified ENERGY STAR* certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus* Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled stee; 41 least 25% ocean-bound plastic in system fans; System Rab as QRs Code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Memory Slots	4 UDIMM
Graphics Discrete Graphics (discrete) NVIDIA RTX™ 2000 Ada Generation (16 GB GDDR6 dedicated) Graphics (integrated) Intel® Graphics Audio Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support Dimensions (W x D x H) 10 x 30.8 x 30.3 cm (Standard desktop orientation.) Dimensions (W x D x H) 3.9 x 12.1 x 11.9 im (Standard desktop orientation.) Weight Starting at 4.0 kg (Exact weight depends on configuration.) Weight Starting at 8.8 lb (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard Pointing device HP Wired 320M Mouse Ports 2 USB Type-C* 20Gbps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M. 2 2280 PCLe 4 x4; 1 M.2 2230 for WLAN; 1 PCLe 5 x 16; 1 M.2 2280 PCLe 5 x4; 1 PCLe 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT* registered Energy star certified ENERGY STAR* certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus* Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% occar-bound plastic in system fans; System has a QR code enabled experience where the user has a cocse carbon footprint; Contains at least 20% post-industrial recycled steel; At least 25% occar-bound plastic in system fans; System has a QR code enabled experience where the user has a cocse carbon footprint; Contains at least 20% post-industrial recycled steel; At least 25% occar-bound plastic in system fans; System has a QR code enabled experience where the user has a cocse carbon footprint to the complex of the core and the code of the core as carbon footprint.	Internal Storage	1 TB HP Z Turbo Drive PCIe® Gen4 TLC M.2 SSD
Graphics (discrete) NVIDIA RTX™ 2000 Ada Generation (16 GB GDDR6 dedicated) Graphics (Integrated) Integrated Audio Realtek ALC 3252 codec, universal audio jack with CTIA and OMTP headset support Dimensions (W x D x H) 10 x 30.8 x 30.3 cm (Standard desktop orientation.) Dimensions (W x D x H) 3.9 x 12.1 x 11.9 in (Standard desktop orientation.) Weight Starting at 4.0 kg (Exact weight depends on configuration.) Weight Starting at 8.8 lb (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard Pointing device HP Wired 320M Mouse Ports 2 USB Type-C*20Gbps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M. 2 2280 PCIe 4 x4; 1 M. 2 2230 for WLAN; 1 PCIe 5 x16; 1 M. 2 2280 PCIe 5 x4; 1 PCIe 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT* registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	External drive bays	One slim ODD
Graphics (Integrated) Intel® Graphics Audio Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support Dimensions (W x D x H) 10 x 30.8 x 30.3 cm (Standard desktop orientation.) Dimensions (W x D x H) 3.9 x 12.1 x 11.9 in (Standard desktop orientation.) Weight Starting at 4.0 kg (Exact weight depends on configuration.) Weight Starting at 8.8 lb (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard Pointing device HP Wired 320M Mouse Ports 2 USB Type-C** 20Gbps signalling rate; 4 USB Type-A 10Gbps signalling rate; 1 headphone/microphone combo Expansion slots 2 M.2 2280 PCIe 4 X4; 1 M.2 2230 for WLAN; 1 PCIe 5 X16; 1 M.2 2280 PCIe 5 X4; 1 PCIe 4 X4 Ports 2 USB Type-A 10Gbps signalling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signalling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT* registered Energy star certified ENERGY STAR* certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus* Platinum power supplies available; Product Carbon Footprint	Graphics	Discrete
Graphics (integrated) Intel® Graphics Audio Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support Dimensions (W x D x H) 10 x 30.8 x 30.3 cm (Standard desktop orientation.) Dimensions (W x D x H) 3.9 x 12.1 x 11.9 in (Standard desktop orientation.) Weight Starting at 4.0 kg (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard Pointing device HP Wired 320M Mouse Ports 2 USB Type-C* 206bps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M.2 2280 PCIe 4 x4; 1 M.2 2230 for WLAN; 1 PCIe 5 x 16; 1 M.2 2280 PCIe 5 x4; 1 PCIe 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a	Graphics (discrete)	NVIDIA RTX™ 2000 Ada Generation (16 GB GDDR6 dedicated)
Audio Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support Dimensions (W x D x H) 10 x 30.8 x 30.3 cm (Standard desktop orientation.) Weight Starting at 4.0 kg (Exact weight depends on configuration.) Weight Starting at 8.0 b (Exact weight depends on configuration.) Weight HP 320K Wired Keyboard (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard (Exact weight depends on configuration.) Keyboard HP Wired 320M Mouse Ports 2 USB Type-C* 206bps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M.2 2280 PCle 4 x4; 1 M.2 2230 for WLAN; 1 PCle 5 x16; 1 M.2 2280 PCle 5 x4; 1 PCle 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort**1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT* registered ENERGY 5TAR* certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus* Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption daboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Graphics	Integrated
Dimensions (W x D x H) Dimensions (W x D x H) Dimensions (W x D x H) Starting at 4.0 kg (Exact weight depends on configuration.) Weight Starting at 4.0 kg (Exact weight depends on configuration.) Weight Starting at 8.8 lb (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard Pointing device HP Wired 320M Mouse Ports 2 USB Type-C® 20Gbps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M.2 2280 PCLe 4 x4; 1 M.2 2230 for WLAN; 1 PCLe 5 x16; 1 M.2 2280 PCLe 5 x4; 1 PCLe 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel, At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption, getting started guides, and direct setup and support options; New Energy Consumption, getting started guides, and direct setup and support options; New Energy Consumption, getting started guides, and direct setup and support options; New Energy Consumption, getting started guides, and direct setup and support options; New Energy Consumption, getting started guides, and direct setup and support options; New Energy Consumption, getting started guides, and direct setup and support options; New Energy Consumption, getting started guides, and direct setup and support options; New Energy Consumption, getting started guides, and di	Graphics (integrated)	Intel® Graphics
Dimensions (W x D x H) Say x 12.1 x 11.9 in (Standard desktop orientation.)	Audio	Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support
Weight Starting at 4.0 kg (Exact weight depends on configuration.) Weight Starting at 8.8 lb (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard Pointing device HP Wired 320M Mouse Ports 2 USB Type-C* 20Gbps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M.2 2280 PCle 4 x4; 1 M.2 2230 for WLAN; 1 PCle 5 x16; 1 M.2 2280 PCle 5 x4; 1 PCle 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT* registered Energy star certified ENERGY STAR* certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus* Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal — beginning December 2005, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Dimensions (W x D x H)	
Weight Starting at 8.8 lb (Exact weight depends on configuration.) Keyboard HP 320K Wired Keyboard Pointing device HP Wired 320M Mouse Ports 2 USB Type-C® 20Gbps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M.2 2280 PCIe 4 x4; 1 M.2 2230 for WLAN; 1 PCIe 5 x16; 1 M.2 2280 PCIe 5 x4; 1 PCIe 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Dimensions (W x D x H)	
Keyboard HP 320K Wired Keyboard Pointing device HP Wired 320M Mouse Ports 2 USB Type-C® 20Gbps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M.2 2280 PCle 4 x4; 1 M.2 2230 for WLAN; 1 PCle 5 x16; 1 M.2 2280 PCle 5 x4; 1 PCle 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Weight	
Ports 2 USB Type-C® 20Gbps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo Expansion slots 2 M.2 2280 PCIe 4 x4; 1 M.2 2230 for WLAN; 1 PCIe 5 x16; 1 M.2 2280 PCIe 5 x4; 1 PCIe 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight 5tarting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Weight	
Ports 2 USB Type-C® 20Gbps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo 2 M.2 2280 PCle 4 x4; 1 M.2 2230 for WLAN; 1 PCle 5 x16; 1 M.2 2280 PCle 5 x4; 1 PCle 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal − beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Keyboard	HP 320K Wired Keyboard
Expansion slots 2 M.2 2280 PCIe 4 x4; 1 M.2 2230 for WLAN; 1 PCIe 5 x16; 1 M.2 2280 PCIe 5 x4; 1 PCIe 4 x4 Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal − beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Pointing device	HP Wired 320M Mouse
Ports 2 USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 1.4; 1 RJ-45; 1 audio line-in/line-out; 3 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Ports	2 USB Type-C® 20Gbps signaling rate; 4 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo
Package dimensions (W x D x H) 49.9 x 20 x 39.4 cm Package weight Starting at 6.5 kg Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Expansion slots	2 M.2 2280 PCIe 4 x4; 1 M.2 2230 for WLAN; 1 PCIe 5 x16; 1 M.2 2280 PCIe 5 x4; 1 PCIe 4 x4
Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Ports	
Power 500 W internal power adapter, up to 92% efficiency, active PFC Ecolabels EPEAT® registered Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Package dimensions (W x D x H)	49.9 x 20 x 39.4 cm
Ecolabels Energy star certified ENERGY STAR® certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Package weight	Starting at 6.5 kg
Energy star certified Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Power	500 W internal power adapter, up to 92% efficiency, active PFC
Low halogen; 10% ITE-derived closed loop plastic; 80 Plus® Platinum power supplies available; Product Carbon Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Ecolabels	EPEAT® registered
Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely carbon usage including recommended actions users can take to decrease carbon footprint	Energy star certified	ENERGY STAR® certified
UPC number (ABA) 199251337826; (ABC) 199251454134		Footprint; Contains at least 20% post-industrial recycled steel; At least 25% ocean-bound plastic in system fans; System has a QR code enabled experience where the user has access to a product portal – beginning December 2025, this is complete with product feature highlights, sustainability information, getting started guides, and direct setup and support options; New Energy Consumption dashboard available to customers providing timely
	UPC number	(ABA) 199251337826; (ABC) 199251454134

Top Recommended Displays, Accessories and Services

8J4D8AA
8J4D8UT
8Y2K9AA
8K167AA
9T9J3AA
8X223AA
8X231AA

ProductSheet | HP Z2 SFF G1i Workstation Desktop PC Wolf Pro Security Edition (BN5M5UT)

Messaging Footnotes

- [1] Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering is not a measurement of clock speed. Features and software that require a NPU may require software purchase, subscription or enablement by a software or platform provider, and third-party software may have specific configuration or compatibility requirements. Performance varies by use, configuration, and other factors.
- [2] Memory is an optional feature that must be configured at purchase.
- [3] Rack mounting hardware sold separately.
- [4] Features and software that require a NPU may require software purchase, subscription or enablement by a software or platform provider, and third-party software may have specific configuration or compatibility requirements. Performance varies by use, configuration, and other factors.
- [7] Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 11 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com. Microsoft Copilot requires Windows 11. Some features require an NPU. Timing and availability will be dependent on Microsoft and varies by market and device. Requires Microsoft account to log in. Where Copilot is not available, the Copilot key will lead to the Bing search engine. See http://aka.ms/WindowsAlFeatures.

Technical Specifications Footnotes

- [1] Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.
- [6] Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- [7] Intel® Turbo Boost performance varies depending on hardware, software and overall system configuration. See http://www.intel.com/technology/turboboost/for more information.

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Pentium, the Intel logo, Intel Core, Thunderbolt, vPro, Optane, and Core Inside are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Bluetooth is a trademark of its proprietor, used by HP Inc. under license. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Adobe PDF is a trademark of Adobe Systems Incorporated. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. NVIDIA, the NVIDIA logo and Quadro are trademarks and/or registered trademarks of NVIDIA Corporation in the US. and other countries. Bluetooth is a trademark of its proprietor and used by HP Inc. under license. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. All other trademarks are the property of their respective owners.

