

## **VELA 240W LED Lamp**



Atreum Lighting VELA LED Lamps are an exceptionally power-efficient, full-spectrum light source for horticulture applications.

- **Broad spectrum**: Continuous spectral output across PAR 400-700nm provides superb energy efficiency and quality light for human work environments.
- Waterproof Design: Tolerance to liquid sprays ensures a long operating life in any environment.
- **Passive thermal management**: Silent operation and improved reliability, enabling energy savings while replacing HPS lights.

Coverage	
Flowering	2' x 4' at 24-inch Height
Vegetation	3' x 5' at 30-inch Height

System Performance	
Power	240 W
Photosynthetic Photon Flux (PPF)	594 µmol/s
PPF Efficacy	2.61 µmol/J
Light Distribution Angle	120°


Specifications	
Rated Lifetime	>50,000 hours
Ingress Protection (IP)	IP65
Ambient Operating Temperature	-20 to +50 °C
Thermal Management	Passive
Dimming	Onboard Dimmer, 0-10V Signal
Warranty	3 Years

Nominal AC Amperage Draw	
120V	2.0A
208V	1.15A
240V	1.0A
277V	0.87A

Mechanical Specifications	
Overall Dimensions	853 mm x 230 mm (33.6 in x 9.0 in)
Max Height (with remote driver)	35 mm (1.4 in)
Weight	3.3 kg (7.3 lbs)



# **VELA 480W LED Lamp**



Coverage	
Flowering	4' x 4' at 24-inch Height
Vegetation	5' x 5' at 30-inch Height


Specifications	
Rated Lifetime	>50,000 hours
Ingress Protection (IP)	IP65
Ambient Operating Temperature	-20 to +50 °C
Thermal Management	Passive
Dimming	Onboard Dimmer, 0-10V Signal
Warranty	3 Years

System Performance	
Power	480 W
Photosynthetic Photon Flux (PPF)	1188 µmol/s
PPF Efficacy	2.61 µmol/J
Light Distribution Angle	120°

Nominal AC Amperage Draw	
120V	4.0A
208V	2.31A
240V	2.0A
277V	1.73A


Mechanical Specifications	
Overall Dimensions	860 mm x 853 mm (33.9 in x 33.6 in)
Max Height (with remote driver)	55 mm (2.2 in)
Weight	3.3 kg (7.3 lbs)

### Spectral Photon Flux



#### Mechanical Specifications

#### Dimensioned Drawing (Units in mm)





#### Contact Atreum Lighting

General Inquiries: hello@atreumlighting.com

Support: support@atreumlighting.com

Sales: sales@atreumlighting.com