


THE B.E.A.S.T.

 **THE BREACHING ENTRY ASSAULT SYSTEM TRAINER.** 5.11® partnered with Galpin Auto Sports (GAS) to build a mobile training center for the 5.11 Tactical Breaching System. The B.E.A.S.T. started as a Ford F-450 and was fully customized by the GAS Team. This vehicle will be used to train SWAT, law enforcement, military, fire and first responder teams across the country on effective breaching techniques utilizing 5.11's Breaching System.



THE CUSTOM RIG IS DECKED OUT IN 5.11'S TRADITIONAL

WEB PLATFORM AND TRADEMARK SCOPE GRAPHICS.

A custom lift redefines the height of the vehicle along with custom cut suspension and wheels. A super-charged turbo diesel engine ensures this training vehicle can withstand the rigors of the tactical environment while seeing serious highway miles.

The rear doors open to easily access the MultiPurpose Training Door that slides out within seconds and, despite the size and weight of the door, is readily available for demonstrations.

Side panels on the truck open to reveal 5.11's exclusive breaching tools on one side and innovative tactical accessories such as flashlights and gloves on the other.


THE B.E.A.S.T. TREK The BEAST continues its Trek across the United States visiting various Law Enforcement, Military and other Government Agencies. Expert Breaching personnel from both 5.11 and Sweden Entry Tools are manning the vehicle throughout the Trek providing product demonstrations and courses of instruction on the 5.11 Breaching System. To find out where the B.E.A.S.T. will be next, please visit www.511tactical.com/thebeast.html



THE B.E.A.S.T. UNVEILED



TRAINING DOOR DEPLOYED



BREACHING SYSTEM DISPLAY

HEAVY BREACHING KIT 50268

 **DESIGNED FOR MOBILE, HARD-HITTING TEAMS,**

the Heavy Breaching Kit features a full complement of 5.11's breaching tools securely mounted in a steel-framed heavy-duty backpack. The Heavy Breaching Kit includes the MultiBreacher, MultiPry, MiniRam and EdgeBender, a system capable of defeating inward-opening, outward-opening doors of almost any construction.

The backpack provides a way to transport, train, and deploy the kit. The backpack features 5.11's comfort yoke shoulder straps and a padded waist band for load management. Buckles are rated to 400lbs and feature a quick-release mechanism. A Velcro® attached hood is included. The kit is 37" in height. Imported, Patent Pending.

 **THIS KIT INCLUDES:**

- + MultiBreacher
- + MultiPry
- + MiniRam
- + EdgeBender
- + Heavy Kit Bag



☒ MULTIBREACHER FEATURES

- + Seamless hydraulic pipe for rigidity, no energy is lost by a “springy” bar
- + Hand guard
- + Drop forged, full hardened steel alloy tool heads
 - Duckbill shape with serrated edge
 - Forked prybar head at other end
- + Welded sling attachment points (recommend 5.11 VTAC Slings: 59120 or 59123 (padded).)
- + 32” length



MULTIBREACHER



☒ MULTIPRY FEATURES

- + Seamless hydraulic pipe for rigidity, no energy is lost by a “springy” bar
- + Drop forged, full hardened steel alloy tool heads
 - Duckbill shape with serrated edge
 - Forked prybar head at other end
- + Welded sling attachment points (recommend 5.11 VTAC Slings: 59120 or 59123 (padded).)
- + 28” length



MULTIPRY



☒ MINIRAM FEATURES

- + Main body is balanced for maximum efficiency
- + Fully hardened convex striking head
- + Grab handles with rubber grips
- + Hand guard
- + Welded sling attachment points (recommend 5.11 VTAC Slings: 59120 or 59123 (padded).)
- + 17.5” length



MINIRAM



☒ EDGEBENDER FEATURES

- + Seamless hydraulic pipe for rigidity
- + Fully hardened
- + Sprue handle applies high, even pressure
- + 17.5” length

☒ \$1399.99 MSRP | 50268

- + Includes Heavy Kit Bag



EDGEBENDER



ACTIVE PATROL BREACHING KIT 50267

⊕ EVERY SECOND COUNTS IN AN ACTIVE SHOOTING

SITUATION AND PATROL OFFICERS ARE GENERALLY

THE FIRST ON-SCENE. The Active Patrol Breaching Kit

provides officers with new options to make entry when time is of the essence and includes our MultiPry and MultiSledge tools.

Compact enough to fit in today's crowded patrol vehicles, the Active Patrol Breaching Kit comes packed in a durable nylon case with a quick-detach shoulder strap. Imported, Patent Pending.

⊕ THIS KIT INCLUDES:

- + MultiPry
- + Multisledge
- + Active Kit Sling Bag



☒ MULTIPRY FEATURES

- + Seamless hydraulic pipe for rigidity, no energy is lost by a “springy” bar
- + Drop forged, full hardened steel alloy tool heads
 - Duckbill shape with serrated edge
 - Forked prybar head at other end
- + Welded sling attachment points (recommend 5.11 VTAC Slings: 59120 or 59123 (padded).)
- + 28” length

☒ MULTISLEDGE FEATURES

- + Four tools in one: sledge, ram, break & rake and pry
- + Seamless hydraulic pipe for rigidity, no energy is lost by a “springy” bar
- + Drop forged, full hardened steel alloy tool heads
 - Head features convex impact area to focus the impact
 - Hand guard prevents hand from sliding too far forward
 - Rake designed to clear glass, blinds and drapery
 - Forked prybar head at other end
- + Welded sling attachment points (recommend 5.11 VTAC Slings: 59120 or 59123 (padded).)
- + 27” length
- + Includes Active Kit Sling Bag



MULTIPRY



MULTISLEDGE



MULTIPURPOSE TRAINING DOOR 50138



☒ THE MULTIPURPOSE TRAINING DOOR IS DESIGNED TO PROVIDE A WIDE RANGE OF BREACHING TRAINING OPPORTUNITIES FOR PUBLIC SAFETY PROFESSIONALS.

The MultiPurpose Training Door is designed for repeated mechanical and hydraulic breaching and is constructed of heavy grade steel and fabricated in Modesto, CA. Our patent pending floating case design allows for repeated jamb and case separation without destroying the door frame. The door can be easily set up to replicate the following types of entryways with a minimal amount of preparation once set up.

- + Outwards-opening and inwards-opening doors
- + Wooden doors, security doors, fire doors, etc.
- + Doors with a variety of locking points, locking mechanisms and overall resistance

The MultiPurpose Training Door provides effective repeatable training and is designed with routine use in mind. With that in consideration, select parts are considered 'consumable' and available through 5.11. These consumables include the door case, jambs, plus the pins and shims installed when breaching. For permanent or long-term location training the door may be anchored. Socket-set, wrench and mallet required for set up. Patent Pending.

☒ MULTIPURPOSE TRAINING DOOR FEATURES

- + 6 possible locking points for outward opening door training
- + 6 resistance levels for inward opening door training
- + Replaceable ram impact surface for training on inward opening doors
- + Security plate bypass training with replaceable jamb edges.

☒ THE DOOR CONTAINS:

- + 50138 Training Door With A Frame Stand and Associated Assembly Hardware
- + 50231 Training Door Replacement Door Edges
- + 50232 (1 unit) Training Door Replacement Case Edges
- + 50233 (25 pcs) Replacement Door Pins
- + 50234 (25 pcs) Replacement Door Shims
- + Wooden Shipping, Packing and Storage Crate, approximately 4' x 8' x 2'. Forklift recommended.



FLEX POINTS SIMULATE TRADITIONAL DOOR FRAMES



RUGGED CONSTRUCTION, DURABLE FINISH

MULTISLEDGE 50092



MULTI-FUNCTION HEAD



PRY HEAD



☒ **MEDIEVAL IN ITS APPEARANCE, THE MULTISLEDGE HAS BEEN ENGINEERED TO PROVIDE TODAY'S MODERN OPERATOR WITH A**

FULL RANGE OF OPTIONS. The MultiSledge's design allows it to fulfill four distinct functions while maintaining a modest size. These four uses: hammer, break-and-rake, pry bar, and battering ram are all individually essential breaching gear, when combined into a single multi-function tool you can't beat the functionality.


☒ **FEATURES**

- + Seamless hydraulic pipe for rigidity, no energy is lost by a "springy" bar
- + Drop forged, full hardened steel alloy tool heads
 - Head features convex impact area to focus the impact
- + Rake designed to clear glass, blinds and drapery
- + Forked prybar head at other end
- + Welded sling attachment points (recommend 5.11 VTAC Slings: 59120 or 59123 (padded).)
- + 27" length
- + Patent Pending
- + Available separately or as part of the Active Patrol Breaching Kit (5
- + Imported

27"



HAMMER/RAM HEAD



BREAK AND RAKE



HAND GUARD

MULTIBREACHER 50094




☒ **THE CORNERSTONE OF THE 5.11 BREACHING SYSTEM,**

THE MULTIBREACHER brings a whole new approach to the practice of breaching doors of all nature. Pair this with the MultiPry or MultiSledge and no door will stand in your way. The 5.11 Breaching System features a finessed approach to breaching and as a result entries are faster than the traditional battering ram and haligan tool approach.

☒ **FEATURES**

- + Seamless hydraulic pipe for rigidity, no energy is lost by a "springy" bar
- + Hand guard
- + Drop forged, full hardened steel alloy tool heads
 - Duckbill shape with serrated edge
 - Forked prybar head at other end
- + Welded sling attachment points (recommend 5.11 VTAC Slings: 59120 or 59123 (padded).)
- + 32" length
- + Patent Pending
- + Available separately or as part of the Heavy Breaching Kit (50268)
- + Imported

32"



TRACTION TEETH



WELDED SLING ATTACHMENTS



FORGED TOOL HEADS

MINIRAM 50091



KNUCKLE GUARDS

NON-SLIP GRIPS

☐ DESPITE ITS DIMINUTIVE NAME, THE MINIRAM

PACKS POWERFUL PUNCH. Rather than using the weight and traditional arm-swing approach of old-school battering rams, the MiniRam is designed to make use of the operator's core body strength for explosive speed and repeatable precision. When paired with the MultiBreacher or MultiPry, the MiniRam is part of a high-speed omnivorous door-breaching machine and on its own is quite capable of defeating a wide range of inward-opening doors.

☐ FEATURES

- + Main body is balanced for maximum efficiency
- + Fully hardened convex striking head
- + Grab handles with rubber grips
- + Hand guard
- + Welded sling attachment points
(recommend 5.11 VTAC Slings: 59120 or 59123 (padded).
- + 17.5" length
- + Patent Pending
- + Available separately or as part of the Heavy Breaching Kit (56993).
- + Imported

17.5"



HAND GUARD



CONVEX STRIKING HEAD

MULTIPRY 50093



PRY HEAD


TRACTION TEETH™

☒ **A PATROL-READY VERSION OF THE MULTIBREACHER** the MultiPry features a shorter length and single-bar construction. The MultiPry is a compact yet fully functional implement on its own, and its capabilities are further expanded when paired with the MultiSledge. Inward opening and outward opening doors won't stand in your way. The 5.11 Breaching System has been engineered by S.E.T. to reduce exposure time while breaching.

☒ **FEATURES**

- + Seamless hydraulic pipe for rigidity, no energy is lost by a "springy" bar
- + Drop forged, full hardened steel alloy tool heads
 - Duckbill shape with serrated edge
 - Forked prybar head at other end
- + Welded sling attachment points (recommend 5.11 VTAC Slings: 59120 or 59123 (padded).)
- + 28" length
- + Patent Pending
- + Available separately or as part of the Active Patrol Breaching Kit (56992).
- + Imported

28"



TRACTION TEETH



WELDED SLING ATTACHMENTS

EDGE BENDER 50135



T-HANDLE

HARDENED VISE

📦 **SECURITY PLATE STANDING IN YOUR WAY?** With the EdgeBender at your grasp you can quickly and quietly clamp the plate and simply bend it out of the way to gain access to the critical area near the bolt. The EdgeBender greatly reduces exposure time when dealing with security plates, especially in narrow hallways.

📦 **FEATURES**

- + Seamless hydraulic pipe for rigidity
- + Fully hardened
- + T-handle applies high, even pressure
- + 17.5" length
- + Patent Pending
- + Available separately or as part of the Heavy Breaching Kit (56993).
- + Imported

