

Safety Data Sheet

according to HPR, Schedule 1

Printing date 06/03/2022

Version 25.1

Reviewed on 02/24/2022

1 Identification

Product identifier
Trade name: **Country Colour**
Article number: 2101-2742

Application of the substance
/ the mixture Coating compound/ Surface coating/ paint
Paint

Details of the supplier of the safety data sheet
Manufacturer/Supplier:
Supplier Osmo Wood and Colour Canada Ltd.
8812 51 Ave NW
Edmonton AB T6E 5E8
Canada
Tel: +1-844-OSMOCAN
E-mail: info@osmo.ca

Manufacturer Osmo Holz und Color GmbH & Co. KG
Affhüppen Esch 12
D-48231 Warendorf
Germany

Information department: Product safety department
Tel.: +49 (0) 251 / 692 - 188
Fax: +49 (0) 251 / 692 - 462
e-mail: helmut.starp@osmo.de

Emergency telephone number: 24h-Emergency Phone Number:
For Chemical Emergency, Spill; Leak; Fire Exposure or Accident Call Day or Night within USA and Canada 1-800-424-9300
Outside USA and Canada 001-703-527-3887 (CCN 16475)

2 Hazard identification

Classification of the substance or mixture

Flammable Liquids - Category 4 H227 Combustible liquid.

Additional information: For the wording of the listed hazard phrases refer to section 16.

Label elements
Hazard pictograms Void

Signal word Warning

Hazard statements H227 Combustible liquid.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P202 Do not handle until all safety precautions have been read and understood.

(Contd. on page 2)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 06/03/2022

Version 25.1

Reviewed on 02/24/2022

Trade name: Country Colour

(Contd. of page 1)

P210 Keep away from heat. - No smoking.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves / eye protection.
 P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.
 P403 Store in a well-ventilated place.
 P501 Dispose of contents/container in accordance with national regulations.

Classification system:**NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 2

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 0

Fire = 2

Reactivity = 0

Other hazards

CAUTION: Rags, steel wool or waste soaked with this product may spontaneously catch fire if improperly discarded. Immediately after use, place rags, steel wool or waste in a sealed water filled metal container to prevent this.

Always wear a dust mask when sanding.


Observe the general safety regulations when handling chemicals.

3 Composition/Information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

64742-48-9	aliphatic hydrocarbons, C10-C13	25-50% w/w *
	 Aspiration Hazard - Category 1, H304; Flammable Liquids - Category 4, H227	
13463-67-7	titanium dioxide - aerodynamic dia meter >10 µm	0-40% w/w *

* Actual concentration ranges are withheld as a trade secret.

Additional information:

The content of Titanium dioxide varies according to the colour shade.

4 First-aid measures

Description of first aid measures**General information:**

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse opened eye for several minutes under running water.

(Contd. on page 3)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 06/03/2022

Version 25.1

Reviewed on 02/24/2022

Trade name: Country Colour

(Contd. of page 2)

After swallowing:

Rinse mouth.

If swallowed, seek medical advice immediately and show this container or label.

Do NOT induce vomiting.

Information for doctor:**Most important symptoms and effects, both acute and delayed**

Dizziness

Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

5 Fire-fighting measures

Extinguishing media**Suitable extinguishing agents:**CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**For safety reasons unsuitable extinguishing agents:**

Water with full jet

Special hazards arising from the substance or mixtureFormation of toxic gases is possible during heating or in case of fire.
Carbon monoxide (CO)
carbon dioxide (CO₂)**Advice for firefighters****Protective equipment:**Mouth respiratory protective device.
Do not inhale explosion gases or combustion gases.
Wear self-contained respiratory protective device.
General measures for chemical fires.**Additional information**Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency proceduresEnsure adequate ventilation
Keep away from ignition sources
Wear protective clothing.**Environmental precautions:**Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 06/03/2022

Version 25.1

Reviewed on 02/24/2022

Trade name: Country Colour

(Contd. of page 3)

Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the collected material according to regulations.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Even a small sip can lead to life-threatening damage to the lungs. Keep rags filled with this liquid out of the reach of children.

Precautions for safe handling

Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Information about protection

against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by**

storerooms and receptacles: Store only in the original receptacle.

Information about storage in

one common storage facility: Not required.

Further information about**storage conditions:**

Store receptacle in a well ventilated area.

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class:

VCI storage class (VCI = German Association of the Chemical Industry): 10

Specific end use(s)

No further relevant information available.

(Contd. on page 5)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 06/03/2022

Version 25.1

Reviewed on 02/24/2022

Trade name: Country Colour

(Contd. of page 4)

8 Exposure controls/ Personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.
Avoid contact with the eyes and skin.
The usual precautionary measures for handling chemicals should be followed.
Do not eat, drink, smoke or sniff while working.
Do not carry product impregnated cleaning cloths in trouser pockets.
See Section 7 for information on safe handling.

Breathing equipment:

Not necessary if room is well-ventilated.
Use suitable respiratory protective device only when aerosol or mist is formed.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
Half mask with round thread connection EN 148-1 (screw-on filter) and combination filter A1 - P2 according to German DIN EN 14387.
Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Protection of hands:

Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

(Contd. on page 6)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 06/03/2022

Version 25.1

Reviewed on 02/24/2022

Trade name: Country Colour

(Contd. of page 5)

Recommended thickness of the material: ≥ 0.4 mm
 For the mixture the penetration time has to be at least 480 minutes
 (Permeation according to EN 374 Part 3: Level 6).

**As protection from splashes
 gloves made of the following
 materials are suitable:**

Nitrile rubber, NBR

Eye protection:

Bei Spritzgefahr:

Schutzbrille mit Seitenschutz (Gestellbrille) (z.B. EN 166)

Tightly sealed goggles

Body protection:

Protective work clothing

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:

Fluid

Color:

Different according to coloring

Odor:

Mild

Odor threshold:

Not determined.

pH-value:

Mixture is non-polar/aprotic.

Change in condition

Melting point/Melting range:

Undetermined.

Boiling point/Boiling range:

> 180 °C

Flash point:

 ≥ 63 °C (DIN EN ISO 2719)

Flammability (solid, gaseous):

Not applicable.

Ignition temperature:

240 °C

Decomposition temperature:

Not determined.

Auto igniting:

Product is not selfigniting.

Danger of explosion:

Product does not present an explosion hazard.

Explosion limits:

Lower:

0.6 Vol %

Upper:

7.0 Vol %

Vapor pressure:

3 hPa [20°C]

Density at 20 °C:

1.05 - 1.30 g/cm³ (DIN 51757)

Relative density

Not determined.

Evaporation rate

Not determined.

(Contd. on page 7)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 06/03/2022

Version 25.1

Reviewed on 02/24/2022

Trade name: Country Colour

(Contd. of page 6)

Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C:	40-80 s (DIN EN ISO 2431/4mm) >21 mm ² /s (40°C) (berechnet)
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity	No further relevant information available.
Chemical stability	
Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
Possibility of hazardous reactions	Reacts with fabric soaked in the product (e.g. cleaning wool). Reacts with acids, alkalis and oxidizing agents.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Incompatible materials:	No further relevant information available.
Hazardous decomposition products:	Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide and carbon dioxide Nitrogen oxides (NO _x)
Additional information:	CAUTION: Rags, steel wool or waste soaked with this product may spontaneously catch fire if improperly discarded. Immediately after use, place rags, steel wool or waste in a sealed water filled metal container to prevent this.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

13463-67-7 titanium dioxide - aerodynamic dia meter >10 µm

Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)

(Contd. on page 8)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 06/03/2022

Version 25.1

Reviewed on 02/24/2022

Trade name: Country Colour

(Contd. of page 7)

64742-48-9 aliphatic hydrocarbons, C10-C13

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50 / 4h	>5 mg/l (rat)

Primary irritant effect:

on the skin: No irritant effect.
Based on available data, the classification criteria are not met.

on the eye: No irritating effect.
Based on available data, the classification criteria are not met.

Sensitization: Sensitizing effect by skin contact is possible with prolonged exposure.

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

Carcinogenic categories
IARC (International Agency for Research on Cancer)

13463-67-7	titanium dioxide - aerodynamic dia meter >10 µm	2B
7631-86-9	Siliciumdioxid	3
14808-60-7	Quartz (SiO ₂)	1

NTP (National Toxicology Program)

14808-60-7	Quartz (SiO ₂)	K
------------	----------------------------	---

12 Ecological information

Toxicity
Aquatic toxicity:
64742-48-9 aliphatic hydrocarbons, C10-C13

EC50 / 48h	>1,000 mg/l (Daphnia magna)
IC50 / 72h	>1,000 mg/l (algae)
LC50 / 96h	>1,000 mg/l (fish)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Water hazard class 1 (Self-assesment): slightly hazardous for water

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

(Contd. on page 9)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 06/03/2022

Version 25.1

Reviewed on 02/24/2022

Trade name: Country Colour
Other adverse effects

No further relevant information available.

(Contd. of page 8)

13 Disposal considerations

Waste treatment methods
Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.

Uncleaned packagings:
Recommendation:

Disposal must be made according to official regulations.

Recommended cleansing agent:

Solvent naphtha
Osmo Brush Cleaner and Thinner

14 Transport information

UN-Number
DOT/TDG, ADR, ADN, IMDG, IATA

Not applicable

UN proper shipping name
DOT/TDG, ADN, IMDG, IATA

Not applicable

ADR

Not applicable

Transport hazard class(es)
DOT, ADR, ADN, IMDG, IATA
Class

Not applicable

Packing group
DOT/TDG, ADR, IMDG, IATA

Not applicable

Environmental hazards:
Marine pollutant:

No

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code

Not applicable.

UN "Model Regulation":

Not applicable

15 Regulatory information

(Contd. on page 10)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 06/03/2022

Version 25.1

Reviewed on 02/24/2022

Trade name: Country Colour

(Contd. of page 9)

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

No further relevant information available.

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

Canadian substance listings:
Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

Void

Signal word

Warning

Hazard statements

H227 Combustible liquid.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat. - No smoking.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection.

P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.

P403 Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with national regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 06/03/2022

Version 25.1

Reviewed on 02/24/2022

Trade name: Country Colour

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H227 Combustible liquid.
 H304 May be fatal if swallowed and enters airways.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

**Date of the latest revision of
 the safety data sheet** 06/03/2022 / 23.4

Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative

Sources ESIS : European chemical Substances Information System
 ECHA Portal
 Safety data sheets from raw material suppliers

*** Data compared to the
 previous version altered.** Additions, deletions, revisions