

Fast, accurate and easy to operate, the flexible Rapid 105 provides an efficient packaging system for every type of business.


Starting with a single or twin head unit, your system can be simply extended into a multiple production unit as your business and your production needs grow.

Applications include stapling header cards and plastic bags, closing blister packs, sealing envelopes and making up pads and booklets.

Strongly built in Sweden by Europe's leading stapler manufacturer, the Rapid 105 is guaranteed for 12 months and carries CE certification.



01908 563140 sales@chilvers.co.uk www.chilvers.co.uk





The Rapid 105 can staple thin, thick, narrow or wide.



Staples sheaves of up to 50 sheets. The Rapid 105 rests steadily on the table and works silently.



Small and narrow packages are easy to staple using the Rapid 105. Stapling is either automatic or by pedal



Two series-connected Rapid 105 units. Because of their narrow body, the staplers can be placed close to each other



Rapid 105 units mounted on vices. Easy to move, inceases flexibility and gives a larger field of application.



Three Rapid 105 units mounted close together.



Chilvers reprographics

01908 563140 sales@chilvers.co.uk www.chilvers.co.uk

Up to four Rapid 105 units can be mounted on the portable industrial table.



Rapid 105 Extendable packaging stapling systems

- The Rapid 105 is the most flexible packaging system available and is built to provide the operator with the widest range of user options and facilities
- A low cost start up system of just one Rapid 105 single or twin head unit will provide all your needs for fast. accurate closing and fixing of plastic envelopes and other soft containers, attaching header cards where necessary. Other applications include making up pads, booklets, ticket packs
- As your production requirements increase, Rapid opto cables allow you to add more Rapid 105's to your system, speeding output, although still only requiring a single operator for a complete linked system.
- The Rapid 105 has important safety features to ensure completely safe use when loading and in use and does not require special training or skilled operators for high output speeds.
- The compact design of the Rapid 105 occupies a minimum working space and the slim profile allows two or more Rapid 105's to be placed side by side for additional stapling capability.

By using the optional vice clamp and/or industrial table, the Rapid 105 system can be permanently fixed or easily moved to suit operating needs; the foot pedal offering greater stapling

- Quiet to operate with variable impact power for use with different materials, the flexibility of the Rapid 105 is further increased with a choice of staples, the Rapid 66/6 or 66/8 - always specify genuine Swedish Rapid staples for strength, accuracy and reliability.
- The Rapid 105 is fully guaranteed for 12 months, meets CE approval and is backed by a full Rapid approved service

Technical data

Width: 60 mm (with baseplate 100mm)

Length: 250 mm (with baseplate 255 mm) 238 mm (with baseplate 245 mm) Height:

Weight: 3.6 kg (with baseplate) Magazine: 210 Rapid 66/6-8 mm staples

Capacity: Handles packaging thicknesses up to 5 mm or 50 sheets of 80 gsm paper Stapling

100 mm throat capacity

(Twin head or multiple units) minimum 48 mm between staples

RAPID 11 hammer tacker



Foot Pedal.



Vice for table top mounting supplied with clamping block



Opto cables (40 cm and 70 cm).



Industrial table for up to 4 staplers, supplied with two

Other Rapid electric staplers and manual packaging tools



RAPID 90 electric, provides ease of use for simple stapling



RAPID 31 heavy duty stapling pliers



Staple

RAPID 106 system for booklet



RAPID 100 electric, heavy duty electric stapler





RAPID 34 heavy duty hand tacker.



01908 563140 sales@chilvers.co.uk www.chilvers.co.uk









