Generic Model: Gate Stop Type: Polymer Gate Stop

D&D Technologies®

Part of ASSA ABLOY

1. Unique identification code of the product-type:

Brand	D&D Technologies	
Model(s)	Gate Stop - Part Number / identifier listed below	

Part Number / identifier	Bar code	Description/Type	Production type	NZ Building Product class
TCGS1	736494001741	Gate Stop for wood and vinyl gates – Black.	Batch or mass- produced products	Class 1
TCGS1WT	736494001765	Gate Stop for wood and vinyl gates – White.	Batch or mass- produced products	Class 1
TCGS2	736494001772	Gate Stop for metal, wood and vinyl gates – Black.	Batch or mass- produced products	Class 1
TCGS3	736494001802	Gate Stop for metal gates – Black.	Batch or mass- produced products	Class 1
TCGS3RP	736494001819	Gate Stop for metal gates – Black - Retail.	Batch or mass- produced products	Class 1

This specification only covers the Part Number / identifier listed above – substitutions are not permitted.

2. Product description and its intended use(s)

Polymer Gate Handle

Key Features:

- Side Fixing legs for added strength.
- Fits left or right-handed gates.
- Materials: Constructed from engineered polymer with an elastomeric pad.
- Operation Temperature range: -40 degrees C to 60 degrees C.
- Minimum post sections refer to table below.

Part Number / identifier	Description/Type	Minimum Gate Frame Width	Minimum Gate Frame Depth
TCGS1	Gate Stop for wood and vinyl gates – Black.	70mm	60mm
TCGS1WT	Gate Stop for wood and vinyl gates – White.	70mm	60mm
TCGS2	Gate Stop for metal, wood and vinyl gates – Black.	30mm	45mm
TCGS3	Gate Stop for metal gates – Black.	22mm	21mm
TCGS3RP	Gate Stop for metal gates – Black - Retail.	22mm	21mm

Applications:

- Residential Privacy Gates.
- Gate material and fencing material suits metal, wood and vinyl gates.

Generic Model: Gate Stop Type: Polymer Gate Stop D&D Technologies®

Part of ASSA ABLOY

_			_			
~				N/1	- -	cture:
•	-	are	OT.	iviar	าเหล	CTITE.

Place of Manufacture	
Aotearoa New Zealand	Overseas, see manufacturer section for details

Generic Model: Gate Stop Type: Polymer Gate Stop D&D Technologies®

Part of ASSA ABLOY

4. Legal and trading name of the manufacturer(s):

D&D Technologies Pty Ltd.

Address for Service

Street name and number	Unit 6, 4-6 Aquatic Drive	
Suburb	Frenchs Forest	
Region/state	New South Wales	
Country	Australia	
Post code	2086	
Website	https://www.ddtech.com/	
Email	https://au.ddtech.com/pages/contact-us	
Phone	+61 2 9454 7888	
Business number	ABN: 94 059 413 430	

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road	
Suburb	Albany	
Region/state	Auckland	
Country	New Zealand	
Post code	0632	
Website	https://www.assaabloy.com/nz/en	
Email	nzsales@assaabloy.com	
Phone	+64 (0)9 448 9188	
Business number	NZBN: 9429036762194	

6. Relevant Building Code clauses:

Standard	Clause(s)	

Generic Model: Gate Stop Type: Polymer Gate Stop D&D Technologies®

Part of ASSA ABLOY

7. Statement on how the building product is expected to contribute to compliance.
8. Limitations on the use of the building product:
Residential Privacy applications.
9. Design requirements that would support the appropriate use of the building product.
0. Installation requirements
 Mounting: Fits left or right-handed gates. Face Mount with side fixing legs: To be mounted on the corner of square posts with front and side fixing points. Suitable for Fencing Materials – refer to table above. For optimal performance, mount the Gate Stop towards the bottom of the gate. For tall gates, two Gate Stops may be required. If two are used, mount one at the bottom and the other at the top of the gate. Note: Do not mount the Gate Stop to the fence post as it may present a tripping hazard
1. Maintenance requirements
 Refer to supplied fitting instructions. Gate alignment and maintenance is essential to maintain latching alignment and performance.
2. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?
Yes No
If yes, description of the warning or ban under section 26 N/A
13. Date
Date of document completion (day/month/year)
0 8 0 1 2 0 2 4