

## 1. Unique identification code of the product-type:

<b>Brand</b>	D&D Technologies
<b>Model(s)</b>	LokkLatch Regular Series 3 - Part Number / identifier listed below

Part Number / identifier	Bar code	Description/Type	Production type	NZ Building Product class
LL3A	736494014444	LokkLatch Regular Series 3 Latch	Batch or mass-produced products	Class 1
LL3AB	736494014451	LokkLatch Regular Series 3 Latch and External Access Button	Batch or mass-produced products	Class 1
LL3ARB	736494014437	LokkLatch Regular Series 3 Latch - Bunnings	Batch or mass-produced products	Class 1
LL3AW	736494014475	LokkLatch Regular Series 3 Latch - White	Batch or mass-produced products	Class 1
LL3ABW	736494014468	LokkLatch Regular Series 3 Latch and External Access Button - White	Batch or mass-produced products	Class 1
LL3AL	736494014505	LokkLatch Regular Series 3 Latch with Long Striker	Batch or mass-produced products	Class 1
LL3ABL	736494014512	LokkLatch Regular Series 3 Latch with Long Striker and External Access Button	Batch or mass-produced products	Class 1
LL3ALW	736494014536	LokkLatch Regular Series 3 Latch with Long Striker - White	Batch or mass-produced products	Class 1
LL3ABLW	736494014529	LokkLatch Regular Series 3 Latch with Long Striker and External Access Button - White	Batch or mass-produced products	Class 1
LL3B	736494014543	LokkLatch Regular Series 3 External Access Button Accessory	Batch or mass-produced products	Class 1
LL3BW	736494014550	LokkLatch Regular Series 3 External Access Button Accessory - White	Batch or mass-produced products	Class 1

This specification only covers the Part Number / identifier listed above – substitutions are not permitted.

## 2. Product description and its intended use(s)

Privacy Lockable Gravity Gate Latch

Key Features:

- Lockable main latch.
- External access button is connected to the main latch by an external connector rod (LL3AB, LL3ABW, LL3B, LL3BW).
- Locks:
  - Dual wafer tumble lock cylinders.
  - Main latch lock and external access button operate independently.
- Horizontal adjustment. Striker pin to accommodate gap variance – refer to table below.
- Vertical adjustment. Screw hole slots provided for vertical adjustment.
- Materials: Constructed from engineered polymer with stainless-steel latching trip plate and striker pin.

# Building Product Information Sheet

D&D Technologies®

Generic Model: LokkLatch Regular Series 3

Type: Privacy Lockable Gravity Gate Latch

Part of ASSA ABLOY

- Colour: Choice of black or white – refer to description above.
- Operation Temperature range: -40 degrees C to 60 degrees C.
- Recommended and Minimum post sections – refer to table below.
- Ideal Gate Gap and Gap Variance – refer to table below.

Part Number / identifier	Description/Type	Ideal Gate Gap	Gap Variance	Recommended Post Width - Latch	Recommended Post Width - Striker
LL3A	LokkLatch Regular Series 3 Latch	19mm	10 – 32mm	30mm	25mm
LL3AB	LokkLatch Regular Series 3 Latch and External Access Button	19mm	14 – 32mm	30mm	25mm
LL3ARB	LokkLatch Regular Series 3 Latch - Bunnings	19mm	10 – 32mm	30mm	25mm
LL3AW	LokkLatch Regular Series 3 Latch - White	19mm	10 – 32mm	30mm	25mm
LL3ABW	LokkLatch Regular Series 3 Latch and External Access Button - White	19mm	14 – 32mm	30mm	25mm
LL3AL	LokkLatch Regular Series 3 Latch with Long Striker	22mm	10 – 38mm	30mm	25mm
LL3ABL	LokkLatch Regular Series 3 Latch with Long Striker and External Access Button	22mm	14 – 38mm	30mm	25mm
LL3ALW	LokkLatch Regular Series 3 Latch with Long Striker - White	22mm	10 – 38mm	30mm	25mm
LL3ABLW	LokkLatch Regular Series 3 Latch with Long Striker and External Access Button - White	22mm	14 – 38mm	30mm	25mm
LL3B	LokkLatch Regular Series 3 External Access Button Accessory	-	14 – 32mm or 14 – 38mm with longer striker	-	-
LL3BW	LokkLatch Regular Series 3 External Access Button Accessory - White	-	14 – 32mm or 14 – 38mm with longer striker	-	-

## Applications:

- Residential Privacy Gates.
- Gate material and fencing material – refer to table below.

Part Number / identifier	Description/Type	Fence Post Material	Gate Material
LL3A	LokkLatch Regular Series 3 Latch	Metal/Vinyl/Wood	Metal/Vinyl/Wood
LL3AB	LokkLatch Regular Series 3 Latch and External Access Button	Metal/Vinyl/Wood	Metal/Vinyl/Wood
LL3ARB	LokkLatch Regular Series 3 Latch - Bunnings	Metal/Vinyl/Wood	Metal/Vinyl/Wood
LL3AW	LokkLatch Regular Series 3 Latch - White	Metal/Vinyl/Wood	Metal/Vinyl/Wood

LL3ABW	LokkLatch Regular Series 3 Latch and External Access Button - White	Metal/Vinyl/Wood	Metal/Vinyl/Wood
LL3AL	LokkLatch Regular Series 3 Latch with Long Striker	Metal/Vinyl/Wood	Metal/Vinyl/Wood
LL3ABL	LokkLatch Regular Series 3 Latch with Long Striker and External Access Button	Metal/Vinyl/Wood	Metal/Vinyl/Wood
LL3ALW	LokkLatch Regular Series 3 Latch with Long Striker - White	Metal/Vinyl/Wood	Metal/Vinyl/Wood
LL3ABLW	LokkLatch Regular Series 3 Latch with Long Striker and External Access Button - White	Metal/Vinyl/Wood	Metal/Vinyl/Wood
LL3B	LokkLatch Regular Series 3 External Access Button Accessory	Metal/Vinyl/Wood	Metal/Vinyl/Wood
LL3BW	LokkLatch Regular Series 3 External Access Button Accessory - White	Metal/Vinyl/Wood	Metal/Vinyl/Wood

### 3. Place of Manufacture:

Place of Manufacture

Aotearoa New Zealand

Overseas, see manufacturer section for details

# Building Product Information Sheet

Generic Model: LokkLatch Regular Series 3

Type: Privacy Lockable Gravity Gate Latch

D&D Technologies®

Part of ASSA ABLOY

## 4. Legal and trading name of the manufacturer(s):

D&D Technologies Pty Ltd.

### Address for Service

<b>Street name and number</b>	Unit 6, 4-6 Aquatic Drive
<b>Suburb</b>	Frenchs Forest
<b>Region/state</b>	New South Wales
<b>Country</b>	Australia
<b>Post code</b>	2086
<b>Website</b>	<a href="https://www.ddtech.com/">https://www.ddtech.com/</a>
<b>Email</b>	<a href="https://au.ddtech.com/pages/contact-us">https://au.ddtech.com/pages/contact-us</a>
<b>Phone</b>	+61 2 9454 7888
<b>Business number</b>	ABN: 94 059 413 430

## 5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

### Address for Service

<b>Street name and number</b>	6 Armstrong Road
<b>Suburb</b>	Albany
<b>Region/state</b>	Auckland
<b>Country</b>	New Zealand
<b>Post code</b>	0632
<b>Website</b>	<a href="https://www.assaabloy.com/nz/en">https://www.assaabloy.com/nz/en</a>
<b>Email</b>	nzsales@assaabloy.com
<b>Phone</b>	+64 (0)9 448 9188
<b>Business number</b>	NZBN: 9429036762194

## 6. Relevant Building Code clauses:

Standard	Clause(s)

**7. Statement on how the building product is expected to contribute to compliance.**

**8. Limitations on the use of the building product:**

- Suitable for gates weighing up to 30kg with dimensions of 1,500mm H x 900mm W.
- Residential Privacy applications.

**9. Design requirements that would support the appropriate use of the building product.**

**10. Installation requirements**

- Refer to supplied fitting instructions.
- Mounting:
  - Face Mount with side fixing legs: To be mounted on the corner of square posts with front and side fixing points. Suitable for Fencing Materials: Metal, Wood and Vinyl.

**11. Maintenance requirements**

- Refer to supplied fitting instructions.
- Observe the following:
  - Horizontal adjustment. Striker pin to accommodate gap variance – refer to table above.
  - Vertical adjustment. Screw hole slots provided for vertical adjustment.
- Gate alignment and maintenance is essential to maintain latching alignment and performance.

**12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?**

Yes                       No

If yes, description of the warning or ban under section 26

N/A

**13. Date**

Date of document completion (day/month/year)

0	8	0	1	2	0	2	4
---	---	---	---	---	---	---	---