

Building Product Information Sheet

D&D Technologies®

Generic Model: T-Latch and T-Latch Kit

Type: Padlockable Gravity Toggle-Action Gate Latch and Kit

Part of ASSA ABLOY

1. Unique identification code of the product-type:

Brand	D&D Technologies
Model(s)	Gravity toggle-action gate latch - Part Number / identifier listed below

Part Number / identifier	Bar code	Description/Type	Production type	NZ Building Product class
TL01	736494006562	T-Latch – Gravity toggle-action gate latch	Batch or mass-produced products	Class 1
TL01KFP	736494012372	T-Latch – Gravity toggle-action gate latch and Kwik Fit Series 3 plain hinge kit	Batch or mass-produced products	Class 1

This specification only covers the Part Number / identifier listed above – substitutions are not permitted.

2. Product description and its intended use(s)

Privacy Gravity Toggle-Action Gate Latch

Key Features:

- Gravity toggle-action gate latch – compensates for gate sag.
- Padlockable latch bolt with a padlock storage feature.
- Horizontal adjustment. Latch bolt to accommodate gap variance – refer to table below.
- Vertical adjustment. Screw hole slots provided for vertical adjustment.
- Materials: Constructed from engineered polymer with stainless-steel latch bolt.
- Colour: Black.
- Operation Temperature range: -40 degrees C to 60 degrees C.
- Recommended and Minimum post sections – refer to table below.
- Ideal Gate Gap and Gap Variance – refer to table below.

Part Number / identifier	Description/Type	Ideal Gate Gap (Latch)	Gap Variance (Latch)	Recommended Post Width - Latch	Recommended Post Width - Keeper
TL01	T-Latch – Gravity toggle-action gate latch	25mm	10 – 44mm	25mm	25mm
TL01KFP	T-Latch – Gravity toggle-action gate latch and Kwik Fit Series 3 plain hinge kit	25mm	10 – 44mm	25mm	25mm

TL01KFP: For ideal gate gap and recommended post widths for the Kwik Fit plain hinge, please refer to separate Building Product Information Sheet on the Kwik Fit Polymer S3 Hinges

Applications:

- Residential Privacy Gates.
- Gate material and fencing material – refer to table below.

Part Number /	Description/Type	Fence Post Material	Gate Material
---------------	------------------	---------------------	---------------

Building Product Information Sheet

D&D Technologies®

Generic Model: T-Latch and T-Latch Kit

Type: Padlockable Gravity Toggle-Action Gate Latch and Kit

Part of ASSA ABLOY

identifier			
TL01	T-Latch – Gravity toggle-action gate latch	Metal/Wood	Metal /Wood
TL01KFP	T-Latch – Gravity toggle-action gate latch and Kwik Fit Series 3 plain hinge kit	Metal/ Wood	Metal /Wood

3. Place of Manufacture:

Place of Manufacture

Aotearoa New Zealand

Overseas, see manufacturer section for details

Building Product Information Sheet

D&D Technologies®

Generic Model: T-Latch and T-Latch Kit

Type: Padlockable Gravity Toggle-Action Gate Latch and Kit

Part of ASSA ABLOY

4. Legal and trading name of the manufacturer(s):

D&D Technologies Pty Ltd.

Address for Service

Street name and number	Unit 6, 4-6 Aquatic Drive
Suburb	Frenchs Forest
Region/state	New South Wales
Country	Australia
Post code	2086
Website	https://www.ddtech.com/
Email	https://au.ddtech.com/pages/contact-us
Phone	+61 2 9454 7888
Business number	ABN: 94 059 413 430

5. Legal and trading name of the importer (if applicable):

ASSA ABLOY New Zealand Ltd

Address for Service

Street name and number	6 Armstrong Road
Suburb	Albany
Region/state	Auckland
Country	New Zealand
Post code	0632
Website	https://www.assaabloy.com/nz/en
Email	nzsales@assaabloy.com
Phone	+64 (0)9 448 9188
Business number	NZBN: 9429036762194

6. Relevant Building Code clauses:

Standard	Clause(s)

Building Product Information Sheet

D&D Technologies®

Generic Model: T-Latch and T-Latch Kit

Type: Padlockable Gravity Toggle-Action Gate Latch and Kit

Part of ASSA ABLOY

7. Statement on how the building product is expected to contribute to compliance.

8. Limitations on the use of the building product:

- Residential Privacy applications.

9. Design requirements that would support the appropriate use of the building product.

10. Installation requirements

- Refer to supplied fitting instructions.
- Mounting:
 - Face Mount: To be mounted on the face of square posts with front fixing points. Suitable for Fencing Materials: Metal and Wood.

11. Maintenance requirements

- Refer to supplied fitting instructions.
- Observe the following:
 - Horizontal adjustment. Latching bolt to accommodate gap variance – refer to table above.
 - Vertical adjustment. Screw hole slots provided for vertical adjustment.
- Gate alignment and maintenance is essential to maintain latching alignment and performance.

12. Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26

N/A

13. Date

Date of document completion (day/month/year)

0	8	0	1	2	0	2	4
---	---	---	---	---	---	---	---