In accordance with UN GHS latest edition

Product: PLUMERIA

Section 1. Identification of the substance or the mixture and of the supplier

- **1.1 Product Identifier**
- Product identifier: PLUMERIA
- Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

- Product uses: Fragrances
- 1.3 Details of the supplier of the safety data sheet

Company name: PRO CANDLE SUPPLY LLC Company address: 53 Laxalt Drive Mound House NV 89706 USA Contact: Support E-Mail address: Support@ProCandleSupply.com Company phone: 1-800-769-7450 **1.4 Emergency telephone number** No Information Available **Emergency phone:**

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger:	 Skin Corrosion / Irritation Category 3 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 H316, Causes mild skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H411, Toxic to aquatic life with long lasting effects.
2.2 Label elements	
Signal word:	Warning
Hazard statements:	H316, Causes mild skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H411, Toxic to aquatic life with long lasting effects.
Precautionary statements:	P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling.

In accordance with UN GHS latest edition

Product: PLUMERIA

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



Pictograms:

2.3 Other hazards Other hazards:

None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	%	GHS Classification
Methyl dihydrojasmonate	24851-98-7	5-<10%	Aquatic Acute 3;H402
alpha-Hexylcinnamaldehyde	101-86-0	5-<10%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H316-H317-H400-H411
Phenethyl alcohol	60-12-8	1-<5%	Acute Tox. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A; H302-H313-H316-H319
Benzyl acetate	140-11-4	1-<5% Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H H401-H412	
3,7-Dimethyl-1,6-nonadien-3-ol	10339-55-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H316-H317- H319-H402
Tetrahydrolinalool	78-69-3	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H227-H315-H317-H319-H401
Benzyl salicylate	118-58-1	1-<5%	Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412
gamma-Undecalactone	104-67-6	1-<5%	Skin Irrit. 3-Aquatic Acute 3-Aquatic Chronic 3;H316- H412
Tricyclodecenyl acetate	5413-60-5	1-<5%	Acute Tox. 5-Skin Irrit. 3-Aquatic Acute 3;H303-H316- H402
dl-Citronellol	106-22-9	1-<5%	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317- H319-H401

In accordance with UN GHS latest edition

18479-58-8	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402	
18871-14-2, 38285- 49-3	1-<5%	Aquatic Acute 3;H402	
113889-23-9	1-<5%	Aquatic Acute 2-Aquatic Chronic 2;H411	
28645-51-4	1-<5%	Aquatic Acute 1-Aquatic Chronic 1;H410	
706-14-9	1-<5%	Skin Irrit. 3;H316	
97-53-0	0.1-<1%	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H316-H317-H319-H401	
120-51-4	0.1-<1%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411	
28219-61-6	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2-Aquatic Chronic 2;H315-H319-H411	
106-24-1	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1- Aquatic Acute 3;H303-H315-H317-H318-H402	
106-25-2	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H315-H317-H319-H401	
106-21-8	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2- Aquatic Chronic 2;H313-H315-H319-H411	
1205-17-0	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Repr. 2-Aquatic Acute 2- Aquatic Chronic 2;H303-H317-H361-H411	
54464-57-2	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410	
103-95-7	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B- Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315- H317-H401-H412	
68039-49-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Ski Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227- H303-H315-H317-H319-H411	
57378-68-4	0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1;H302-H315-H317-H410	
111-79-5	0.1-<1%	Flam. Liq. 4-Aquatic Acute 1-Aquatic Chronic 2;H227- H400-H411	
87731-18-8	0.1-<1%	Acute Tox. 5-Skin Sens. 1-Aquatic Acute 2;H303-H317- H401	
111-80-8	<0.1%	Acute Tox. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1A- Aquatic Acute 1-Aquatic Chronic 3;H302-H313-H315- H317-H400-H412	
	18871-14-2, 38285- 49-3 113889-23-9 28645-51-4 706-14-9 97-53-0 120-51-4 28219-61-6 106-24-1 106-25-2 106-21-8 1205-17-0 54464-57-2 103-95-7 68039-49-6 57378-68-4 111-79-5 87731-18-8	18871-14-2, 38285- 1-<5%	

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

- **Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Skin exposure: IF ON SKIN: Wash with plenty of soap and water.
- **Ingestion:** Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Pro Candle Supply LLC

Page 4 (10) Issue date: 11/07/2022 Version: 3 (11/07/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: PLUMERIA

Causes mild skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

In accordance with UN GHS latest edition

Product: PLUMERIA

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Free flowing liquid without sediment
Odour:	Characteristic
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 93 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	0.9120 - 0.9220
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected

Page 6 (10) Issue date: 11/07/2022 Version: 3 (11/07/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: PLUMERIA

9.2 Other information:

Refractive Index @ 20C: Flash Point (Fahrenheit): Calculated VOC: Color Range: 1.4588 - 1.4688 > 200 °F 0.00 Colorless - 2 Very Pale Yellow

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 3
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

Page 7 (10) Issue date: 11/07/2022 Version: 3 (11/07/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: PLUMERIA

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.			
12.2 Persistence and degradability: Not available			
12.3 Bioaccumulative potential:	Not available		
12.4 Mobility in soil:	Not available		
12.5 Other adverse effects:	Not available		

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxacycloheptadec-10-ene-2-one, alpha-Hexylcinnamaldehyde)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxacycloheptadec-10-ene-2-one, alpha-Hexylcinnamaldehyde) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxacycloheptadec-10-ene-2-one, alpha-Hexylcinnamaldehyde)	9	-	111
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxacycloheptadec-10-ene-2-one, alpha-Hexylcinnamaldehyde)	9	-	111

In accordance with UN GHS latest edition

Product: PLUMERIA

14.5 Environmental hazards:This is classified as an environmentally hazardous substance under the UN
Model Regulations. This is classified as a Marine Pollutant under the IMDG
Code.14.6 Special precautions for user:None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

Section 15. Regulatory information

Components listed on California's SB312

Name	CAS	%
HEXYL CINNAMIC ALDEHYDE (R)	101-86-0	5-<10%
BENZYL SALICYLATE (R)	118-58-1	1-<5%
EUGENOL	97-53-0	0.1-<1%
GERANIOL 980	106-24-1	0.1-<1%
LINALOOL	78-70-6	<0.1%

US Department Of Transport Bulk Packing - Group:

Section 16. Other information

Concentration % Limits:	EH A2=11.05% EH A3=1.09% EH C2=16.43% EH C3=1.63% EH C4=77. 45% SCI 3=7.32% EDI 2A=36.55% SS 1=16.95%
Total Fractional Values:	EH A2=9.05 EH A3=91.44 EH C2=6.09 EH C3=61.30 EH C4=1.29 SCI 3=13.67 EDI 2A=2.74 SS 1=5.90

Key to revisions:

Concentration % Limits SECTION 3: Composition/information on ingredients Total Fractional Values

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Eye Dam. 1	Eye Damage / Irritation Category 1

In accordance with UN GHS latest edition

Product:

PLUMERIA

Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H227	Combustible liquid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

In accordance with UN GHS latest edition

Product: PLUMERIA

P391 Collect spillage. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Repr. 2 Toxic to Reproduction Category 2 Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Sensitization - Skin Category 1 Skin Sens. 1 Skin Sens. 1A Sensitization - Skin Category 1A Skin Sens. 1B Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.