



# Product Catalog

---

## EYE CARE PROFESSIONALS



**Task Lighting**



**Illuminated  
Magnifiers**



**Spectacles**

**Our Mission is to  
improve the quality of life  
for those who are visually  
impaired...**



**...through awareness,  
resources,  
and solutions.**

# Table of Contents



22

Optelec Spectacles

02

Illuminated Magnifiers

28

Absorptive Lenses

31

Optelec Specialty Kits

**Magnifiers - Illuminated** ..... 2-9  
 Optelec ..... 2-3  
 Schweizer ..... 4-9

**Magnifiers - Non-Illuminated** ..... 10

**Telescopes (Monocular)** ..... 12-14  
 Optelec ..... 12  
 Specwell ..... 13  
 Optelec, Beecher ..... 14

**Telescopes (Binocular)** ..... 14  
 Optelec, Beecher ..... 14

**Lamps** ..... 15-20  
 Stella ..... 15  
 Luxo ..... 16-18  
 Daylight ..... 19-20  
 Ott-Lite ..... 20

**Spectacles** ..... 21-27  
 Optelec (Prismatic) ..... 22-23  
 Optelec (Microscopic) ..... 24-25  
 Schweizer (Prismatic) ..... 26  
 Schweizer (Microscopic) ..... 26

**Absorptive Lenses** ..... 28-29  
 Schweizer ..... 28

**Kits** ..... 30-34  
 Optelec Low Vision Starter ..... 31  
 Optelec Professional ..... 32-33  
 Schweizer Demo ..... 34

**Charts** ..... 35

**Return Policy** ..... 36

# Magnifiers - Illuminated

Optelec

## Optelec PowerMag™ Bright White LED Handheld and Stand Magnifiers

- Standard light-emitting diode (LED) illumination
- 7750K light temperature produces a bright, clear light
- Superior German optics by Schweizer, for an accurate, sharply defined image
- Aspheric lightweight scratch-resistant acrylic magnifying lens
- Easy-slide switch eliminates flickering light
- Permanently attached hinged battery cover



### Optical Handheld Magnifiers

The handheld magnifier is convenient for short-term tasks such as “spot” or single-word reading. They are small, lightweight and portable, but require good coordination to maintain the focal distance and may not be a good option when both hands are needed.

### Optical Stand Magnifiers

The stand magnifier is one of the simplest devices available for reading. Stand magnifiers are made to rest directly on the page to set the magnifier at the ideal focal distance and because the magnifier rests on the reading material, the user may experience less fatigue.



Optelec PowerMag+ Handheld Magnifiers require three AAA batteries (included), and include a protective microfiber drawstring pouch and a Limited Lifetime Warranty.



# Magnifiers - Illuminated

Optelec

## Optelec PowerMag™ Bright White LED Handheld Magnifiers - 7750K

Item No.	Line	Power	Diopter	Lens Size
9501W	PowerMag+	2.5x	6D	100mm
9502W	PowerMag+	3x	8D	85mm
9503WA	PowerMag+	3.5x	10D	75/50mm Right-handed
9503WS	PowerMag+	3.5x	10D	75/50mm Straight
9504W	PowerMag+	4x	12D	70mm
9505W	PowerMag+	5x	16D	60mm
9506W	PowerMag+	6x	20D	55mm
9507W	PowerMag+	7x	24D	55mm
9509W	PowerMag+	8x	28D	35mm
9511W	PowerMag+	10.75x	39D	35mm
9513W	PowerMag+	13x	48D	35mm
9515W	PowerMag+	15x	56D	35mm



9503WA



9511W

## Optelec PowerMag™ Bright White LED Stand Magnifiers - 7750K

Item No.	Line	Power	Diopter	Lens Size
9523W	PowerMag+	3X	8D	100/75mm
9524W	PowerMag+	4x	12D	70mm
9525W	PowerMag+	5x	16D	60mm
9526W	PowerMag+	6x	20D	55mm
9527W	PowerMag+	7x	24D	55mm
9529W	PowerMag+	8x	28D	35mm
9531W	PowerMag+	10.75x	39D	35mm
9533W	PowerMag+	13x	48D	35mm
9535W	PowerMag+	15x	56D	35mm



9523W



9529W



9533W



9527W



Optelec PowerMag+ Stand Magnifiers require three AA batteries (included), and include a Limited Lifetime Warranty.

# Magnifiers - Illuminated

Schweizer



## OKOLUX Plus Mobil Handheld and Stand Magnifiers

- Four chip surface mounted light-emitting diode (SMD LED) illumination
- 4500K light temperature produces a very bright, evenly dispersed white clear light
- Aspheric lightweight magnifying lens provides a sharply defined image
- Easy-slide switch eliminates flickering light
- Permanently attached hinged battery cover

## OKOLUX Plus Mobil Handheld Magnifiers - 4500K

Item No.	Schweizer No.	Line	Power	Diopter	Lens Size
5825	134062-LW	OKOLUX	2.5x	6D	100mm
5824	134802-LW	OKOLUX	3x	8D	85mm
5820	134102-LW	OKOLUX	3.5x	10D	75/50mm Right-handed
5809	134112-LW	OKOLUX	3.5x	10D	75/50mm Straight
5808	134122-LW	OKOLUX	4x	12D	70mm
58073	134132-LW	OKOLUX	4x	12D	35mm
5807	134162-LW	OKOLUX	5x	16D	60mm
58063	134172-LW	OKOLUX	5x	16D	35mm
5806	134202-LW	OKOLUX	6x	20D	55mm
5805	134242-LW	OKOLUX	7x	24D	55mm
5804	134282-LW	OKOLUX	8x	28D	35mm
5803	134392-LW	OKOLUX	10.75x	39D	35mm
5802	134482-LW	OKOLUX	13x	48D	35mm
5819	134562-LW	OKOLUX	15x	56D	35mm



5825



5820



5809



5807



5806



5805



5804



5808

## OKOLUX Plus Handheld Magnifier Stand

This accessory stand allows you to turn your handheld magnifier into a stand magnifier for greater stability, without giving up the compact size. Adjust the height and angle of your OKOLUX Plus Mobil or Optelec PowerMag+ Handheld Magnifier while it rests in this collapsible stand.



5822

Item No.	Schweizer No.	Description
5822	130092	Base for OKOLUX Plus Mobil Magnifier

Schweizer OKOLUX Plus Mobil Handheld Magnifiers require three AAA batteries (included), and include a protective microfiber drawstring pouch and a Limited Lifetime Warranty.



## OKOLUX Plus Mobil Stand Magnifiers - 4500K

Item No.	Schweizer No.	Line	Power	Diopter	Lens Size
5815	144082	OKOLUX	3x	8D	100/75mm
5814	144122	OKOLUX	4x	12D	70mm
5816	144162	OKOLUX	5x	16D	60mm
5813	144202	OKOLUX	6x	20D	55mm
5812	144242	OKOLUX	7x	24D	55mm
5811	144282	OKOLUX	8x	28D	35mm
5810	144392	OKOLUX	10.75x	39D	35mm
5818	144482	OKOLUX	13x	48D	35mm
5817	144562	OKOLUX	15x	56D	35mm



5815



5814



5816



5813



5812



5811



5818



5817

## OKOLUX Twin Lux LED Stand Magnifier

- Features the largest field of view at 4.4x magnification
- Two aspheric lenses placed at a precisely engineered distance
- LED illuminates a high brightness light
- SMD LED light never needs replacing



5821

Item No.	Schweizer No.	Line	Power	Diopter	Lens Size
5821	916242-LW	OKOLUX	4.4x	8D+6D	100 x 75mm + 100 x 50mm

Schweizer OKOLUX Plus Mobil Stand Magnifiers require three AA batteries (included) and include a Limited Lifetime Warranty.

# Magnifiers - Illuminated

Schweizer

## ERGO-Lux MP Mobil Handheld and Stand Magnifiers

- Ergonomically designed handle to support the ball of the hand, and soft-touch zone with anti-slip guard for thumb and index finger
- Four chip surface-mounted light-emitting diode (SMD LED) illumination for superior, shadow-free lighting
- 6500K light temperature produces a very bright, evenly dispersed white light
- Two brightness levels available due to Multi-Power boost switch
- Raised switch provides audible feedback
- SMD LED light never needs replacing
- Aspheric lightweight magnifying lens provides a sharply defined image
- Battery cover closes with distinct click for quick and easy battery replacement
- Convenient loops for lanyards (handheld)

## ERGO-Lux MP Mobil Stand Magnifiers - 6500K

Item No.	Schweizer No.	Line	Power	Diopter	Lens Size
58508	172082	ERGO-Lux	3x	8D	100/75mm
58512	172122	ERGO-Lux	4x	12D	70mm
58516	172162	ERGO-Lux	5x	16D	60mm
58520	172202	ERGO-Lux	6x	20D	55mm
58524	172242	ERGO-Lux	7x	24D	55mm



The ERGO-Lux MP Mobil Stand Magnifier is a two-piece item. It includes the ERGO-Base, a fixed-focus holder, and the ERGO-Lux MP Mobil magnifier, creating the perfect illuminated stand magnifier.

Schweizer ERGO-Lux Mobil Stand Magnifiers require three AAA batteries (included), and include a protective microfiber drawstring pouch and a Two-Year Warranty.





# Magnifiers - Illuminated

Schweizer

## ERGO-Lux MP Mobil Handheld Magnifiers - 6500K

Item No.	Schweizer No.	Line	Power	Diopter	Lens Size	
5849	166062	ERGO-Lux	2.5x	6D	100mm	
5848L	166072	ERGO-Lux	3x	8D	100/75mm	Left-handed
5848R	166082	ERGO-Lux	3x	8D	100/75mm	Right-handed
5847	166092	ERGO-Lux	3x	8D	85mm	
5846L	166142	ERGO-Lux	3.5x	10D	75/50mm	Left-handed
5846R	166102	ERGO-Lux	3.5x	10D	75/50mm	Right-handed
5846S	166112	ERGO-Lux	3.5x	10D	75/50mm	Straight
5844	166132	ERGO-Lux	4x	12D	35mm	
5845	166122	ERGO-Lux	4x	12D	70mm	
5842	166172	ERGO-Lux	5x	16D	35mm	
5843	166162	ERGO-Lux	5x	16D	60mm	
5841	166202	ERGO-Lux	6x	20D	55mm	
5840	166242	ERGO-Lux	7x	24D	55mm	
5839	166282	ERGO-Lux	8x	28D	35mm	
5838	166392	ERGO-Lux	10.75x	39D	35mm	
5837	166482	ERGO-Lux	13x	48D	35mm	
5836	166562	ERGO-Lux	15x	56D	35mm	



5848L



5848R



5849



5847



5846L



5846R



5846S



5844



5842



5840



5836



Schweizer ERGO-Lux MP Mobil Handheld Magnifiers require three AAA batteries (included) and include a Two-Year Warranty.

# Magnifiers - Illuminated

Schweizer

**NEW!**



## ERGO-Lux iMobil Handheld Magnifiers - 6500K

Magnifier Only	Complete Kit					
Item No.	Item No.	Schweizer No.	Line	Power	Diopter	Lens Size
5849i	5849iK	156062	ERGO-Lux	2.5x	6D	100mm
5848Ri	5848RiK	156082	ERGO-Lux	3x	8D	100/75mm Right-handed
5848Li	5848LiK	156072	ERGO-Lux	3x	8D	100/75mm Left-handed
5847i	5847iK	156092	ERGO-Lux	3x	8D	85mm
5846Ri	5846RiK	156102	ERGO-Lux	3.5x	10D	75/50mm Right-handed
5846Li	5846LiK	156142	ERGO-Lux	3.5x	10D	75/50mm Left-handed
5846Si	5846SiK	156112	ERGO-Lux	3.5x	10D	75/50mm Straight
5845i	5845iK	156122	ERGO-Lux	4x	12D	70mm
5844i	5844iK	156132	ERGO-Lux	4x	12D	35mm
5843i	5843iK	156162	ERGO-Lux	5x	16D	60mm
5842i	5842iK	156172	ERGO-Lux	5x	16D	35mm
5841i	5841iK	156202	ERGO-Lux	6x	20D	55mm
5840i	5840iK	156242	ERGO-Lux	7x	24D	55mm
5839i	5839iK	156282	ERGO-Lux	8x	28D	35mm
5838i	5838iK	156392	ERGO-Lux	10.75x	39D	35mm
5837i	5837iK	156482	ERGO-Lux	13x	48D	35mm
5836i	5836iK	156562	ERGO-Lux	15x	56D	35mm



Item No.	Schweizer No.	Description
5888C	150002	Charging Pad (for use with USB Charging Cable)
5888U	150012	USB Power Cable (for Charging Pad)

Items ending in "K" include the magnifier, charging pad, and USB power cable.



5849i



5848Ri



5848Li



5847i



5846Ri



5846Li



5846Si



5845i



5843i



5841i



5840i



5836i

Schweizer ERGO-Lux iMobil Handheld Magnifiers include a protective microfiber drawstring pouch, and a Two-Year Warranty.

## ERGO-Lux iMobil Features:

- No need to change batteries
- Charging pad plugs into a wall outlet, or via USB when on the go
- One pad powers all iMobil devices
- Two brightness levels



**Never change batteries again!**

# Magnifiers: Non-Illuminated

Schweizer/Optelec/Donegan



## Schweizer Round, Bar, and Dome Magnifiers

Item No.	Schweizer No.	Description	Magnification	Lens Size
5443	418642	Round Pocket Magnifier - Black	3.5x/10D	60mm
5440	418342	Round Pocket Magnifier - Black	6x/20D	30mm
5302	432202	Bar Magnifier with Reading Line	1.5x	200 x 35mm
5304	432332	Bar Magnifier with Reading Line	1.5x	330 x 35mm
5300	432142	Bar Magnifier	2x	140 x 20mm



## Optelec Dome Magnifiers

Item No.	Description	Magnification	Lens Size
0763	Optelec PowerDome	3x/12D	50mm
0764	Optelec PowerDome	3x/12D	65mm
0765	Optelec PowerDome	3x/12D	80mm
0762	Optelec PowerDome	3x/12D	95mm



## Donegan OptiVISOR® Head-Band Magnifier

- Prismatic glass lenses are polished to precision optical standards
- Adjustable pivots allow the visor to be tilted out of sight while not in use
- Tough and durable, designed for high-impact use
- Comfortable headband can be adjusted to fit most head sizes
- Interchangeable replacement lenses and accessories available



Item No.	Donegan No.	Power	Focus
2880	DA-2	1.5x/2D	20"
2881	DA-3	1.75x/3D	14"
2882	DA-4	2x/4D	10"
2883	DA-5	2.5x/5D	8"
2885	DA-7	2.75x/7D	6"
2887	DA-10	3.5x/10D	4"

Item No.	Donegan No.	Description	Power
2888	LP-1	OptiLOUPE®	2.5X/3D
2863	LT-06	VisorLIGHT®	



# Simplify Your Ordering.

Order online today at  
[www.ShopLowVision.com](http://www.ShopLowVision.com)

**BUY  
ONLINE!**

**Online orders over \$50 qualify for free shipping!**

Our customer care team can set up an account for you, answer questions about our products and programs, and even connect your contract pricing to your online account.

Call 800-826-4200 today!



# Telescopes: Monocular

Optelec

## Optelec PowerScope™ Monoculars

- Provides exceptional brightness and crisp optics at a great value
- Compact and lightweight
- Smooth barrel rotation for easy focusing
- Handheld monoculars cannot be spectacle mounted
- Clip-on monoculars can be clipped directly onto spectacle frames; and include cleaning cloth and protective case
- All handheld monoculars include a detachable neck strap and case; several include protective caps

Item No.	Description	Magnification	Focus	Field of View	Diameter	Length	Weight
5519	Clip-on Monocular	2.5 x 25	∞ to 20 in.	12.5°	1.38 in.	2.25 in.	1.8 oz.
5523	Clip-on Monocular	2.8 x 28	∞ to 24 in.	11°	1.38 in.	2.25 in.	1.3 oz.
5563	Handheld Monocular	2.5 x 25	∞ to 20 in.	12.5°	1.38 in.	1.75 in.	1.6 oz.
0215	Handheld Mini Monocular	3.15 x 25	∞ to 10.25 in.	11°	1.31 in.	1.63 in.	1.7 oz.
0376	Handheld Monocular	4 x 12	∞ to 7.5 in.	12.5°	1.13 in.	2.38 in.	2.2 oz.
0374	Handheld Monocular	5 x 20	∞ to 16 in.	11°	0.88 in.	2.88 in.	2.0 oz.
0377	Handheld Monocular	6 x 16	∞ to 11 in.	9.5°	1.12 in.	2.75 in.	2.6 oz.
0378	Handheld Monocular	8 x 20	∞ to 12 in.	7.2°	1.33 in.	3.38 in.	2.8 oz.
0380	Handheld Monocular	10 x 25	∞ to 13 in.	5.5°	1.38 in.	4.31 in.	4.4 oz.

Optelec PowerScopes™ include a Limited Lifetime Warranty.



## Monocular A - Spectacle Mounted

Includes lock rings for mounting.

Item No.	Specwell No.	Description	Magnification	Focus	Field of View	Diameter
6898	0208	Monocular A	2 x 8	∞ to 3.93 in.	11°	0.86 in.
6900	2758	Monocular A	2.75 x 8	∞ to 5.5 in.	12.5°	0.86 in.
6902	0309	Monocular A	3 x 9	∞ to 8.66 in.	12.5°	0.90 in.
6904	0410	Monocular A	4 x 10	∞ to 8.66 in.	10°	0.86 in.
6908	0412	Monocular A	4 x 12	∞ to 7.87 in.	12.5°	1.14 in.
6917	0616	Monocular A	6 x 16	∞ to 10.23 in.	10°	1.29 in.



6917



6901



6912

### Item No. Description

6952 Spectacle clamp (fixed type)

## Monocular B - Handheld

Includes an eye cup for handheld use, detachable neck strap, and case.

Item No.	Specwell No.	Description	Magnification	Focus	Field of View	Diameter
6898B	0208	Monocular B	2 x 8	∞ to 3.93 in.	11°	0.86 in.
6901	2758	Monocular B	2.75 x 8	∞ to 5.5 in.	12.5°	0.86 in.
6902B	0309	Monocular B	3 x 9	∞ to 8.66 in.	12.5°	0.90 in.
6904B	0410	Monocular B	4 x 10	∞ to 8.66 in.	10°	0.86 in.
6912	0412	Monocular B	4 x 12	∞ to 7.87 in.	12.5°	1.14 in.
6916	0616	Monocular B	6 x 16	∞ to 10.23 in.	10°	1.29 in.



6918



6930



6920



6934

## Handheld Monoculars

Cannot be spectacle-mounted. These monoculars include a detachable neck strap and case.

Item No.	Specwell No.	Description	Magnification	Focus	Field of View	Diameter
6903	3811	Handheld	3.8 x 11	∞ to 7.87 in.	16°	1.22 in.
6918	0725	Handheld	7 x 25	∞ to 19.68 in.	10°	1.65 in.
6920	0820	Handheld	8 x 20	∞ to 11.81 in.	7°	1.25 in.
6930*	M0820-R	Handheld	8 x 20	∞ to 11.81 in.	7°	1.25 in.
6924	1020	Handheld	10 x 20	∞ to 15.74 in.	6°	1.25 in.
6922	0830	Handheld	8 x 20	∞ to 23.62 in.	8.5°	1.65 in.
6934*	M0830-R	Handheld	8 x 30	∞ to 23.62 in.	8.5°	1.65 in.
6926	1030	Handheld	10 x 30	∞ to 27.55 in.	6°	1.25 in.
6938*	M1030-R	Handheld	10 x 30	∞ to 27.55 in.	6°	1.65 in.

\*These monoculars have a protective rubber casing.

# Telescopes: Monocular

Optelec/Beecher

## Optelec PowerTV™ Glasses and Spectacle Binoculars

- Lightweight and hands-free, perfect for television, movies, and other activities
- Fully adjustable twin-lens design allows user to set desired viewing distance
- Optimal focal distance from 10 feet to infinity
- Includes cleaning cloth and protective carrying case

Item No.	Description	Magnification	Eye	Field of View
4609	PowerTV Glasses	2.1x	OU	20°
5575	Spectacle Binocular	2.8x	OU	11°



## Beecher Mirage™ Head-Borne Binoculars and Monoculars

- Excellent brightness and magnification with twice the field of view of conventional telescopic systems
- Compact design is tough and durable

Item No.	Description	Magnification	Eye	Field of View
8353R	Monocular	3.4 x 20	OD	15°
8355R	Monocular	4.5 x 25	OD	14°
8286R	Monocular	5.5 x 25	OD	12°
8354R	Monocular	6 x 25	OD	10°
8359R	Monocular	7 x 30	OD	9°
8288R	Monocular	8 x 28	OD	8°
8353L	Monocular	3.4 x 20	OS	15°
8355L	Monocular	4.5 x 25	OS	14°
8286L	Monocular	5.5 x 25	OS	12°
8354L	Monocular	6 x 25	OS	10°
8359L	Monocular	7 x 30	OS	9°
8288L	Monocular	8 x 28	OS	8°
8295	Binocular	3 x 25	OU	15°
8353	Binocular	3.4 x 20	OU	15°
8355	Binocular	4.5 x 25	OU	14°
8287	Binocular	5.5 x 25	OU	11°
8354	Binocular	6 x 25	OU	10°
8360	Binocular	7 x 30	OU	9°
8289	Binocular	8 x 28	OU	8°



8355R



8353



8295



8289

Item No.	Description
8366	Beecher frame only
8363	Beecher head strap
0789	Beecher mole skin nose pad
8368	Beecher rubber eye cup
8299	Beecher L bracket

Beecher Mirage Telescopes include an extended eye piece, allen wrench, screwdriver, protective case, and Limited One Year Warranty.



**NEW!**

## Stella Lighting

- LED technology produces little to no heat
- Tri-Spectrum Technology - choose between cool, pure white, and warm lighting
- Flexible arm utilizes electroplated steel segmented neck - maximum flexibility with a strong hold
- 5-level dimming available in each color spectrum mode - dim any mode of light five levels, down to 10%
- Wireless remote control features main controls for the lamp - power, dimming, and light mode - available with Stella Two Floor Lamp and Stella Edge LED Task Light

### Stella Edge Task Light

Item No.	Color	Stella No.
EDGE B	Black	SE-10W-IM-003B
EDGE W	White	SE-10W-IM-003W



### Stella Sky Two Floor Lamp

Item No.	Color	Stella No.
SKY2FB	Black	SS2-10W-IM-002B
SKY2FW	White	SS2-10W-IM-002W



### Stella Two LED Task Light

Item No.	Color	Stella No.
SKY2B	Black	ST2-13W-IM-001B
SKY2W	White	ST2-13W-IM-001



Stella lighting includes a Limited Two-Year Warranty.

# Lamps

LUXO



4914B

## KFM Magnifying Lamps

- 5-inch diameter optical-quality glass lens in 1.75x/3D or 2.25x/5D
- Lens is mounted in die-cast aluminum housing that is durable and non-corrosive
- Patented internal spring K-Arm provides perfect balance in infinite positions
- 22-watt circline fluorescent lamp provides cool, shadow-free light on any work surface

Item No.	Luxo No.	Color	Magnification	Arm Reach	Base Type
4910	KFK025789	Gray	3-Diopter	30 in.	Weighted Base
4932	KFK025824	Gray	3-Diopter	30 in.	Clamp Mount
4930	KFK025818	Gray	3-Diopter	45 in.	Clamp Mount
● 4930B	KFK025817	Black	3-Diopter	45 in.	Clamp Mount
4912	KFK025790	Gray	5-Diopter	30 in.	Weighted Base
● 4912B	KFK025786	Black	5-Diopter	30 in.	Weighted Base
4934	KFK025827	Gray	5-Diopter	30 in.	Clamp Mount
● 4934B	KFK025826	Black	5-Diopter	30 in.	Clamp Mount
4914	KFK025821	Gray	5-Diopter	45 in.	Clamp Mount
● 4914B	KFK025820	Black	5-Diopter	45 in.	Clamp Mount
● 4914W	KFK025822	White	5-Diopter	45 in.	Clamp Mount

## KFM LED Magnifier Lamps

- The dimmable 9-watt LED light source produces nearly 75% greater light output than the traditional KFM
- Includes automatic shut-off feature for energy savings
- Lens is made of optical-quality glass
- Self-balancing shade and hands-free neck design allows the lamp to be secured in any position
- Features an enclosed neck assembly and heavy-duty internal spring K-Arm



4946B

Item No.	Luxo No.	Color	Magnification	Arm Reach	Base Type
4941	KFL026022	Gray	3-Diopter	45 in.	Clamp Mount
4942	KFL026024	Gray	5-Diopter	45 in.	Clamp Mount
4943	KFL026028	Gray	3-Diopter	30 in.	Clamp Mount
4944	KFL026029	Gray	5-Diopter	30 in.	Clamp Mount
4945	KFL026127	Gray	3-Diopter	30 in.	Weighted Base
4946	KFL026128	Gray	5-Diopter	30 in.	Weighted Base
● 4946B	KFL026152	Black	5-Diopter	30 in.	Weighted Base

Luxo lamps include a Limited Five-Year Warranty.

● Special Order - Please allow 4-6 weeks for delivery

### Flexibility Meets Precision

#### Optical-quality glass lens

- KFM Magnifier with 5-inch diameter lens and choice of 3- or 5-diopter distortion-free magnification.
- Flicker-free illumination
- 22W fluorescent light source with instant-on switch ignites with just a touch.
- High frequency electronic ballast allows for 15% greater light output and completely silent operation.

### LFM LED Magnifier Lamps

Get a high-quality Luxo LED Magnifier lamp at a cost-efficient price

- 7-watt dimmable LEDs for great energy savings
- 4000K color temperature guarantees both energy savings and accurate color rendition



4952

Item No.	Luxo No.	Color	Magnification	Arm Reach	Base Type
4952	LFL026106	Gray	3-Diopter	45 in.	Clamp Mount
4954	LFL026108	Gray	3-Diopter	30 in.	Clamp Mount
4955	LFL0261LG	Gray	3-Diopter	30 in.	Weighted Base
4953	LFL026107	Gray	5-Diopter	45 in.	Clamp Mount
4956	LFL026109	Gray	5-Diopter	30 in.	Clamp Mount
4957	LFL0263LG	Gray	5-Diopter	30 in.	Weighted Base



4949

### Luxo STAYS Accessory Lens

Require some extra magnification for your most intricate arts and crafts? Simply attach the STAYS lens.

- Use with KFM LED, KFM, Wave LED, Wave+, and LFM LED
- Dimensions - 2-inch diameter (lens only), 2.5-inch diameter (with silicone frame)

Item No.	Luxo No.	Magnification	Working distance when used with 1.75x/3D
4949	SPD025980	4-Diopter	6 in.
4950	SPD025979	6-Diopter	4 in.
4949	SPD026119	10-Diopter	2.9 in.

Luxo lamps include a Limited Five-Year Warranty.

# Lamps

LUXO

## Wave LED Magnifier

- The two dimmable 6-watt LED light sources allow individual left/right lighting control
- Includes auto shut-off feature for energy savings
- Lens is made of white crown optical-quality glass
- Self-balancing shade and hands-free neck design allows the lamp to be secured in any position
- Features a fully enclosed neck assembly and heavy-duty internal spring K-arm



Item No.	Luxo No.	Color	Magnification	Arm Reach	Base Type
4927	WAL026133	Gray	3.5-Diopter	30 in.	Weighted Base
4938	WAL026135	Gray	5-Diopter	30 in.	Weighted Base
4940	WAL025969	Gray	5-Diopter	45 in.	Clamp Mount

## LC Combo Task Lamps

- Includes a 22-watt circline fluorescent lamp and a 14-watt CFL lamp
- Spring-balanced arm and heavy-duty spun aluminum light shade



Item No.	Luxo No.	Color	Arm Reach	Base Type
4906B	K110630001	Black	30 in.	Weighted Base
● 4906W	K110630002	White	30 in.	Weighted Base
4904B	K110620003	Gray	45 in.	Clamp Mount
● 4904BB	K110620001	Black	45 in.	Clamp Mount
● 4904BW	K110620002	White	45 in.	Clamp Mount



## Floor Stands

- Use with KFM, LFM Wave, and LC Series lamps

Item No.	Light Gray	Black	White	Luxo No.
Rolling Floor Stand	4908N	● 4908NB	● 4908NW	50036
FE Base*	4948	● 4948B	● 4948W	50010

\*For use with 30-inch reach arm only

Luxo lamps include a Limited Five-Year Warranty.

● Special Order - Please allow 4-6 weeks for delivery

### Daylight Swan Floor Lamp

- 5-inch 1.75x magnifying lens and 18-watt Daylight™ tube on easy-flex arms
- New, longer flex arms - lamp arm is 14 inches, and magnifier arm is 18 inches
- Mobile floor lamp measures 44 inches high


**Item No. Daylight No.**

2661 U23030-1

#### Replacement Bulb for Swan Lamp (2661/2653)

**Item No. Daylight No.**

5152 U13621



### Daylight Swan Table Lamp

- 5-inch 1.75x magnifying lens and 18-watt Daylight™ tube
- New, longer arms: lamp arm is 18 inches and magnifier arm is 9.5 inches
- Clean, white finish
- Measures 17.5 inches high

**Item No. Daylight No.**

2653 U23020-01



### Daylight 5-inch LED Table + Floor Lamp

- Versatile lamp converts from a floor lamp to a table lamp by removing the pole
- 21 high-performance, energy efficient Naturalight™ LEDs
- 5-inch 2x magnification
- Flexible gooseneck with 44 inch base as a floor lamp

**Item No. Daylight No.**

2677 UN1081



### Daylight Twist Portable Task Lamp

- Easy-Twist technology for maximum workspace light coverage
- 13-watt energy saving tube
- Detachable base and handle for ease of portability

**Item No. Daylight No.**

2671 U33700



### Daylight Slimline LED Floor Lamp

- 5-watt bright Daylight LEDs for energy savings
- Lights up large home and work areas with a stylish brushed chrome finish
- Ideal for true color matching and reduces eye strain
- Easily adjust height and light angle with two unique flexible joints
- Height adjustable from 40 inches to 50 inches and 35 inches long reach

**Item No. Daylight No.**

2680 U35117



Daylight lamps include a Limited One-Year Warranty.

# Lamps


## Daylight/Ott-Lite



### Daylight Hobby Table and Floor Lamp

- Flexible arm directs light where needed
- Energy saving - lasts 10 times longer than conventional bulbs
- 27-watt full spectrum Naturalight™ tube included
- Floor lamp measures 51 inches high
- Table lamp measures 15.5 inches high

Item No.	Daylight No.	Description
2678	UN1072	Floor lamp
2679	UN1062	Table lamp



### Daylight Naturalight™ Table Magnifying Lamp

- Full spectrum Naturalight™ 12-watt tube is low heat and energy saving
- 3.5-inch, 1.75x magnifying lens with a 4x inset lens to see details like never before
- Table lamp measures 14 inches high

Item No.	Daylight No.
2672	UN1040



### OttLite Better Vision Floor Lamp

- Full Spectrum 24-watt High Definition Natural Lighting™ tube for vibrant and clear colors
- Flexible gooseneck allows you to position light exactly where you need it
- Stand adjusts from 39 inches to 64 inches

Item No.	OttLite No.
0430	845PN4



### OttLite Black Refresh Lamp

- Full Spectrum 13-watt High Definition Natural Lighting™ tube for vibrant and clear colors
- Compact, fold-up design includes a handle for easy portability
- Flip-up shade turns the lamp on

Item No.	OttLite No.
0435	717G53

#### Replacement Bulb for Refresh Lamp

Item No.	OttLite No.
0437	T1333E




### Description of Spectacles\*

**Prismatic:** base-in prism to reduce fatigue when reading with both eyes together.

**Lenticular:** lens power concentrated in the center of the lens, to reduce thickness and weight.

**Microscopic:** strong lens for reading with one eye.



### Size Guide

Example Frame Size:

44 - 25.5 - 145

### Definition of Spectacles\*

**Prismatic Reading Glasses** are designed to be used with both eyes together. They include base-in prism to assist with convergence of the two eyes at near, thereby reducing fatigue and possible double vision when reading for long periods. Prismatic reading glasses are usually not aspheric or lenticular, and can be used up to a maximum power of about +14 D.

**Microscopic Reading Glasses** are designed to be used by only one eye. This option might be chosen because the other eye has very poor vision, or because the power needed exceeds +14 D. Two lens options might be considered for microscopics in higher powers. Lens thickness and weight may be reduced with a lenticular design, in which the power of the lens is limited to a circular area in the middle of the lens. A microscopic lens may be both lenticular and aspheric.

\* Information provided by

Dr. David C. Lewerenz, OD, FAAO  
Assistant Professor, Optometry, Low Vision Rehabilitation  
Department of Ophthalmology  
University of Colorado School of Medicine

# Spectacles

## Optelec - Prismatic

### Optelec PowerSpecs™

- Superior Optics
- Durable Frames
- OU, OD, & OS Available
- Assembled in the USA
- Two-Year Warranty
- Soft Case Included



**Full-Eye Brown Zyl**  
Size: 44-25.5-145



**Half-Eye Brown Zyl**  
Size: 40-20-140



**Half-Eye Metal Tortoise**  
Size: 44-23-145



**Half-Eye Brown Fade Zyl**  
Size: 45-22-140  
49-24-145

### Lens Design

- Prismatic Spectacles - Ready to dispense with base-in prism to reduce fatigue when reading with both eyes together.

### Lens Materials

- CR-39: affordable with the highest abrasion/scratch resistance of any uncoated optical plastic.
- Offering UV and visible spectrum absorption.

### Optelec Prismatic CR-39 Spectacles

Item No.	Diopter	Size	Frame Color	Prism
6190	+4.00	44 Full-Eye	Brown	OU6^BIOU
6148	+4.00	40 Half-Eye	Brown	OU6^BIOU
6180	+4.00	44 Half-Eye	Metal Tortoise	OU6^BIOU
6120	+4.00	45 Half-Eye	Brown Fade	OU6^BIOU
6130	+4.00	49 Half-Eye	Brown Fade	OU6^BIOU
● 6191	+5.00	44 Full-Eye	Brown	OU7^BIOU
6149	+5.00	40 Half-Eye	Brown	OU7^BIOU
6181	+5.00	44 Half-Eye	Metal Tortoise	OU7^BIOU
6121	+5.00	45 Half-Eye	Brown Fade	OU7^BIOU
6131	+5.00	45 Half-Eye	Brown Fade	OU7^BIOU
● 6192	+6.00	44 Full-Eye	Brown	OU8^BIOU
6150	+6.00	40 Half-Eye	Brown	OU8^BIOU
6182	+6.00	44 Half-Eye	Metal Tortoise	OU8^BIOU
6122	+6.00	45 Half-Eye	Brown Fade	OU8^BIOU
6132	+6.00	45 Half-Eye	Brown Fade	OU8^BIOU
6151	+7.00	40 Half-Eye	Brown	OU9^BIOU
6183	+7.00	44 Half-Eye	Metal Tortoise	OU9^BIOU
6123	+7.00	45 Half-Eye	Brown Fade	OU9^BIOU
6133	+7.00	45 Half-Eye	Brown Fade	OU9^BIOU
● 6194	+8.00	44 Full-Eye	Brown	OU10^BIOU
6152	+8.00	40 Half-Eye	Brown	OU10^BIOU
6184	+8.00	44 Half-Eye	Metal Tortoise	OU10^BIOU
6124	+8.00	45 Half-Eye	Brown Fade	OU10^BIOU
6134	+8.00	45 Half-Eye	Brown Fade	OU10^BIOU
● 6195	+10.00	44 Full-Eye	Brown	OU12^BIOU
6154	+10.00	40 Half-Eye	Brown	OU12^BIOU
6186	+10.00	44 Half-Eye	Metal Tortoise	OU12^BIOU
6126	+10.00	45 Half-Eye	Brown Fade	OU12^BIOU
6136	+10.00	45 Half-Eye	Brown Fade	OU12^BIOU
● 6196	+12.00	44 Full-Eye	Brown	OU14^BIOU
6156	+12.00	40 Half-Eye	Brown	OU14^BIOU
6128	+12.00	45 Half-Eye	Brown Fade	OU14^BIOU



## Optelec PowerSpecs™ Prismatic Thin Line Tegra® Spectacles

### Lens Materials

- Polycarbonate lens - thinner, lighter, safer, more versatile, and durable with Tegra® scratch-resistance coating. UV protection included.

Item No.	Diopter	Size	Frame Color	Prism
6160	+4.00	44 Half-Eye	Metal Tortoise	OU6^BIOU
6360	+4.00	47 Half-Eye	Metal Tortoise	OU6^BIOU
● 6360P	+4.00	47 Half-Eye	Metal Pewter	OU6^BIOU
6162	+6.00	44 Half-Eye	Metal Tortoise	OU8^BIOU
6362	+6.00	47 Half-Eye	Metal Tortoise	OU8^BIOU
● 6362P	+6.00	47 Half-Eye	Metal Pewter	OU8^BIOU
6164	+8.00	44 Half-Eye	Metal Tortoise	OU10^BIOU
6364	+8.00	47 Half-Eye	Metal Tortoise	OU10^BIOU
● 6364P	+8.00	47 Half-Eye	Metal Pewter	OU10^BIOU
6166	+10.00	44 Half-Eye	Metal Tortoise	OU12^BIOU
6366	+10.00	47 Half-Eye	Metal Tortoise	OU12^BIOU
● 6366P	+10.00	47 Half-Eye	Metal Pewter	OU12^BIOU



**Half-Eye Metal Pewter**  
Size: 47-23-145



**Half-Eye Metal Tortoise**  
Size: 44-23-145  
47-23-145

## Optelec Prismatic Thin PMMA Spectacles

### Lens Materials

- Crystal-clear, transparent thermoplastic lens, sometimes called acrylic glass. This BPA-free material is strong and lightweight.

Item No.	Diopter	Size	Frame Color	Prism
6167	+12.00	44 Half-Eye	Metal Tortoise	OU14^BIOU
6367	+12.00	47 Half-Eye	Metal Tortoise	OU14^BIOU
● 6367P	+12.00	47 Half-Eye	Metal Pewter	OU14^BIOU

● Special Order - Please allow 4-6 weeks for delivery

# Spectacles

Optelec - Microscopic

## Optelec PowerSpecs™

### Lens Materials

- PMMA: crystal-clear, transparent thermoplastic, sometimes called acrylic glass. This BPA-free material is strong and lightweight.

### Lens Design

- Spherical Lenticular Spectacles  
Ready to dispense with lens power concentrated in the center of the lens, to reduce thickness and weight.

#### Half-Eye Metal Tortoise

Size: 44-23-145



#### Half-Eye Brown Fade

45-22-140



### Optelec Lenticular Spectacles 44mm Half-Eye Metal Tortoise Frame

Item No.	Power	Diopter	Lens
● 6450T	4x	+16.00	OU
● 6452T	4x	+16.00	OD
● 6453T	4x	+16.00	OS
● 6454T	5x	+20.00	OU
● 6456T	5x	+20.00	OD
● 6457T	5x	+20.00	OS
● 6458T	6x	+24.00	OU
● 6460T	6x	+24.00	OD
● 6461T	6x	+24.00	OS
● 6462T	8x	+32.00	OU
● 6464T	8x	+32.00	OD
● 6465T	8x	+32.00	OS
● 6466T	10x	+40.00	OU
● 6468T	10x	+40.00	OD
● 6469T	10x	+40.00	OS
● 6470T	12x	+48.00	OU
● 6472T	12x	+48.00	OD
● 6473T	12x	+48.00	OS

### Optelec Lenticular Spectacles 45mm Half-Eye Brown Fade Frame

Item No.	Power	Diopter	Lens
● 6450H	4x	+16.00	OU
● 6452H	4x	+16.00	OD
● 6453H	4x	+16.00	OS
● 6454H	5x	+20.00	OU
● 6456H	5x	+20.00	OD
● 6457H	5x	+20.00	OS
● 6458H	6x	+24.00	OU
● 6460H	6x	+24.00	OD
● 6461H	6x	+24.00	OS
● 6462H	8x	+32.00	OU
● 6464H	8x	+32.00	OD
● 6465H	8x	+32.00	OS
● 6466H	10x	+40.00	OU
● 6468H	10x	+40.00	OD
● 6469H	10x	+40.00	OS
● 6470H	12x	+48.00	OU
● 6472H	12x	+48.00	OD
● 6473H	12x	+48.00	OS

● Special Order - Please allow 4-6 weeks for delivery

### RIDO-Clip with Lens Part

- 2 joined lenses including prisms to support convergence
- Clips to the spectacles of the wearer
- 3 different magnification powers
- Hard coating
- Solid case included



### Full-Eye Brown Zyl

Size: 44-25.5-145



### Clip-on magnifier advantages:

- Lightweight
- Wide field of view
- Base-in prisms improve eye convergence
- Simply clips onto spectacles for ease of use
- Allows hand-free activities

Item No.	Schweizer No.	Power	Focus
58RD3	934021	3D	250mm
58RD5	934011	5.5D	180mm
58RD7	934031	7D	125mm
58RDS	934001	3D, 5.5D, and 7D	



58RDS

### Optelec Lenticular Spectacles 44mm Full-Eye Brown Zyl Frame

Item No.	Power	Diopter	Lens
6450F	4x	+16.00	OU
6452F	4x	+16.00	OD
6453F	4x	+16.00	OS
6454F	5x	+20.00	OU
6456F	5x	+20.00	OD
6457F	5x	+20.00	OS
6458F	6x	+24.00	OU
6460F	6x	+24.00	OD
6461F	6x	+24.00	OS
6462F	8x	+32.00	OU
6464F	8x	+32.00	OD
6465F	8x	+32.00	OS
6466F	10x	+40.00	OU
6468F	10x	+40.00	OD
6469F	10x	+40.00	OS
6470F	12x	+48.00	OU
6472F	12x	+48.00	OD
6473F	12x	+48.00	OS



# Spectacles

## ImproVision - Prismatic/Microscopic

**NEW!**

### ImproVision Half-Eye Spectacles

- Superior Optics
- Durable Frames
- Made in the European Union
- Two-Year Warranty
- Protective case included



### Lens Materials

- Spherical CR-39 lenses
- Black matte PA polymer frame

### Lens Design

- Prismatic Spectacles  
Ready to dispense with base-in prism to reduce fatigue when reading with both eyes together.



### ImproVision Prismatic Spectacles 44mm Half-Eye Black Matte Frame

Prismatic half-eye spectacles with a pair of high addition lenses including prisms to support convergence for binocular close distance magnification.


Item No.	IV Item No.	Diopter	Lens
5893	IV80200	+3.00	OU
5894	IV80201	+4.00	OU
5895	IV80202	+5.00	OU
5896	IV80203	+6.00	OU
5897	IV80204	+7.00	OU
5898	IV80205	+8.00	OU

### ImproVision Microscopic Spectacles 44mm Half-Eye Black Matte Frame

Microscopic half-eye spectacles with one high addition lenticular lens and one CR 39 plano lens on the other side for monocular close distance magnification.

Item No.	IV Item No.	Diopter	Lens
5893F	IV80220	+12.00	OD
5894F	IV80221	+12.00	OS
5895F	IV80222	+16.00	OD
5896F	IV80223	+16.00	OS
5897F	IV80224	+20.00	OD
5898F	IV80225	+20.00	OS

**Questions?**  
**We're here to help.**  
Call us at 1-800-826-4200



# Absorptive Lenses

ImproVision PROSHIELD

## Light-protection spectacles with blue blocking and comfort filter lenses

- Frame size and filter number printed in temple
- All lenses are delivered in a cloth pouch
- PC polymer filter lenses
- Made in the European Union
- Two-year warranty



### Wrap-around Frame

- For use without corrective spectacles
- Black matte frame in size 61-17





### Fit-over Frame

- For use over corrective spectacles
- Black matte frame in size 63-12



FILTERS  
COMFORT  
BLOCKERS



Item No.	IV No.	Description	 Wrap-around	 Fit-over
5854	IV80260	C1 Comfort filter in amber		✓
5850	IV80240	C1 Comfort filter in amber	✓	
5854T	IV80264	C1 Comfort filter in amber, 60% gray tint		✓
5850T	IV80244	C1 Comfort filter in amber, 60% gray tint	✓	
5856	IV80262	C500 Comfort filter in light orange		✓
5852	IV80242	C500 Comfort filter in light orange	✓	
5856T	IV80266	C500 Comfort filter in light orange, 60% gray tint		✓
5852T	IV80246	C500 Comfort filter in light orange, 60% gray tint	✓	
5855	IV80261	450 Blue blocker in yellow		✓
5851	IV80241	450 Blue blocker in yellow	✓	
5855T	IV80265	450 Blue blocker in yellow, 60% gray tint		✓
5851T	IV80245	450 Blue blocker in yellow, 60% gray tint	✓	
5857	IV80263	511 Blue blocker in orange		✓
5853	IV80243	511 Blue blocker in orange	✓	
5857T	IV80267	511 Blue blocker in orange with 60% gray tint		✓
5853T	IV80247	511 Blue blocker in orange with 60% gray tint	✓	

# Absorptive Lenses

## ImproVision PROSHIELD



### Choosing the best filter for your patient

IV PROSHIELD Filter Lenses		C1	C1 Tinted	450	450 Tinted	C500	C500 Tinted	511	511 Tinted
Color		Amber	Khaki	Yellow	Lime	Light Orange	Bronze	Orange	Copper
Approximate total transmission		82%	24%	82%	32%	72%	22%	51%	18%
Approximate total absorption		18%	76%	18%	68%	28%	78%	49%	82%
Sunglass category		0	2	0	2	1	2	1	2
Reference wavelength		450nm	450nm	450nm	450nm	500nm	500nm	511nm	511nm
Approximate % of light blocked below the reference wavelength		80%	80%	100%	100%	95%	95%	100%	100%
UV protection		✓	✓	✓	✓	✓	✓	✓	✓
Improved comfort, sharpness, and contrast		✓	✓	✓	✓	✓	✓	✓	✓
Color-neutral vision and good traffic signal recognition		✓	✓			✓	✓		
Especially suggested for the following eye conditions:	Cataract	✓	✓	✓	✓	✓	✓	✓	✓
	Macular Degeneration	✓	✓			✓	✓	✓	✓
	Diabetic Retinopathy	✓	✓			✓	✓	✓	✓
	Glaucoma			✓	✓				
Especially suggested for the following activities:	Computer work	✓		✓					
	Walking, hiking, biking on cloudy days	✓		✓		✓			
	Walking, hiking, biking on sunny days		✓		✓		✓		
	Winter sports and water sports				✓		✓		

# Kits

## Overview

---

### ***What kit is right for my practice?***

We've thoughtfully developed our kits based on different practice needs. Whether you are a new eye care professional starting your practice, or a seasoned optometrist looking to diversify your optical offerings, there is a kit that is right for you!

#### **Low Vision Starter Kit - Item No 95LVSK (Page 31)**

An introduction to a wide selection of low vision products to get you going. Perfect for a new optometrist starting to grow your practice.

#### **Professional Kit - Item No. 95PK (Page 32)**

The most comprehensive kit available. Ideal if you are interested in adding some low vision offerings to your growing practice.

#### **Schweizer Demo Kit - 58SDK (Page 34)**

A selection of high-end Schweizer magnification products. Excellent for a thriving low vision practice that wants to add more optical options.

Includes all necessary tools for assessments and evaluations, conveniently packaged to move from room to room, or on house visits. Keep all your equipment in one place - no more searching through drawers, only to find loose or scratched magnifiers.

**Convenient • Accessible • Easily Transported**





Optelec - Low Vision Starter Kit



**Low Vision Starter Kit**  
**Item No. 95LVSK**

Item No.	Description
9506W	PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 20D/55mm
9505W	PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 16D/60mm
9504W	PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 12D/70mm
9503WS	PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 10D/75/50mm Straight
9502W	PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 8D/85mm
9501W	PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 6D/100mm
9526W	PowerMag+ Bright White LED Illuminated Stand Magnifier 7750K 20D/55mm
9524W	PowerMag+ Bright White LED Illuminated Stand Magnifier 7750K 12D/70mm
9523W	PowerMag+ Bright White LED Illuminated Stand Magnifier 7750K 8D/100/75mm
0376	PowerScope Monocular 4X12
5575	PowerSeries 2.8X Binocular
4609	Optelec Power TV Glasses
5300	Bar Magnifier 2X 140X20mm
0762	Optelec PowerDome Mag 95mm 3X/12D
6180	PowerSpecs Prismatic Half-Eye +4D Metal Tortoise frame 44mm
6184	PowerSpecs Prismatic Half-Eye +8D Metal Tortoise frame 44mm
5852T	PROSHIELD Wrap-around C500 Comfort filter in light orange with 60% gray tint
5856T	PROSHIELD Fit-over C500 Comfort filter in light orange with 60% gray tint
9253	Near Visual Acuity Test - Eye Chart

*Contents subject to change*

# Kits

## Optelec - Professional Kit

---



***The Professional Kit includes everything you need for a comprehensive evaluation!***

## Professional Kit

### Item No. 95PK

Item No.	Description
5825	OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 6D/100mm
5820	OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 10D/75/50mm right-handed
5824	OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 8D/85mm
5808	OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 12D/70mm
5807	OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 16D/60mm
5816	OKOLUX Plus Illuminated SMD Stand Magnifier 4500K 16D/60mm
5815	OKOLUX Plus Illuminated SMD Stand Magnifier 4500K 8D/100/75mm
5822	Base for OKOLUX Plus Mobil Magnifier
5821	Twin-Lux Stand Magnifier 8D + 6D 4.4X 6500 K
5846	ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 10D/75/50mm right-handed
5841	ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 20D/55mm
5840	ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 24D/55mm
5839	ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 28D/35mm
5838	ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 39D/35mm
5837	ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 48D/35mm
58516	ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 16D/60mm
58512	ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 12D/70mm
58508	ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 8D/100/75mm
0765	Optelec 3X/12D 80mm PowerDome Dome Magnifier
5852T	PROSHIELD Wrap-around C500 Comfort filter in light orange with 60% gray tint
5856T	PROSHIELD Fit-over C500 Comfort filter in light orange with 60% gray tint
9253	Near Visual Acuity Test - Eye Chart
5519	PowerScope Monocular Clip-on 2.5X
0374	PowerScope Monocular 5X20
5575	PowerSeries 2.8X Binocular
4609	Optelec Power TV Glasses
5894	ImproVision Prismatic Half-Eye +4D
5896	ImproVision Prismatic Half-Eye +6D
5898	ImproVision Prismatic Half-Eye +8D
5893F	ImproVision Microscopic +12D OD
5894F	ImproVision Microscopic +12D OS

# Kits

## Schweizer Magnification Demo Kit



### Schweizer Magnification Demo Kit Item No. 58SDK

Item No.	Description
5849i	ERGO-Lux iMobil Illuminated Handheld Magnifier 6500K 6D/100mm
5843i	ERGO-Lux iMobil Illuminated Handheld Magnifier 6500K 16D/60mm
5846Ri	ERGO-Lux iMobil Illuminated Handheld Magnifier 6500K 10D/75/50mm - right-handed
5841i	ERGO-Lux iMobil Illuminated Handheld Magnifier 6500K 20D/55mm
58524	ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 24D/55mm
58512	ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 12D/70mm
58508	ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 8D/100/75mm
5888C	ERGO-Lux iMobil Charging Pad (for use with USB Charging Cable)
5888U	ERGO-Lux iMobil USB Power Cable (for Charging Pad)
5815	OKOLUX Plus Illuminated SMD Stand Magnifier 4500K 8D/100/75mm
5825	OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 6D/100mm
5820	OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 10D/75/50mm - right-handed
5821	Twin-Lux Stand Magnifier 8D + 6D 4.4X 6500K
5822	Base for OKOLUX Plus Mobil Magnifier
9253	Near Visual Acuity Test - Eye Chart



## PowerCard Near Acuity Test by Lighthouse, 2nd Ed. (40cm/16in)

Modified ETDRS with Sloan letters in Snellen equivalents, features guide for selecting dioptic power of reading add based on text results at two distances. Acuity range differs depending on distance. Two-sided with different optotype on each side, includes 40 cm (16 in.) cord for proper viewing distance and measures 18 x 32 cm (7 x 9 in.).

Item No.	Type	Distance
9253	Single Letter	40 cm/16 in.



## PowerCard Pocket-Size Test Card by Lighthouse

Designed as a rapid test for checking current prescription and accuracy of the aid to be prescribed. Line increments in logMAR units in Snellen equivalent. Acuity range 80.0 m to 0.4 m (20/400 to 20/20). Measures 9.5 x 16 cm (3.5 x 6.5 in.).


Item No.	Type	Patient	Distance
9258	Word	7 yr +	40 cm/16 in.
9259	Number	5 yr +	40 cm/16 in.
9260	2-sided	5-7 yr +	40 cm/16 in.



## PowerCard "Bird" Continuous Text Card by Lighthouse

Continuous text card for testing patients 7yr. and up. Simple sentences in proportionally spaced (logMAR) lines with Snellen equivalents. Acuity range 8.0M to .4M (20/400 to 20/20). Pediatric card tests children with elementary reading levels (grades 1-3). Two-sided, measures 18 x 23 cm (7 x 9 in.).

Item No.	Type	Distance
9264	Near Acuity	40 cm/16 in.



## PowerCard Near Acuity Test by Lighthouse, 1st Ed. (40cm/16in)

Designed with Sloan letters for testing subnormal vision. Acuity range 16M to 0.5M (5/200 to 20/25). Measures 23 x 35.5 cm (9 x 14 in.).

Item No.	Type	Distance
9254	Single Letter	40 cm/16 in.



## PowerCard "Bee" Continuous Text Card by Lighthouse

Continuous text card for testing patients 7yr. and up. Simple sentences in proportionally spaced (logMAR) lines with Snellen equivalents. Acuity range 8.0M to .4M (20/400 to 20/20). Pediatric card tests children with elementary reading levels (grades 1-3). Two-sided, measures 18 x 23 cm (7 x 9 in.).

Item No.	Type	Distance
9261	Near Acuity	40 cm/16 in.

## Optelec VisualEyes Simulator Glasses by Lighthouse

Experience what those with low vision see each day. The simulators allow you to try on a range of vision impairments and gain valuable understanding and insight into the daily challenges of those living with visual impairment.

Item No.	Description	Tests
0781P	Complete Set	Vision Simulator

**Includes simulation for the following seven eye conditions:**

Color Blind, Low Contrast, Hemianopsia, Overall Blur, Peripheral Loss, Central Loss, and CMV Retinitis



## Return Policy

---

If for any reason you are not satisfied with your Optelec purchase, simply return the product(s) within 30 days of the invoice date. Please follow the steps below for an easy return of your product(s).

Please call 1-800-826-4200 to be issued a Return Authorization number prior to returning the product. The return authorization number must be clearly marked on the outside of the box.

All returns should be insured and proof of delivery obtained from the carrier of your choice, such as UPS or FedEx, and sent to:

Optelec Returns, 8420 Sunstate Street, Tampa, FL 33634

Returns must be returned prepaid; we cannot accept COD deliveries.

- A 15% restocking fee is charged for all non-defective products received after 30 days.
- Non-defective products may not be returned after 60 days.
- Shipping and handling costs are not refundable.
- Optelec is not responsible for loss or damage during shipment.
- Non-defective products accepted for return must be in resalable condition, in its original factory packaging with all instructions, manuals, or accessories, received free of personal markings, and packed in a protective outer carton. All returns are inspected and if found to not be in resaleable condition, a 15% restocking fee will be deducted from your credit amount.
- Shortages of products being returned when compared to the customer-packing list shall be the responsibility of the customer.
- Defective products will be replaced or repaired if they are under the manufacturer's warranty.
- Please notify Optelec within 14 calendar days of the invoice/packing date of any orders that were shipped incorrectly. All products that are damaged after shipment will be repaired or replaced at cost to the customer.
- Special-order or custom made products, including products incorporating prescriptions are not returnable.
- Corrosion of products caused by leaking batteries that were not supplied by the manufacturer is not covered under warranty. Please remove batteries from any illuminated magnifier that is being returned for credit or replacement.
- Accounts will be credited following the receipt, inspection, and approval of returned products. It usually takes 1-2 billing cycles for a credit to appear on your credit card statement for accounts with credit card payment terms.

Optelec selects the optimum carrier for each package. If your package is received damaged, please contact our Customer Care Department immediately upon receipt. We are happy to provide you the information to contact your selected carrier and process your return. In any case, please do NOT discard the packaging. An inspector from the carrier will likely investigate the claim before the return can be made.

For questions, please contact our Customer Care Department at 1-800-826-4200.

Terms are subject to change without notice.



***Life is worth enjoying!***





**Optelec US, 11800 31<sup>st</sup> Court North, St. Petersburg, FL 33716**

**1-800-826-4200**

**[www.ShopLowVision.com](http://www.ShopLowVision.com)**