







Our Mission is to improve the quality of life for those who are visually impaired...



...through awareness, resources, and solutions.

Table of Contents









O2

Illuminated Magnifiers

26
Optelec
Spectacles

30
Absorptive Lenses

32
Optelec
Specialty Kits

Magnifiers - Illuminated	2-10
Optelec	2-3
Schweizer	4-11
Magnifiers - Other	11
Telescopes (Monocular)	12-14
Optelec	12
Specwell	13
Optelec, Beecher	
Telescopes (Binocular)	14
Optelec, Beecher	14
Lighting	16-21
Schweizer	
Stella	17
Luxo	18-19
Daylight	20-21
OttLite	

Spectacles	22-28
Optelec (Prismatic, 3D)	23
Schweizer (Prismatic)	
Schweizer (Microscopic)	25
Optelec (Prismatic)	26
Optelec (Lenticular)	
Accessories	
Absorptive Lenses	30-31
ImproVision	
Kits	
Optelec Low Vision Starter	
Optelec Professional	
Schweizer Demo	
Professional Demo Trays	

Visit ShopLowVision.com for our easy return policy.

Magnifiers - IlluminatedOptelec

Optelec PowerMag[™] Bright White LED Handheld and Stand Magnifiers

- Standard light-emitting diode (LED) illumination
- 7750K light temperature produces a bright, clear light
- Superior German optics by Schweizer, for an accurate, sharply defined image
- Aspheric lightweight scratch-resistant acrylic magnifying lens
- · Easy-slide switch eliminates flickering light
- Permanently attached hinged battery cover



Optical Handheld Magnifiers

The handheld magnifier is convenient for short-term tasks such as "spot" or single-word reading. They are small, lightweight and portable, but require good coordination to maintain the focal distance and may not be a good option when both hands are needed.

Optical Stand Magnifiers

The stand magnifier is one of the simplest devices available for reading. Stand magnifiers are made to rest directly on the page to set the magnifier at the ideal focal distance and because the magnifier rests on the reading material, the user may experience less fatigue.



Optelec PowerMag+ Handheld Magnifiers require three AAA batteries (included), and include a protective microfiber drawstring pouch and a Limited Lifetime Warranty.



Optelec PowerMag[™] Bright White LED Handheld Magnifiers - 7750K

Item No.	Line	Power	Diopter	Lens Size
9501W	PowerMag+	2.5x	6D	100mm
9502W	PowerMag+	3x	8D	85mm
9503WA	PowerMag+	3.5x	10D	75/50mm Right-handed
9503WS	PowerMag+	3.5x	10D	75/50mm Straight
9504W	PowerMag+	4x	12D	70mm
9505W	PowerMag+	5x	16D	60mm
9506W	PowerMag+	6x	20D	55mm
9507W	PowerMag+	7x	24D	55mm
9509W	PowerMag+	8x	28D	35mm
9511W	PowerMag+	10.75x	39D	35mm
9513W	PowerMag+	13x	48D	35mm
9515W	PowerMag+	15x	56D	35mm





3WA 9511W

Optelec PowerMag[™] Bright White LED Stand Magnifiers - 7750K

Item No.	Line	Power	Diopter	Lens Size
9523W	PowerMag+	3X	8D	100/75mm
9524W	PowerMag+	4x	12D	70mm
9525W	PowerMag+	5x	16D	60mm
9526W	PowerMag+	6x	20D	55mm
9527W	PowerMag+	7x	24D	55mm
9529W	PowerMag+	8x	28D	35mm
9531W	PowerMag+	10.75x	39D	35mm
9533W	PowerMag+	13x	48D	35mm
9535W	PowerMag+	15x	56D	35mm









Optelec PowerMag+ Stand Magnifiers require three AA batteries (included), and include a Limited Lifetime Warranty.

Magnifiers - Illuminated

Schweizer

OKOLUX Plus Mobil Handheld and Stand Magnifiers

- Four chip surface mounted light-emitting diode (SMD LED) illumination
- 4500K light temperature produces a very bright, evenly dispersed white clear light
- Aspheric lightweight magnifying lens provides a sharply defined image
- Easy-slide switch eliminates flickering light
- Permanently attached hinged battery cover




OKOLUX handheld magnifiers have a built-in loop for use with a lanyard (sold separately - item #58P00)

OKOLUX Plus Mobil Handheld Magnifiers - 4500K

Item No.	Schweizer No.	Line	Power	Diopter	Lens Size
5825	134062B-LW	OKOLUX	2.5x	6D	100mm
5824	134802B-LW	OKOLUX	3x	8D	85mm
5820	134102B-LW	OKOLUX	3.5x	10D	75/50mm Right-handed
5809	134112B-LW	OKOLUX	3.5x	10D	75/50mm Straight
5808	134122B-LW	OKOLUX	4x	12D	70mm
58073	134132B-LW	OKOLUX	4x	12D	35mm
5807	134162B-LW	OKOLUX	5x	16D	60mm
58063	134172B-LW	OKOLUX	5x	16D	35mm
5806	134202B-LW	OKOLUX	6x	20D	55mm
5805	134242B-LW	OKOLUX	7x	24D	55mm
5804	134282B-LW	OKOLUX	8x	28D	35mm
5803	134392B-LW	OKOLUX	10.75x	39D	35mm
5802	134482B-LW	OKOLUX	13x	48D	35mm
5819	134562B-LW	OKOLUX	15x	56D	35mm
				DA,	
5807		5806		5805	5804

OKOLUX Plus Handheld Magnifier Stand

This accessory stand allows you to turn your handheld magnifier into a stand magnifier for greater stability, without giving up the compact size. Adjust the height and angle of your OKOLUX Plus



Schweizer OKOLUX Plus Mobil Handheld Magnifiers require three AAA batteries (included), and include a protective microfiber drawstring pouch and a Limited Lifetime Warranty.



OKOLUX Plus Stand Magnifiers - 4500K

Item No.	Schweizer No.	Line	Power	Diopter	Lens Size
5815	144082B-LW	OKOLUX	3x	8D	100/75mm
5814	144122B-LW	OKOLUX	4x	12D	70mm
5816	144162B-LW	OKOLUX	5x	16D	60mm
5813	144202B-LW	OKOLUX	6x	20D	55mm
5812	144242B-LW	OKOLUX	7x	24D	55mm
5811	144282B-LW	OKOLUX	8x	28D	35mm
5810	144392B-LW	OKOLUX	10.75x	39D	35mm
5817	144482B-LW	OKOLUX	13x	48D	35mm
5818	144562B-LW	OKOLUX	15x	56D	35mm

















ERGO-Lux Twin Lux LED Stand Magnifier - 6500K

- Features the largest field of view at 4.4x magnification
- Two aspheric lenses placed at a precisely engineered distance
- Bright, even, high-contrast light with TWO BRIGHTNESS LEVELS
- SMD LED light never needs replacing



Schweizer OKOLUX Plus Mobil Stand Magnifiers require three AA batteries (included) and include a Limited Lifetime Warranty.

5821e

Magnifiers - Illuminated

Schweizer



ERGO-Lux MP Mobil Handheld Magnifiers - 6500K

Item No.	Schweizer No.	Line	Power	Diopter	Lens Size	
5849	166062B	ERGO-Lux	2.5x	6D	100mm	
5848L	166072B	ERGO-Lux	3x	8D	100/75mm	Left-handed
5848R	166082B	ERGO-Lux	3x	8D	100/75mm	Right-handed
5847	166092B	ERGO-Lux	3x	8D	85mm	
5846L	166142B	ERGO-Lux	3.5x	10D	75/50mm	Left-handed
5846R	166102B	ERGO-Lux	3.5x	10D	75/50mm	Right-handed
5846\$	166112B	ERGO-Lux	3.5x	10D	75/50mm	Straight
5844	166132B	ERGO-Lux	4x	12D	35mm	
5845	166122B	ERGO-Lux	4x	12D	70mm	
5842	166172B	ERGO-Lux	5x	16D	35mm	(P)
5843	166162B	ERGO-Lux	5x	16D	60mm	
5841	166202B	ERGO-Lux	6x	20D	55mm	5848L
5840	166242B	ERGO-Lux	7x	24D	55mm	
5839	166282B	ERGO-Lux	8x	28D	35mm	
5838	166392B	ERGO-Lux	10.75x	39D	35mm	
5837	166482B	ERGO-Lux	13x	48D	35mm	5848R
5836	166562B	ERGO-Lux	15x	56D	35mm	3040K



Schweizer ERGO-Lux MP Mobil Handheld Magnifiers require three AAA batteries (included) and include a Two-Year Warranty.

Turn your handheld magnifier into a stand magnifier with the ERGO base!

ERGO-Lux Mobil Base

The ERGO Mobil Base reading and writing stand converts any ERGO-Lux MP Mobil or ERGO-Lux iMobil handheld magnifier into a stand magnifier without compromising image quality.

Item No.	Line	Coordinates With
5849B	ERGO-Lux	5849 and 5849i (6D/100mm)
5847B	ERGO-Lux	5847 and 5847i (8D/85mm)
5848B	ERGO-Lux	5848R, 5848L, 5848Ri, 5848Li (8D/100x75mm)
5846B	ERGO-Lux	5846S, 5846R, 5846L, 5846Si, 5846Ri, 5846Li (10D/75x50mm)
5845B	ERGO-Lux	5845, 5844, 5845i, 5844i (12D/35mm, 12D/70mm)
5843B	ERGO-Lux	5843, 5842, 5843i, 5842i (16D/35mm and 60mm)
5841B	ERGO-Lux	5841 and 5841i (20D/55mm)
5840B	ERGO-Lux	5840 and 5840i (24D/55mm)
5839B	ERGO-Lux	5839 and 5839i (28D/35mm)
5838B	ERGO-Lux	5838 and 5838i (39D/35mm)
5837B	ERGO-Lux	5837 and 5837i (48D/35mm)
5836B	ERGO-Lux	5836 and 5836i (56D/35mm)





ERGO-Lux iMobil Handheld Magnifiers - 6500K

Magnifier Only	Complete Kit						
Item No.	Item No.	Schweizer No.*	Line	Power	Diopter	Lens Size	
5849i	5849iK	156062	ERGO-Lux	2.5x	6D	100mm	
5848Ri	5848RiK	156082	ERGO-Lux	3x	8D	100/75mm	Right-handed
5848Li	5848LiK	156072	ERGO-Lux	3x	8D	100/75mm	Left-handed
5847i	5847iK	156092	ERGO-Lux	3x	8D	85mm	
5846Ri	5846RiK	156102	ERGO-Lux	3.5x	10D	75/50mm	Right-handed
5846Li	5846LiK	156142	ERGO-Lux	3.5x	10D	75/50mm	Left-handed
5846Si	5846SiK	156112	ERGO-Lux	3.5x	10D	75/50mm	Straight
5845i	5845iK	156122	ERGO-Lux	4x	12D	70mm	
5844i	5844iK	156132	ERGO-Lux	4x	12D	35mm	
5843i	5843iK	156162	ERGO-Lux	5x	16D	60mm	
5842i	5842iK	156172	ERGO-Lux	5x	16D	35mm	
5841i	5841iK	156202	ERGO-Lux	6x	20D	55mm	
5840i	5840iK	156242	ERGO-Lux	7x	24D	55mm	5/1
5839i	5839iK	156282	ERGO-Lux	8x	28D	35mm	
5838i	5838iK	156392	ERGO-Lux	10.75x	39D	35mm	5888C
5837i	5837iK	156482	ERGO-Lux	13x	48D	35mm	(000)
5836i	5836iK	156562	ERGO-Lux	15x	56D	35mm	
							•

* Schweizer kit item numbers end in "-US"

Item No.	Schweizer No.	. Description
5888C	IMP150002	Charging Pad and USB Charging Cable
5888U	150012-US	USB Power Adapter

Items ending in "K" include the magnifier, charging pad, and USB power cable.



Schweizer ERGO-Lux iMobil Handheld Magnifiers include a protective microfiber drawstring pouch, and a Two-Year Warranty.

ERGO-Lux iMobil Features:

((0))

- No need to change batteries
- Charging pad plugs into a wall outlet, or via USB when on the go
- One pad powers all iMobil devices
- Two brightness levels



Never change batteries again!

Magnifiers - Illuminated

Schweizer

ERGO-Lux MP Mobil Handheld and Stand Magnifiers

- Ergonomically designed handle to support the ball of the hand, and soft-touch zone with anti-slip guard for thumb and index finger
- Four chip surface-mounted light-emitting diode (SMD LED) illumination for superior, shadow-free lighting
- 6500K light temperature produces a very bright, evenly dispersed white light
- Two brightness levels available due to Multi-Power boost switch
- Raised switch provides audible feedback
- SMD LED light never needs replacing
- Aspheric lightweight magnifying lens provides a sharply defined image
- Battery cover closes with distinct click for quick and easy battery replacement
- Convenient loops for lanyards (handheld)

ERGO-Lux MP Stand Magnifiers - 6500K

Item No.	Schweizer No.	Line	Power	Diopter	Lens Size
58508	172082B-SET	ERGO-Lux	3x	8D	100/75mm
58512	172122B-SET	ERGO-Lux	4x	12D	70mm
58516	172162B-SET	ERGO-Lux	5x	16D	60mm
58520	172202B-SET	ERGO-Lux	6x	20D	55mm
58524	172242B-SET	ERGO-Lux	7x	24D	55mm



The ERGO-Lux MP Stand Magnifier is a two-piece item. It includes the ERGO-Base, a fixed-focus holder, and the ERGO-Lux MP magnifier, creating the perfect illuminated stand magnifier.

Schweizer ERGO-Lux Stand Magnifiers require three AAA batteries (included), and include a protective microfiber drawstring pouch and a Two-Year Warranty.

Schweizer ERGO-Pocket Magnifiers



-
*See page
36 for full

set contents.

Item No.

2880

2881

2882

2883

2885

2887

DA-7

DA-10

Item No.	Magnification	Lens Size
58P12	4x/12D	35mm Round
58P16	5x/16D	35mm Round
58P28	8x/28D	35mm Round
58P39	10.75x/39D	35mm Round
58P48	13X/48D	35mm Round
58P56	15X/56D	35mm Round
ERTPKT	Full Set*	35mm Round
58P00	Pack of 5	Lanyards

Optelec LED PowerSlider Pocket Magnifier

The Optelec LED PowerSlider allows your patients to easily read menus, labels, and other small print by simply sliding open the protective cover. LED light turns on as it is slid open. Perfect pocket solution!

Item No.	Magnification
9200	3x/8D





Optelec Dome Magnifiers

Item No.	Description	Magnification	Lens Size
0763	Optelec PowerDome	4x	50mm
0764	Optelec PowerDome	4x	65mm
0765	Optelec PowerDome	4x	80mm
0762	Optelec PowerDome	4x	95mm



Schweizer Round and Bar Magnifiers

Item No.	Schweizer No.	Description	Magnification	Lens Size
5302	432202	Bar Magnifier with Reading Llne	1.5x	200 x 35mm
5304	432332	Bar Magnifier with Reading Llne	1.5x	330 x 35mm
5300	432142	Bar Magnifier	2x	140 x 20mm
5443	418642	Round Pocket Magnifier, Black	3.5x	60mm
5440	418342	Round Pocket Magnifier, Black	6x	30mm




Donegan OptiVISOR® Head-Band Magnifier

- Prismatic glass lenses are polished to precision optical standards
- · Adjustable pivots allow the visor to be tilted out of sight while not in use
- Tough and durable, designed for high-impact use
- Comfortable headband can be adjusted to fit most head sizes
- Interchangeable replacement lenses and accessories available

2.75x/7D

3.5x/10D





Power

2.5X/3D





Description

OptiLOUPE®

VisorLIGHT®

Telescopes: Monocular

Optelec

Optelec PowerScope™ Monoculars

- Provides exceptional brightness and crisp optics at a great value
- Compact and lightweight
- · Smooth barrel rotation for easy focusing
- · Handheld monoculars cannot be spectacle mounted
- Clip-on monoculars can be clipped directly onto spectacle frames; and include cleaning cloth and protective case
- All handheld monoculars include a detachable neck strap and case; several include protective caps

Description	Magnification	Focus	Field of View	Diameter	Length	Weight
Clip-on Monocular	2.5 x 25	∞ to 20 in.	12.5°	1.38 in.	2.25 in.	1.8 oz.
Clip-on Monocular	2.8 x 28	∞ to 24 in.	11°	1.38 in.	2.25 in.	1.3 oz.
Handheld Monocular	2.5 x 25	∞ to 20 in.	12.5°	1.38 in.	1.75 in.	1.6 oz.
Handheld Mini Monocular	3.15 x 25	∞ to 10.25 in.	11°	1.31 in.	1.63 in.	1.7 oz.
Handheld Monocular	4 x 12	∞ to 7.5 in.	12.5°	1.13 in.	2.38 in.	2.2 oz.
Handheld Monocular	5 x 20	∞ to 16 in.	11°	0.88 in.	2.88 in	2.0 oz.
Handheld Monocular	6 x 16	∞ to 11 in.	9.5°	1.12 in.	2.75 in.	2.6 oz.
Handheld Monocular	8 x 20	∞ to 12 in.	7.2°	1.33 in.	3.38 in	2.8 oz.
Handheld Monocular	10 x 25	∞ to 13 in.	5.5°	1.38 in.	4.31 in.	4.4 oz.
	Clip-on Monocular Clip-on Monocular Handheld Monocular Handheld Mini Monocular Handheld Monocular Handheld Monocular Handheld Monocular Handheld Monocular	Clip-on Monocular 2.5 x 25 Clip-on Monocular 2.8 x 28 Handheld Monocular 2.5 x 25 Handheld Mini Monocular 3.15 x 25 Handheld Monocular 4 x 12 Handheld Monocular 5 x 20 Handheld Monocular 6 x 16 Handheld Monocular 8 x 20	Clip-on Monocular 2.5 x 25 ∞ to 20 in. Clip-on Monocular 2.8 x 28 ∞ to 24 in. Handheld Monocular 2.5 x 25 ∞ to 20 in. Handheld Mini Monocular 3.15 x 25 ∞ to 10.25 in. Handheld Monocular 4 x 12 ∞ to 7.5 in. Handheld Monocular 5 x 20 ∞ to 16 in. Handheld Monocular 6 x 16 ∞ to 11 in. Handheld Monocular 8 x 20 ∞ to 12 in.	Clip-on Monocular 2.5×25 ∞ to 20 in. 12.5° Clip-on Monocular 2.8×28 ∞ to 24 in. 11° Handheld Monocular 2.5×25 ∞ to 20 in. 12.5° Handheld Mini Monocular 3.15×25 ∞ to 10.25 in. 11° Handheld Monocular 4×12 ∞ to 7.5 in. 12.5° Handheld Monocular 5×20 ∞ to 16 in. 11° Handheld Monocular 6×16 ∞ to 11 in. 9.5° Handheld Monocular 8×20 ∞ to 12 in. 7.2°	Clip-on Monocular 2.5×25 ∞ to 20 in. 12.5° 1.38 in. Clip-on Monocular 2.8×28 ∞ to 24 in. 11° 1.38 in. Handheld Monocular 2.5×25 ∞ to 20 in. 12.5° 1.38 in. Handheld Mini Monocular 3.15×25 ∞ to 10.25 in. 11° 1.31 in. Handheld Monocular 4×12 ∞ to 7.5 in. 12.5° 1.13 in. Handheld Monocular 5×20 ∞ to 16 in. 11° 0.88 in. Handheld Monocular 6×16 ∞ to 11 in. 9.5° 1.12 in. Handheld Monocular 8×20 ∞ to 12 in. 7.2° 1.33 in.	Clip-on Monocular 2.5×25 ∞ to 20 in. 12.5° 1.38 in. 2.25 in. Clip-on Monocular 2.8×28 ∞ to 24 in. 11° 1.38 in. 2.25 in. Handheld Monocular 2.5×25 ∞ to 20 in. 12.5° 1.38 in. 1.75 in. Handheld Mini Monocular 3.15×25 ∞ to 10.25 in. 11° 1.31 in. 1.63 in. Handheld Monocular 4×12 ∞ to 7.5 in. 12.5° 1.13 in. 2.38 in. Handheld Monocular 5×20 ∞ to 16 in. 11° 0.88 in. 2.88 in. Handheld Monocular 6×16 ∞ to 11 in. 9.5° 1.12 in. 2.75 in. Handheld Monocular 8×20 ∞ to 12 in. 7.2° 1.33 in. 3.38 in.

Optelec PowerScopes™ include a Limited Lifetime Warranty.



Telescopes: Monocular

Specwell

Monocular A - Spectacle Mounted

Includes lock rings for mounting.

Item No.	Specwell No.	Description	Magnification	Focus	Field of View	Diameter
6898	0208	Monocular A	2 x 8	∞ to 3.93 in.	11°	0.86 in.
6900	2758	Monocular A	2.75 x 8	∞ to 5.5 in.	12.5°	0.86 in.
6902	0309	Monocular A	3 x 9	∞ to 8.66 in.	12.5°	0.90 in.
6904	0410	Monocular A	4 x 10	∞ to 8.66 in.	10°	0.86 in.
6908	0412	Monocular A	4 x 12	∞ to 7.87 in.	12.5°	1.14 in.
691 <i>7</i>	0616	Monocular A	6 x 16	∞ to 10.23 in.	10°	1.29 in.







Item No. Description

6952 Spectacle clamp (fixed type)

Monocular B - Handheld

Includes an eye cup for handheld use, detachable neck strap, and case.

Item No.	Specwell No.	Description	Magnification	Focus	Field of View	Diameter
6898B	0208	Monocular B	2 x 8	∞ to 3.93 in.	11°	0.86 in.
6901	2758	Monocular B	2.75 x 8	∞ to 5.5 in.	12.5°	0.86 in.
6902B	0309	Monocular B	3 x 9	∞ to 8.66 in.	12.5°	0.90 in.
6904B	0410	Monocular B	4 x 10	∞ to 8.66 in.	10°	0.86 in.
6912	0412	Monocular B	4 x 12	∞ to 7.87 in.	12.5°	1.14 in.
6916	0616	Monocular B	6 x 16	∞ to 10.23 in.	10°	1.29 in.





Handheld Monoculars

Cannot be spectacle-mounted. These monoculars include a detachable neck strap and case.

Item No.	Specwell No.	Description	Magnification	Focus	Field of View	v Diameter
6903	3811	Handheld	3.8 x 11	∞ to 7.87 in.	16°	1.22 in.
6918	0725	Handheld	7 x 25	∞ to 19.68 in.	10°	1.65 in.
6920	0820	Handheld	8 x 20	∞ to 11.81 in.	7°	1.25 in.
6930*	M0820-R	Handheld	8 x 20	∞ to 11.81 in.	7°	1.25 in.
6924	1020	Handheld	10 x 20	∞ to 15.74 in.	6°	1.25 in.
6922	0830	Handheld	8 x 20	∞ to 23.62 in.	8.5°	1.65 in.
6934*	M0830-R	Handheld	8 x 30	∞ to 23.62 in.	8.5°	1.65 in.
6926	1030	Handheld	10 x 30	∞ to 27.55 in.	6°	1.25 in.
6938*	M1030-R	Handheld	10 x 30	∞ to 27.55 in.	6°	1.65 in.



^{*}These monoculars have a protective rubber casing.

Telescopes: Monocular

Optelec/Beecher

Optelec PowerTV™ Glasses and Spectacle Binoculars

- Lightweight and hands-free, perfect for television, movies, and other activities
- Fully adjustable twin-lens design allows user to set desired viewing distance
- Optimal focal distance of 4 feet
- Includes cleaning cloth and protective carrying case

Item No.	Description	Magnification	Eye	Field of View
4609	PowerTV Glasses	2x	OU	20°
5575	Spectacle Binocular	2.8x	OU	11°





Beecher Mirage[™] Head-Borne Binoculars and Monoculars

- Excellent brightness and magnification with twice the field of view of conventional telescopic systems
- Compact design is tough and durable

Item No.	Description	Magnification	Eye	Field of View
8353R	Monocular	3.4 x 20	OD	1 <i>5</i> °
8355R	Monocular	4.5 x 25	OD	14°
8286R	Monocular	5.5 x 25	OD	12°
8354R	Monocular	6 x 25	OD	10°
8359R	Monocular	7 x 30	OD	9°
8288R	Monocular	8 x 28	OD	8°
8353L	Monocular	3.4 x 20	OS	1 <i>5</i> °
8355L	Monocular	4.5 x 25	OS	14°
8286L	Monocular	5.5 x 25	OS	12°
8354L	Monocular	6 x 25	OS	10°
8359L	Monocular	7 x 30	OS	9°
8288L	Monocular	8 x 28	OS	8°
8295	Binocular	3 x 25	OU	15°
8353	Binocular	3.4 x 20	OU	15°
8355	Binocular	4.5 x 25	OU	14°
8287	Binocular	5.5 x 25	OU	11°
8354	Binocular	6 x 25	OU	10°
8360	Binocular	7 x 30	OU	9°
8289	Binocular	8 x 28	OU	8°





Item No.	Description
8366	Beecher frame only
8363	Beecher head strap
0789	Beecher mole skin nose pad
8368	Beecher rubber eye cup
8299	Beecher L bracket

Beecher Mirage Telescopes include an extended eye piece, allen wrench, screwdriver, protective case, and Limited One Year Warranty.

Simplify Your Ordering.

Order online today at www.ShopLowVision.com

BUY

ONLINE

It's easy to set up an account!



We're here to help! Call us at 800-826-4200.



Low Vision LightingSchweizer MULTILIGHT Pro



Schweizer MULTILIGHT Pro Low Vision Lighting

The innovative MULTILIGHT Pro low vision lamp series by SCHWEIZER has been developed with the needs of visually impaired people in mind.

4986
3-in-1 Rechargeable
table model shown
with standard arm

Item No.	Lighting	Type	Power
4986	3-in-1: 6500K, 4500K, 2700K	Table	Rechargeable Battery
4989	6500K - cool white	Table	Rechargeable Battery
4988	4500K - neutral white	Table	Rechargeable Battery
4987	2700K - warm white	Table	Rechargeable Battery
4992	6500K - cool white	Table	Plug-in
4991	4500K - neutral white	Table	Plug-in
4990	2700K - warm white	Table	Plug-in
4994	6500K - cool white	Table, XL Arm	Plug-in
4995	4500K - neutral white	Table, XL Arm	Plug-in
4993	2700K - warm white	Table, XL Arm	Plug-in

Item No.	Lighting	Туре	Power
49998	3-in-1: 6500K, 4500K, 2700K	Floor	Plug-in Available in Fall
5001S	6500K - cool white	Floor	Plug-in Available in Fall
5000S	4500K - neutral white	Floor	Plug-in Available in Fall
5002S	2700K - warm white	Floor	Plug-in Available in Fall
4999	3-in-1: 6500K, 4500K, 2700K	Floor, XL Arm	Plug-in
5001	6500K - cool white	Floor, XL Arm	Plug-in
5000	4500K - neutral white	Floor, XL Arm	Plug-in
5002	2700K - warm white	Floor, XL Arm	Plug-in





MULTILIGHT Pro Lamps ship fully assembled! Use right out of the box!

Features

- 3 light temperatures with 2 brightness levels (70% and 100%)
- Easy one-touch operation with audible ON/OFF feedback
- 4-hour continuous use (rechargeable model)
- Flexible positioning ensures optimal lighting while minimizing glare



Stella Lighting

- LED technology produces little to no heat
- Tri-Spectrum Technology choose between cool, pure white, and warm lighting
- Flexible arm utilizes electroplated steel segmented neck maximum flexibility with a strong hold
- ullet 5- or 10-level dimming available in each color spectrum mode dim any mode of light down to 10%
- Wireless remote control features main controls for the lamp power, dimming, and light mode available with Stella Two Floor Lamp and Stella Edge LED Task Light

Item No.	Color	Model	Stella No.
SKY2B	Black	Stella Two Task Light	ST2-11W-IM-001B
SKY2W	White	Stella Two Task Light	ST2-11W-IM-001W
SKY2FB	Black	Stella Sky Two Floor Lamp	SS2-10W-IM-002B
SKY2FW	White	Stella Sky Two Floor Lamp	SS2-10W-IM-002W
EDGEB	Black	Stella Edge Clamp Light	SE-10W-IM-003B
EDGEW	White	Stella Edge Clamp Light	SE-10W-IM-003W
STELLAGOW	White	Stella GO Rechargeable Task Lamp	ST-GO-BS-001W



Stella Two LED Task Lamp

The Stella Two task lamp has a tactile-

raised touch pad on the base.



5-level



Stella Edge Task Lamp

The Edge task lamp is ideal when you have limited desk/table space!

Stella Sky Two Floor Lamp

The Sky Two floor lamp has an adjustable height: 48" - 72"



AVAILABLE FALL 2021!

The Stella GO charges on the Stella Lighting proprietary charging pad, which utilizes Qi charging, assuring a safe, reliable, wireless charging experience for your Stella GO or your compatible cell phone.

The Stella GO comes with one charging pad. Multiple pads can be used for additional charging areas around the home or workplace.

Stella GO Rechargeable Task Light

The Stella GO is a portable battery powered wireless LED task lamp rated to last 11 hours on a single charge.

Stella lighting includes a Limited Two-Year Warranty.



4946B



KFM Magnifying Lamps

- 5-inch diameter optical-quality glass lens in 1.75x/3D or 2.25x/5D
- Lens is mounted in die-cast aluminum housing that is durable and non-corrosive
- Patented internal spring K-Arm provides perfect balance in infinite positions
- 22-watt circline fluorescent lamp provides cool, shadow-free light on any work surface

Item No.	Luxo No.	Color	Magnification	Arm Reach	Base Type
4910	KFK025789	Gray	3-Diopter	30 in.	Weighted Base
4932	KFK025824	Gray	3-Diopter	30 in.	Clamp Mount
4930	KFK025818	Gray	3-Diopter	45 in.	Clamp Mount
4930B	KFK025817	Black	3-Diopter	45 in.	Clamp Mount
4912B	KFK025786	Black	5-Diopter	30 in.	Weighted Base
4934	KFK025827	Gray	5-Diopter	30 in.	Clamp Mount
4934B	KFK025826	Black	5-Diopter	30 in.	Clamp Mount
4914	KFK025821	Gray	5-Diopter	45 in.	Clamp Mount
4914B	KFK025820	Black	5-Diopter	45 in.	Clamp Mount
4914W	KFK025822	White	5-Diopter	45 in.	Clamp Mount

KFM LED Magnifier Lamps

- The dimmable 9-watt LED light source produces nearly 75% greater light output than the traditional KFM
- Includes automatic shut-off feature for energy savings
- Lens is made of optical-quality glass
- Self-balancing shade and hands-free neck design allows the lamp to be secured in any position
- Features an enclosed neck assembly and heavy-duty internal spring K-Arm

Item No.	Luxo No.	Color	Magnification	Arm Reach	Base Type
4941	KFL026022	Gray	3-Diopter	45 in.	Clamp Mount
4942	KFL026024	Gray	5-Diopter	45 in.	Clamp Mount
4943	KFL026028	Gray	3-Diopter	30 in.	Clamp Mount
4944	KFL026029	Gray	5-Diopter	30 in.	Clamp Mount
4945	KFL026127	Gray	3-Diopter	30 in.	Weighted Base
4946	KFL026128	Gray	5-Diopter	30 in.	Weighted Base
4946B	KFL026152	Black	5-Diopter	30 in.	Weighted Base

Luxo lamps include a Limited Five-Year Warranty.

Luxo



Wave LED Magnifier

- The two dimmable 6-watt LED light sources allow individual left/right lighting control
- Includes auto shut-off feature for energy savings
- · Lens is made of white crown optical-quality glass
- Self-balancing shade and hands-free neck design secured in any position
- Features a fully enclosed neck assembly and heavy-duty internal spring K-arm

Item No.	Luxo No.	Color	Magnification	Arm Reach	Base Type
4927	WAL026133	Gray	3.5-Diopter	30 in.	Weighted Base
4938	WAL026135	Gray	5-Diopter	30 in.	Weighted Base
4940	WAL025969	Gray	5-Diopter	45 in.	Clamp Mount

LC Combo Task Lamps

- Includes a 22-watt circline fluorescent lamp and a 14-watt CFL lamp
- Spring-balanced arm and heavy-duty spun aluminum light shade

Item No.	Luxo No.	Color	Arm Reach	Base Type
4906B	K110630001	Black	30 in.	Weighted Base
4906W	K110630002	White	30 in.	Weighted Base
4904B	K110620003	Gray	45 in.	Clamp Mount
4904BB	K110620001	Black	45 in.	Clamp Mount
4904BW	K110620002	White	45 in.	Clamp Mount





Luxo STAYS Accessory Lens

Attach the STAYS lens when you need extra magnification.

- Use with KFM LED, KFM, Wave LED, and Wave+
- Dimensions 2-inch diameter (lens only), 2.5-inch diameter (with silicone frame)

Item No.	Luxo No.	Magnification	with 1.75x/3D
4949	SPD025980	4-Diopter	6 in.
4950	SPD025979	6-Diopter	4 in.
4951	SPD026119	10-Diopter	2.9 in.

Floor Stands

• Use with KFM, LFM Wave, and LC Series lamps

Item No.	Light Gray	Black	White	Luxo No.
Rolling Floor Stand	4908N	4908NB	4908NW	50036
FE Base*	4948	4948B	4948W	50010
*F				







4948

Low Vision Lighting

Daylight



Daylight 5-inch LED Table + Floor Lamp

- Converts from a floor lamp to a table lamp by removing the pole
- 21 high-performance, energy efficient Naturalight[™] LEDs
- 5-inch 2x magnification
- Flexible gooseneck with 44 inch base as a floor lamp

Item No.	Daylight No.
2677	UN1081



Daylight Naturalight LED Table Magnifying Desk Lamp



- Energy saving LED lighting
- 3.5-inch, 1.75x magnifying lens with a 4x inset lens to see details like never before
- Table lamp measures 15 inches high
- Folding desgn for easy storage

Item No.	Daylight No.
2672A	UN1050

Daylight Slimline LED Floor Lamp

- 5-watt bright Daylight LEDs for energy savings
- Lights up large home and work areas with a stylish brushed chrome finish
- Ideal for true color matching and reduces eye strain
- Easily adjust height and light angle with two unique flexible joints
- Height adjustable from 40 inches to 50 inches and 35 inches long reach

Item No.	Daylight No.
2680	U35117









Daylight SmartGo LED Rechargeable Travel Lamp

Portable, lightweight and rechargeable, this bright Daylight lamp reduces eye strain and enables you to see details and colors accurately. The perfect light for your work, hobby or everyday tasks, regardless of your surroundings. Recharge by connecting the supplied USB cable to your laptop or phone charger.

- Lightweight and portable
- Battery charge level indicator lights
- Small, space-saving design
- 3-step dimmer
- Up to 6.5 hours battery run time
- Charge time: 7.5 hours

Item No. Daylight No. 2671GO UN1370





OttLite Better Vision Floor Lamp with Tablet Holder

- Flexible neck and multi-position shade directs light exactly where you need it
- Powerful and versatile illumination—perfect for larger work areas
- · Adjustable, slanted stand helps securely hold tablets and reading materials for easy viewing
- Stand features rubberized grip to securely hold devices and documents
- Bulb included. Rated to last up to 10,000 hours (Replacement bulb type C)

Item No.	OttLite No.
0430T	8TSG54-SHPR



OttLite Black Refresh Lamp

- Full Spectrum 13-watt High Definition Natural Lighting[™] tube for vibrant and clear colors
- Compact, fold-up design includes a handle for easy portability
- Flip-up shade turns the lamp on

Item No.	OttLite No.
0435	717G53

Replacement Bulb for Refresh Lamp

Item No.	OttLite No.	
0437	T1333E	

OttLite lamps include a Limited One-Year Warranty.

Spectacles

Resources

Description of Spectacles*

Prismatic: base-in prism to reduce fatigue when reading with both eyes together.

Lenticular: lens power concentrated in the center of the lens, to reduce thickness and weight.

Microscopic: strong lens for reading with one eye.



Definition of Spectacles*


Prismatic Reading Glasses are designed to be used with both eyes together. They include base-in prism to assist with convergence of the two eyes at near, thereby reducing fatigue and possible double vision when reading for long periods. Prismatic reading glasses are usually not aspheric or lenticular, and can be used up to a maximum power of about +14 D.

Microscopic Reading Glasses are designed to be used by only one eye. This option might be chosen because the other eye has very poor vision, or because the power needed exceeds +14 D. Two lens options might be considered for microscopics in higher powers. Lens thickness and weight may be reduced with a lenticular design, in which the power of the lens is limited to a circular area in the middle of the lens. A microscopic lens may be both lenticular and aspheric.

* Information provided by

Dr. David C. Lewerenz, OD, FAAO
Assistant Professor, Optometry, Low Vision Rehabilitation
Department of Ophthalmology
University of Colorado School of Medicine

Prismatic 3D-Printed Lenses





33% Thinner and more

lightweight than traditional

spetacles

PowerReader Prismatic Spectacles with 3D Printed Lenses

The new range of PowerReader Spectacles from Optelec offers 3D printed lenses to significantly reduce the size and weight for your patient!



Features

- · Lightweight and comfortable
- Ready to dispense with base-in prism to reduce fatigue when reading
- High quality, durable frames
- Includes carrying case



PowerReader Prismatic Spectacles - Metal Frame

Item No.	Frame Size	Color	Lens Power
6197	50-22-145	Gunmetal	+4D w/6D prism in
6198	51-16-140	Black and Crystal	+4D w/6D prism in
6199	47-19-135	Gunmetal	+5D w/7D prism in









PowerReader Prismatic Spectacles - Plastic Frame

Item No.	Frame Size	Color	Lens Power
6201	48-21-143	Black Tortoise	+5D w/7D prism in
6202	48-16-140	Black	+6D w/8D prism in
6203	45-19-140	Brown	+6D w/8D prism in
6204	42-22-145	Wheat	+7D w/9D prism in







Schweizer Prismatic Half-Eye Spectacles

Worn as normal reading glasses, prismatic half-eye spectacles have stronger lenses which can magnify close objects. Available in powers from +3D to +8D.

Lens Materials

- Spherical CR-39 lenses
- Durable metal frame

Lens Design

Prismatic half-eye spectacles with a pair of high addition lenses including prisms to support convergence for binocular close distance magnification.

Features

- Lightweight and comfortable with spring hinges and nose pad
- Made with high-quality German optics
- Frame measures 40-25-142
- Supplied with a protective case

Order online today at www.ShopLowVision.com

It's easy to set up an account!

Need help? Call us at 1-800-826-4200.



Schweizer Prismatic Spectacles 40mm Half-Eye Silver Metal Frame

Item No.	Frame Size	Diopter	Lens
5893SM	40-25-142	+3.00	OU
5894SM	40-25-142	+4.00	OU
5895SM	40-25-142	+5.00	OU
5896SM	40-25-142	+6.00	OU
5897SM	40-25-142	+7.00	OU
5898SM	40-25-142	+8.00	OU



Schweizer Prismatic Spectacles 40mm Half-Eye Gold Metal Frame

Item No.	Frame Size	Diopter	Lens
5893GM	40-25-142	+3.00	OU
5894GM	40-25-142	+4.00	OU
5895GM	40-25-142	+5.00	OU
5896GM	40-25-142	+6.00	OU
5897GM	40-25-142	+7.00	OU
5898GM	40-25-142	+8.00	OU

Schweizer spectacles include a Limited Two-Year Warranty.

ImproVision Half-Eye Spectacles

- Superior Optics
- Durable Frames
- Two-Year Warranty
- Protective case included
- Made in the European Union





ImproVision Prismatic Spectacles 43mm Half-Eye Black Matte Frame

Prismatic half-eye spectacles with a pair of high addition lenses including prisms to support convergence for binocular close distance magnification.

Item No.	IV Item No.	Diopter	Lens
5893	IV80200	+3.00	OU
5894	IV80201	+4.00	OU
5895	IV80202	+5.00	OU
5896	IV80203	+6.00	OU
5897	IV80204	+7.00	OU
5898	IV80205	+8.00	OU

Lens Materials

- Spherical CR-39 lenses
- Black matte PA polymer frame

Lens Design

Ready to dispense with base-in prism to reduce fatigue when reading with both eyes together.

Features

- Lightweight and comfortable
- Frame measures 40-25-142
- Supplied with a protective case



ImproVision Microscopic Spectacles 43mm Half-Eye Black Matte Frame

Microscopic half-eye spectacles with one high addition lenticular lens and one CR 39 plano lens on the other side for monocular close distance magnification.

Item No.	IV Item No.	Diopter	Lens
5893F	IV80220	+12.00	OD
5894F	IV80221	+12.00	OS
5895F	IV80222	+16.00	OD
5896F	IV80223	+16.00	OS
5897F	IV80224	+20.00	OD
5898F	IV80225	+20.00	OS
5890F	IV80226	+24.00	OD
5899F	IV80227	+24.00	OS

Spectacles

Optelec - Prismatic

Optelec PowerSpecs™

- Superior Optics
- Durable Frames
- OU Prismatic
- Assembled in the USA
- Two-Year Warranty
- Soft Case Included

Lens Design

• Prismatic Spectacles - Ready to dispense with base-in prism to reduce fatigue when reading with both eyes together.

Lens Materials

- CR-39: affordable with the highest abrasion/scratch resistance of any uncoated optical plastic.
- Offering UV and visible spectrum absorption.

Optelec Prismatic CR-39 Spectacles



Full-Eye Demi Amber

Size: 44-22-145

Item No.	Diopter
6190	+4.00
6191	+5.00
6192	+6.00
6194	+8.00
6195	+10.00
6196	+12.00



Half-Eye Gunmetal

Size: 47-20-140

Item No.	Diopter
6180	+4.00
6181	+5.00
6182	+6.00
6183	+7.00
6184	+8.00
6186	+10.00



Half-Eye Brown Peek

Size: 40-24-140

Item No.	Diopter	
6148	+4.00	
6149	+5.00	
6150	+6.00	
6151	+7.00	
6152	+8.00	
6154	+10.00	
6156	+12.00	



Half-Eye Demi Amber

Size: 45-20-145

Item No.	Diopter
6120	+4.00
6121	+5.00
6122	+6.00
6123	+7.00
6124	+8.00
6126	+10.00
6128	+12.00



Half-Eye Demi Amber

Size: 49-22-145

Item No.	Diopter
6130	+4.00
6131	+5.00
6132	+6.00
6133	+7.00
6134	+8.00
6136	+10.00



Optelec PowerSpecs™

Lens Materials

• PMMA: crystal-clear, transparent thermoplastic, sometimes called acrylic glass. This BPA-free material is strong and lightweight.

Lens Design

Spherical Lenticular Spectacles
 Ready to dispense with lens power concentrated in the center of the lens, to reduce thickness and weight.

Half-Eye Demi Amber

Size: 45-20-145



Optelec Lenticular Spectacles 45mm Half-Eye Demi Amber Frame

Item No.	Power	Diopter	Lens
6452H	4x	+16.00	OD
6456H	5x	+20.00	OD
6460H	6x	+24.00	OD
6464H	8x	+32.00	OD
6468H	10x	+40.00	OD
6472H	12x	+48.00	OD
6453H	4x	+16.00	OS
6457H	5x	+20.00	OS
6461H	6x	+24.00	OS
6465H	8x	+32.00	OS
6469H	10x	+40.00	OS
6473H	12x	+48.00	OS
6450H	4x	+16.00	OU
6454H	5x	+20.00	OU
6458H	6x	+24.00	OU
6462H	8x	+32.00	OU
6466H	10x	+40.00	OU
6470H	12x	+48.00	OU

Full-Eye Demi Amber

Size: 44-22-145



Optelec Lenticular Spectacles 44mm Full-Eye Demi Amber Frame

Item No.	Power	Diopter	Lens
6452F	4x	+16.00	OD
6456F	5x	+20.00	OD
6460F	6x	+24.00	OD
6464F	8x	+32.00	OD
6468F	10x	+40.00	OD
6472F	12x	+48.00	OD
6453F	4x	+16.00	OS
6457F	5x	+20.00	OS
6461F	6x	+24.00	OS
6465F	8x	+32.00	OS
6469F	10x	+40.00	OS
6473F	12x	+48.00	OS
6450F	4x	+16.00	OU
6454F	5x	+20.00	OU
6458F	6x	+24.00	OU
6462F	8x	+32.00	OU
6466F	10x	+40.00	OU
6470F	12x	+48.00	OU

Spectacles

Accessories

RIDO-Clip with Lens Part

- 2 joined lenses including prisms to support convergence
- Clips to the spectacles of the wearer
- 3 different magnification powers
- Hard coating
- Solid case included



Clip-on Magnifier Advantages:

- Lightweight
- Wide field of view
- Base-in prisms improve eye convergence
- Simply clips onto spectacles for ease of use
- Allows hand-free activities

Item No.	Schweizer No.	Power	Focus
58RD3	934021	3D	250mm
58RD5	934011	5.5D	180mm
58RD7	934031	7D	125mm
58RDS	934001	3D, 5.5D,	and 7D






58RDS



Questions? We're here to help.

Call us at 1-800-826-4200



Absorptive Lenses

ImproVision PROSHIELD

Light-protection spectacles with blue blocking and comfort filter lenses

- Frame size and filter number printed in temple
- All lenses are delivered in a cloth pouch
- PC polymer filter lenses
- Made in the European Union
- Two-year warranty



ImproVision

Fit-over Frame

- For use over corrective spectacles
- Black matte frame in size 63-12

Item No.	Description	Item No.	Description
5854	C1 Comfort Filter Amber	5854T	C1 Comfort Filter Tinted with 60% Gray (Khaki)
5855	450 Blue Blocker Yellow	5855T	450 Blue Blocker Tinted with 60% Gray (Lime)
5856	C500 Comfort Filter Light Orange	5856T	C500 Comfort Filter Tinted with 60% Gray (Bronze)
5857	511 Blue Blocker Orange	5857T	511 Blue Blocker Tinted 60% Gray (Copper)



Wrap-around Frame

- For use without corrective spectacles
- Black matte frame in size 61-17

Item No.	Description		Item No.	Description
5850	C1 Comfort Filter Amber		5850T	C1 Comfort Filter Tinted with 60% Gray (Khaki)
5851	450 Blue Blocker Yellow	00	5851T	450 Blue Blocker Tinted with 60% Gray (Lime)
5852	C500 Comfort Filter Light Orange	00	5852T	C500 Comfort Filter Tinted with 60% Gray (Bronze)
5853	511 Blue Blocker Orange	00	5853T	511 Blue Blocker Tinted 60% Gray (Copper)

ImproVision PROSHIELD Absorptive Lenses provide 100% protection against UV-A, B, and C radiation, offering the best in eye protection with a comfortable fit.



FILTER LENSES	C1	C1 Tinted	450	450 Tinted	C500	C500 Tinted	511	511 Tinted
Color	Amber	Khaki	Yellow	Lime	Light Orange	Bronze	Orange	Copper
Approximate Transmission	82%	24%	82%	32%	72%	22%	51%	18%
Approximate Absorption	18%	76%	18%	68%	28%	78%	49%	82%
Sunglass Category	0	2	0	2	1	2	1	2
Reference Wavelength	450 nm	450 nm	450 nm	450 nm	500 nm	500 nm	511 nm	511 nm
Approx. % of light blocked below the reference wavelength	80%	80%	100%	100%	95%	95%	100%	100%
UV Protection	~	~	~	~	~	~	~	~
Improved comfort, sharpness,	~	~	~	~	~	~	~	~
Color-neutral vision and good traffic signal recognition	~	~			~	~		
Ideal for these conditions:								
Cataracts	~	~	~	~	~	~	~	~
Macular Degeneration	~	~			~	~	~	~
Diabetic Retinopathy	~	~			~	~	~	~
Glaucoma			~	~				
Ideal for these activities:								
Computer Work	~		~					
Walking/biking on cloudy days	~		~		~			
Walking/biking on sunny days		~		~		~		

What kit is right for my practice?

We've thoughtfully developed our kits based on different practice needs. Whether you are a new eye care professional starting your practice, or a seasoned optometrist looking to diversify your optical offerings, there is a kit that is right for you!

Low Vision Starter Kit - Item No 95LVSK (Page 33)

An introduction to a wide selection of low vision products to get you going. Perfect for a new optometrist starting to grow your practice.

Professional Kit - Item No. 95PK (Page 34)

The most comprehensive kit available. Ideal if you are interested in adding some low vision offerings to your growing practice.

Schweizer Demo Kit - 58SDK (Page 35)

A selection of high-end Schweizer magnification products. Excellent for a thriving low vision practice that wants to add more optical options.

Includes all necessary tools for assessments and evaluations, conveniently packaged to move from room to room, or on house visits. Keep all your equipment in one place - no more searching through drawers, only to find loose or scratched magnifiers.

Convenient • Accessible • Easily Transported







Low Vision Starter Kit Item No. 95LVSK

9505W P	PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 20D/55mm PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 16D/60mm PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 12D/70mm
	,
9504W P	PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 12D/70mm
9503WS P	PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K $10D/75/50$ mm Straight
9502W P	PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 8D/85mm
9501W P	PowerMag+ Bright White LED Illuminated Handheld Magnifier 7750K 6D/100mm
9526W P	PowerMag+ Bright White LED Illuminated Stand Magnifier 7750K 20D/55mm
9524W P	PowerMag+ Bright White LED Illuminated Stand Magnifier 7750K 12D/70mm
9523W P	PowerMag+ Bright White LED Illuminated Stand Magnifier 7750K 8D/100/75mm
0376 P	PowerScope Monocular 4X12
5575 P	PowerSeries 2.8X Binocular
4609	Optelec Power TV Glasses
5300 B	Bar Magnifier 2X 140X20mm
0762	Optelec PowerDome Mag 95mm 4X/12D
6180 P	PowerSpecs +4 Prismatic 47mm OU Half-Eye Gunmetal Spectacles
6184 P	PowerSpecs +8 Prismatic 47mm OU Half-Eye Gunmetal Spectacles
5852T P	PROSHIELD Wrap-around C500 Comfort filter with 60% gray tint (Bronze)
5856T P	PROSHIELD Fit-over C500 Comfort filter with 60% gray tint (Bronze)

Kits

Optelec - Professional Kit

The Professional Kit includes everything you need for a comprehensive evaluation!

Professional Kit Item No. 95PK

Description			
OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 6D/100mm			
OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 10D/75/50mm right-handed			
OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 8D/85mm			
OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 12D/70mm			
OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 16D/60mm			
OKOLUX Plus Illuminated SMD Stand Magnifier 4500K 16D/60mm			
OKOLUX Plus Illuminated SMD Stand Magnifier 4500K 8D/100/75mm			
Base for OKOLUX Plus Mobil Magnifier			
ERGO-Lux Twin-Lux Stand Magnifier 8D + 6D 4.4X 6500 K			
ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 10D/75/50mm right-handed			
ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 20D/55mm			
ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 24D/55mm			
ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 28D/35mm			
ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 39D/35mm			
ERGO-Lux MP Mobil Illuminated Handheld Magnifier 6500K 48D/35mm			
ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 16D/60mm			
ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 12D/70mm			
ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 8D/100/75mm			
Optelec 4X/12D 80mm PowerDome Dome Magnifier			
PROSHIELD Wrap-around C500 Comfort filter with 60% gray tint (Bronze)			
PROSHIELD Fit-over C500 Comfort filter with 60% gray tint (Bronze)			
PowerScope Monocular Clip-on 2.5X			
PowerScope Monocular 5X20			
PowerSeries 2.8X Binocular			
Optelec Power TV Glasses			
ImproVision Prismatic Half-Eye +4D			
ImproVision Prismatic Half-Eye +6D			
ImproVision Prismatic Half-Eye +8D			
ImproVision Microscopic +12D OD			





Contents subject to change

5894F

Schweizer Magnification Demo Kit





Schweizer Magnification Demo Kit Item No. 58SDK

Item No.	Description
5849i	ERGO-Lux iMobil Illuminated Handheld Magnifier 6500K 6D/100mm
5843i	ERGO-Lux iMobil Illuminated Handheld Magnifier 6500K 16D/60mm
5846Ri	ERGO-Lux iMobil Illuminated Handheld Magnifier 6500K 10D/75/50mm - right-handed
5841i	ERGO-Lux iMobil Illuminated Handheld Magnifier 6500K 20D/55mm
58524	ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 24D/55mm
58512	ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 12D/70mm
58508	ERGO-Lux MP Mobil Illuminated Stand Magnifier 6500K 8D/100/75mm
5888C	ERGO-Lux iMobil Charging Pad and USB Charging Cable
5888U	ERGO-Lux iMobil USB Power Adapter
5815	OKOLUX Plus Illuminated SMD Stand Magnifier 4500K 8D/100/75mm
5825	OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 6D/100mm
5820	OKOLUX Plus Illuminated SMD Mobil Handheld Magnifier 4500K 10D/75/50mm - right-handed
5821e	ERGO-Lux Twin-Lux Stand Magnifier 8D + 6D 4.4X 6500 K
5822	Base for OKOLUX Plus Mobil Magnifier

Easily access and display your magnifiers with our Schweizer trays

Item No.	Description
IMOBILKITSPE	ERGO-Lux iMobil Handheld Magnifier Kit - Wireless Charging
ERTHHHP	ERGO-Lux MP Mobil Handheld Magnifier Kit - High Power
ERTHHLP	ERGO-Lux MP Mobil Handheld Magnifier Kit - Low Power
ERTSTAND	ERGO-Lux MP Mobil Stand Magnifier Kit - High Power
ERTBASE	ERGO-Lux MP Mobil Stand Magnifier Base Kit
ОКТНННР	OKOLUX Plus Mobil HandHeld Magnifier Kit - High Power
OKTHHLP	OKOLUX Plus Mobil HandHeld Magnifier Kit - Low Power
OKTSTHP	OKOLUX Plus Stand Magnifier Kits - High Power
OKTSTLP	OKOLUX Plus Stand Magnifier Kits - Low Power
ERTPKT	ERGO-Pocket Magnifier Tray Kit
SLIMDIS4	SlimLine Product Display Stand (Includes 4 Tray Holders)
SLIMBOX2	SlimLine Set of 2 Additional Tray Holders (display not included)

Perfect for patient evaluations!



ERTHHLP



ERTHHHP



IMOBILKITSPE



ERTSTAND




ERTBASE



ERTPKT



SLIMDIS4



OKTHHLP



OKTHHHP



OKTSTLP



OKTSTHP

Contents subject to change



Life is worth enjoying!





Optelec US, 17757 US Highway 19 N., Suite 560, Clearwater, FL 33764
1-800-826-4200
www.ShopLowVision.com