



# 2016 PRICES

## Retail, Discount, and Wholesale

Effective January 1, 2016

Burns Stainless has a 3-tier pricing structure for our products. Discounts on products are based upon the size of the order and customer purchasing history.

**Tier 1 prices**, our retail prices, are listed here and on our website, [www.burnsstainless.com](http://www.burnsstainless.com).

**Tier 2 discounts** are available to approved businesses working primarily in the motorsports or racing industry. Customers must submit a completed Account Application and be approved prior to receiving discounts. Application is available on our website or give us a call.

**Tier 3 discounts** are extended to approved businesses who maintain a purchase volume of at least \$5,000 per year.

**Burns Stainless also offers discounts based on order size as follows:**

**\$750 or more:** 5% off for Tier 1 customers

**\$1,500 or more:** 10% off Tier 1, 5% off for Tier 2

## Ultra-light Stainless Mufflers

Ultra-light Stainless Mufflers		Tier 1	Tier 2	Tier 3
2	SM-200-350-12	297.00	276.21	255.42
2	SM-200-350-17	311.00	289.23	267.46
2	SM-200-450-14	310.00	288.30	266.60
2 1/4	SM-225-450-14	312.00	290.16	268.32
2 1/4	SM-225-450-15.5	337.00	313.41	289.82
2 1/4	SM-225-450-17	323.00	300.39	277.78
2 1/4	SM-225-450-22	430.00	399.90	369.80
2 1/4	SM-225-625-17	423.00	393.39	363.78
2 1/2	SM-250-350-12	298.00	277.14	256.28
2 1/2	SM-250-350-17	312.00	290.16	268.32
2 1/2	SM-250-450-17	323.00	300.39	277.78
2 1/2	SM-250-450-22	419.00	389.67	360.34
2 1/2	SM-250-625-17	430.00	399.90	369.80
3	SM-300-450-12	306.00	284.58	263.16
3	SM-300-450-17	323.00	300.39	277.78
3	SM-300-450-6	285.00	265.05	245.10
3	SM-300-625-17	394.00	366.42	338.84
3 1/2	SM-350-450-12	311.00	289.23	267.46
3 1/2	SM-350-450-17	329.00	305.97	282.94
3 1/2	SM-350-450-6	289.00	268.77	248.54
3 1/2	SM-350-625-17	401.00	372.93	344.86
4	SM-400-550-12	320.00	297.60	275.20
4	SM-400-550-17	342.00	318.06	294.12
4	SM-400-550-6	311.00	289.23	267.46
4	SM-400-625-17	401.00	372.93	344.86
4 1/2	SM-450-600-12	341.00	317.13	293.26
4 1/2	SM-450-600-17	368.00	342.24	316.48
4 1/2	SM-450-600-6	314.00	292.02	270.04
5	SM-500-600-12	341.00	317.13	293.26
5	SM-500-600-17	366.00	340.38	314.76
5	SM-500-600-6	312.00	290.16	268.32
2	SM-200-350-12-SC	334.00	310.62	287.24
2	SM-200-350-17-SC	351.00	326.43	301.86
2	SM-200-450-14-SC	352.00	327.36	302.72
2 1/4	SM-225-450-14-SC	356.00	331.08	306.16
2 1/4	SM-225-450-17-SC	376.00	349.68	323.36
2 1/4	SM-225-450-22-SC	507.00	471.51	436.02
2 1/2	SM-250-350-12-SC	337.00	313.41	289.82
2 1/2	SM-250-450-17-SC	372.00	345.96	319.92
3	SM-300-450-12-SC	349.00	324.57	300.14
3	SM-300-450-17-SC	371.00	345.03	319.06
3	SM-300-450-6-SC	322.00	299.46	276.92
3 1/2	SM-350-450-12-SC	350.00	325.50	301.00
3 1/2	SM-350-450-17-SC	371.00	345.03	319.06
3 1/2	SM-350-450-6-SC	324.00	301.32	278.64
4	SM-400-550-12-SC	370.00	344.10	318.20
4	SM-400-550-17-SC	394.00	366.42	338.84
4	SM-400-550-6-SC	349.00	324.57	300.14
4 1/2	SM-450-600-12-SC	394.00	366.42	338.84
4 1/2	SM-450-600-17-SC	429.00	398.97	368.94
4 1/2	SM-450-600-6-SC	351.00	326.43	301.86
5	SM-500-600-12-SC	384.00	357.12	330.24
5	SM-500-600-17-SC	427.00	397.11	367.22
5	SM-500-600-6-SC	348.00	323.64	299.28

2-Stage Mufflers		Tier 1	Tier 2	Tier 3
2 1/4	SM-225-450-17-2S	523.00	486.39	449.78
2 1/2	SM-250-450-17-2S	524.00	487.32	450.64
3	SM-300-450-17-2S	528.00	491.04	454.08
3	SM-300-625-17-2S	548.00	509.64	471.28
3 1/2	SM-350-450-17-2S	522.00	485.46	448.92
3 1/2	SM-350-625-17-2S	568.00	528.24	488.48
4	SM-400-550-17-2S	546.00	507.78	469.56
4	SM-400-625-17-2S	553.00	514.29	475.58

Megaphone Reverse Cone Mufflers		Tier 1	Tier 2	Tier 3
2	SMRC-200-400	419.00	389.67	360.34
2 1/4	SMRC-225-400	419.00	389.67	360.34
2 1/2	SMRC-250-400-14	419.00	389.67	360.34
2 1/2	SMRC-250-400-16	419.00	389.67	360.34
2 1/2	SMRC-250-450	419.00	389.67	360.34
3	SMRC-300-450	419.00	389.67	360.34
3	SMRC-300-500	419.00	389.67	360.34
3 1/2	SMRC-350-500	419.00	389.67	360.34

Muffler Hardware & Repack Kits		Tier 1	Tier 2	Tier 3
	SM-CL-450	25.88	24.07	22.26
	SM-REPACK-1	22.26	20.70	19.14
	SM-REPACK-2	27.56	25.63	23.70
	SM-REPACK-3	34.98	32.53	30.08
	SM-SCREWS	3.11	2.86	2.67
	SM-SCRUBBLE	42.40	39.43	36.46

Megaphones		Tier 1	Tier 2	Tier 3
	MEG24175SS-18G	114.49	101.90	89.30
	MEG15035MS	25.22	22.45	19.67
	MEG24175MS	34.11	30.36	26.61
	MEG25045MS	25.71	22.88	20.05
	MEG35145MS	25.43	22.63	19.84
	MEG15035SS	60.48	53.83	47.17
	MEG24175SS	71.40	63.55	55.69
	MEG25045SS	60.92	54.22	47.52
	MEG35145SS	64.29	57.22	50.15

## Exhaust Systems

Exhaust system pricing reflects price after discounts.

	Tier 1	Tier 2	Tier 3
SY-CORV-C6-450	1499.00	1199.30	1125.00
SY-CORV-C6-625	1799.00	1439.20	1350.15
SY-HD TOUR-BP2	1699.00	1172.50	1113.79
SY-POR-CAY987-450	2499.00	1666.01	1666.01
SY-POR-CAY987-625	2645.00	1809.13	1805.33
SY-PORSCHE-997 GT3	2655.00	2425.35	2425.00

# Merge Collectors

## Collectors 2-into-1, 304SS, 16g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/8	MC2304-138-16	149.00	137.00	125.00
1 1/2	MC2304-150-16	146.00	134.00	123.00
1 5/8	MC2304-163-16	153.00	141.00	129.00
1 3/4	MC2304-175-16	151.00	139.00	127.00
1 7/8	MC2304-188-16	164.00	151.00	138.00
2	MC2304-200-16	153.00	141.00	129.00
2 1/8	MC2304-213-16	169.00	155.00	142.00
2 1/4	MC2304-225-16	172.00	158.00	144.00
2 3/8	MC2304-238-16	177.00	163.00	149.00
2 1/2	MC2304-250-16	175.00	161.00	147.00
2 5/8	MC2304-263-16	214.00	197.00	180.00
2 3/4	MC2304-275-16	239.00	220.00	201.00
3	MC2304-300-16	216.00	199.00	181.00
3 1/2	MC2304-350-16	261.00	240.00	219.00

## Collectors 2-into-1, 304SS, 18g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/4	MC2304-125-18	146.00	134.00	123.00
1 3/8	MC2304-138-18	149.00	137.00	125.00
1 1/2	MC2304-150-18	146.00	134.00	123.00
1 5/8	MC2304-163-18	153.00	141.00	129.00
1 3/4	MC2304-175-18	151.00	139.00	127.00
1 7/8	MC2304-188-18	164.00	151.00	138.00
2	MC2304-200-18	153.00	141.00	129.00
2 1/8	MC2304-213-18	169.00	155.00	142.00
2 1/4	MC2304-225-18	172.00	158.00	144.00
2 3/8	MC2304-238-18	177.00	163.00	149.00
2 1/2	MC2304-250-18	175.00	161.00	147.00
2 5/8	MC2304-263-18	214.00	197.00	180.00

## Collectors 2-into-1, 321SS, 16g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/8	MC2321-138-16	172.00	158.00	144.00
1 1/2	MC2321-150-16	172.00	158.00	144.00
1 5/8	MC2321-163-16	175.00	161.00	147.00
1 3/4	MC2321-175-16	202.00	186.00	170.00
1 7/8	MC2321-188-16	213.00	196.00	179.00
2	MC2321-200-16	213.00	196.00	179.00
1 1/2	MC2321-150-16-25DEG	172.00	158.00	144.00
1 5/8	MC2321-163-16-25DEG	175.00	161.00	147.00
1 3/4	MC2321-175-16-25DEG	202.00	186.00	170.00
1 7/8	MC2321-188-16-25DEG	213.00	196.00	179.00
2	MC2321-200-16-25DEG	213.00	196.00	179.00
2 1/8	MC2321-213-16-25DEG	225.00	207.00	189.00
2 1/4	MC2321-225-16-25DEG	228.00	210.00	192.00
2 1/2	MC2321-250-16-25DEG	267.00	246.00	224.00

## Collectors 2-into-1, 321SS, Double Slip, 16g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/8	MC2DST-138-16	203.00	187.00	171.00
1 1/2	MC2DST-150-16	203.00	187.00	171.00
1 5/8	MC2DST-163-16	206.00	190.00	173.00
1 3/4	MC2DST-175-16	233.00	214.00	196.00
1 7/8	MC2DST-188-16	244.00	224.00	205.00
2	MC2DST-200-16	244.00	224.00	205.00
1 1/2	MC2DST-150-16-25DEG	203.00	187.00	171.00
1 5/8	MC2DST-163-16-25DEG	206.00	189.00	173.00
1 3/4	MC2DST-175-16-25DEG	233.00	214.00	196.00
1 7/8	MC2DST-188-16-25DEG	244.00	224.00	205.00
2	MC2DST-200-16-25DEG	244.00	224.00	205.00
2 1/8	MC2DST-213-16-25DEG	256.00	236.00	215.00
2 1/4	MC2DST-225-16-25DEG	259.00	238.00	218.00
2 1/2	MC2DST-250-16-25DEG	298.00	274.00	250.00

## Collectors 2-into-1, 321SS, 18g & 20g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/4	MC2321-175-18	202.00	186.00	170.00
1 7/8	MC2321-188-18	213.00	196.00	179.00
2 1/8	MC2321-213-18	225.00	207.00	189.00
2 1/4	MC2321-225-18	228.00	210.00	192.00
2	MC2321-200-20	213.00	196.00	179.00
2 1/8	MC2321-213-20	225.00	207.00	189.00
2 1/4	MC2321-225-20	228.00	210.00	192.00
2 1/8	MC2321-213-20-25DEG	225.00	207.00	189.00

## Collectors 2-into-1, Mild Steel, 16g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/8	MC2MS-138-16	119.00	109.00	100.00
1 1/2	MC2MS-150-16	119.00	109.00	100.00
1 5/8	MC2MS-163-16	120.00	110.00	101.00
1 3/4	MC2MS-175-16	120.00	110.00	101.00
1 7/8	MC2MS-188-16	114.00	105.00	96.00
2	MC2MS-200-16	116.00	107.00	97.00
2 1/8	MC2MS-213-16	121.00	111.00	102.00
2 1/4	MC2MS-225-16	128.00	118.00	108.00
2 3/8	MC2MS-238-16	161.00	148.00	135.00
2 1/2	MC2MS-250-16	137.00	126.00	115.00
3	MC2MS-300-16	164.00	151.00	138.00

## Collectors 3-into-1, 304SS, 16g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/8	MC3304-138-16	263.00	242.00	221.00
1 1/2	MC3304-150-16	263.00	242.00	221.00
1 5/8	MC3304-163-16	276.00	254.00	232.00
1 3/4	MC3304-175-16	272.00	250.00	228.00
1 7/8	MC3304-188-16	294.00	270.00	247.00
2	MC3304-200-16	274.00	252.00	230.00
2 1/8	MC3304-213-16	304.00	280.00	255.00
2 1/4	MC3304-225-16	311.00	286.00	261.00
2 3/8	MC3304-238-16	320.00	294.00	269.00
2 1/2	MC3304-250-16	317.00	292.00	266.00
1 3/4	MC3304-175-16-25DEG	272.00	250.00	228.00

## Collectors 3-into-1, 304SS, 18g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/4	MC3304-125-18	262.00	241.00	220.00
1 3/8	MC3304-138-18	263.00	242.00	221.00
1 1/2	MC3304-150-18	261.00	240.00	219.00
1 5/8	MC3304-163-18	276.00	254.00	232.00
1 3/4	MC3304-175-18	272.00	250.00	228.00
1 7/8	MC3304-188-18	294.00	270.00	247.00
2	MC3304-200-18	274.00	252.00	230.00
2 1/8	MC3304-213-18	304.00	280.00	255.00
2 1/4	MC3304-225-18	311.00	286.00	261.00
2 3/8	MC3304-238-18	320.00	294.00	269.00
2 1/2	MC3304-250-18	317.00	292.00	266.00

## Collectors 3-into-1, 321SS, 16g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/8	MC3321-138-16	283.00	260.00	238.00
1 1/2	MC3321-150-16	282.00	259.00	237.00
1 5/8	MC3321-163-16	288.00	265.00	242.00
1 3/4	MC3321-175-16	333.00	306.00	280.00
1 7/8	MC3321-188-16	354.00	326.00	297.00
2	MC3321-200-16	354.00	326.00	297.00
2 1/2	MC3321-250-16	446.00	410.00	375.00
1 1/2	MC3321-150-16-25DEG	282.00	259.00	237.00
1 5/8	MC3321-163-16-25DEG	288.00	265.00	242.00
1 3/4	MC3321-175-16-25DEG	333.00	306.00	280.00
1 7/8	MC3321-188-16-25DEG	354.00	326.00	297.00
2	MC3321-200-16-25DEG	354.00	326.00	297.00
2 1/8	MC3321-213-16-25DEG	379.00	349.00	318.00
2 1/4	MC3321-225-16-25DEG	392.00	361.00	329.00
2 1/2	MC3321-250-16-25DEG	446.00	410.00	375.00

## Collectors 3-into-1, 321SS, Double Slip, 16g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/8	MC3DST-138-16	329.00	303.00	276.00
1 1/2	MC3DST-150-16	328.00	302.00	276.00
1 5/8	MC3DST-163-16	334.00	307.00	281.00
1 3/4	MC3DST-175-16	380.00	350.00	319.00
1 7/8	MC3DST-188-16	401.00	369.00	337.00
2	MC3DST-200-16	401.00	369.00	337.00
2 1/2	MC3DST-250-16	493.00	454.00	414.00
1 1/2	MC3DST-150-16-25DEG	328.00	302.00	276.00
1 5/8	MC3DST-163-16-25DEG	334.00	307.00	281.00
1 3/4	MC3DST-175-16-25DEG	380.00	350.00	319.00
1 7/8	MC3DST-188-16-25DEG	401.00	369.00	336.00
2	MC3DST-200-16-25DEG	401.00	369.00	337.00
2 1/8	MC3DST-213-16-25DEG	425.00	391.00	357.00
2 1/4	MC3DST-225-16-25DEG	439.00	404.00	369.00
2 1/2	MC3DST-250-16-25DEG	493.00	454.00	414.00

## Collectors 3-into-1, 321SS, 18g & 20g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/4	MC3321-175-18	354.00	326.00	297.00
1 7/8	MC3321-188-18	354.00	326.00	297.00
2	MC3321-200-18	354.00	326.00	297.00
2 1/8	MC3321-213-18	379.00	349.00	318.00
2 1/4	MC3321-225-20	392.00	361.00	329.00
2 1/8	MC3321-213-20-25DEG	379.00	349.00	318.00

## Collectors 3-into-1, Mild Steel, 16g

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/8	MC3MS-138-16	233.00	214.00	196.00
1 1/2	MC3MS-150-16	233.00	214.00	196.00
1 5/8	MC3MS-163-16	235.00	216.00	197.00
1 3/4	MC3MS-175-16	235.00	216.00	197.00
1 7/8	MC3MS-188-16	221.00	203.00	186.00
2	MC3MS-200-16	227.00	209.00	191.00
2 1/8	MC3MS-213-16	253.00	233.00	213.00
2 1/4	MC3MS-225-16	252.00	232.00	212.00
2 3/8	MC3MS-238-16	270.00	248.00	227.00
2 1/2	MC3MS-250-16	261.00	240.00	219.00

**Collectors 4-into-1, 304SS, 16g**      **Tier 1**      **Tier 2**      **Tier 3**

1 3/8	MC4304-138-16	302.00	278.00	254.00
1 1/2	MC4304-150-16	302.00	278.00	254.00
1 5/8	MC4304-163-16	317.00	292.00	266.00
1 3/4	MC4304-175-16	313.00	288.00	263.00
1 7/8	MC4304-188-16	338.00	311.00	284.00
2	MC4304-200-16	315.00	290.00	265.00
2 1/8	MC4304-213-16	351.00	323.00	295.00
2 1/4	MC4304-225-16	358.00	329.00	301.00
2 3/8	MC4304-238-16	395.00	363.00	332.00
2 1/2	MC4304-250-16	391.00	360.00	328.00
2 5/8	MC4304-263-16	456.00	420.00	383.00
2 3/4	MC4304-275-16	484.00	445.00	407.00
3	MC4304-300-16	435.00	400.00	365.00

**Collectors 4-into-1, 304SS, 18g**      **Tier 1**      **Tier 2**      **Tier 3**

1 1/4	MC4304-125-18	300.00	276.00	252.00
1 3/8	MC4304-138-18	328.00	302.00	276.00
1 1/2	MC4304-150-18	328.00	302.00	276.00
1 3/4	MC4304-175-18	313.00	288.00	263.00
1 7/8	MC4304-188-18	338.00	311.00	284.00
2	MC4304-200-18	315.00	290.00	265.00
2 1/8	MC4304-213-18	351.00	323.00	295.00
2 1/4	MC4304-225-18	358.00	329.00	301.00
2 3/8	MC4304-238-18	395.00	363.00	332.00
2 1/2	MC4304-250-18	391.00	360.00	328.00
2 5/8	MC4304-263-18	456.00	420.00	383.00

**Collectors 4-into-1, 321SS, 16g**      **Tier 1**      **Tier 2**      **Tier 3**

1 3/8	MC4321-138-16	366.00	337.00	307.00
1 1/2	MC4321-150-16	366.00	337.00	307.00
1 5/8	MC4321-163-16	364.00	335.00	306.00
1 3/4	MC4321-175-16	434.00	399.00	365.00
1 7/8	MC4321-188-16	461.00	424.00	387.00
2	MC4321-200-16	461.00	424.00	387.00
1 1/2	MC4321-150-16-25DEG	364.00	335.00	306.00
1 5/8	MC4321-163-16-25DEG	373.00	343.00	313.00
1 3/4	MC4321-175-16-25DEG	434.00	399.00	365.00
1 7/8	MC4321-188-16-25DEG	461.00	424.00	387.00
2	MC4321-200-16-25DEG	461.00	424.00	387.00
2 1/8	MC4321-213-16-25DEG	495.00	455.00	416.00
2 1/4	MC4321-225-16-25DEG	495.00	455.00	416.00
2 1/2	MC4321-250-16-25DEG	608.00	559.00	511.00

**Collectors 4-into-1, 321SS, Double Slip, 16g**      **Tier 1**      **Tier 2**      **Tier 3**

1 3/8	MC4DST-138-16	428.00	394.00	360.00
1 1/2	MC4DST-150-16	428.00	394.00	360.00
1 5/8	MC4DST-163-16	426.00	392.00	358.00
1 3/4	MC4DST-175-16	496.00	456.00	417.00
1 7/8	MC4DST-188-16	523.00	481.00	439.00
2	MC4DST-200-16	523.00	481.00	439.00
1 1/2	MC4DST-150-16-25DEG	426.00	392.00	358.00
1 5/8	MC4DST-163-16-25DEG	435.00	400.00	365.00
1 3/4	MC4DST-175-16-25DEG	496.00	456.00	417.00
1 7/8	MC4DST-188-16-25DEG	523.00	481.00	439.00
2	MC4DST-200-16-25DEG	523.00	481.00	439.00
2 1/8	MC4DST-213-16-25DEG	557.00	512.00	468.00
2 1/4	MC4DST-225-16-25DEG	557.00	512.00	468.00
2 1/2	MC4DST-250-16-25DEG	670.00	616.00	563.00

**Collectors 4-into-1, 321SS, 18g & 20g**      **Tier 1**      **Tier 2**      **Tier 3**

1 3/4	MC4321-175-18	434.00	399.00	365.00
1 7/8	MC4321-188-18	461.00	424.00	387.00
2	MC4321-200-18	461.00	424.00	387.00
2 1/8	MC4321-213-18	495.00	455.00	416.00
2 1/4	MC4321-225-18	495.00	455.00	416.00
2	MC4321-200-20	461.00	424.00	387.00
2 1/4	MC4321-225-20	495.00	455.00	416.00
2 1/8	MC4321-213-20-25DEG	495.00	455.00	416.00

**Collectors 4-into-1, Mild Steel, 16g**      **Tier 1**      **Tier 2**      **Tier 3**

1 3/8	MC4MS-138-16	297.00	273.00	249.00
1 1/2	MC4MS-150-16	297.00	273.00	249.00
1 5/8	MC4MS-163-16	301.00	277.00	253.00
1 3/4	MC4MS-175-16	301.00	277.00	253.00
1 7/8	MC4MS-188-16	282.00	259.00	237.00
2	MC4MS-200-16	289.00	266.00	243.00
2 1/8	MC4MS-213-16	303.00	279.00	255.00
2 1/4	MC4MS-225-16	322.00	296.00	270.00
2 3/8	MC4MS-238-16	377.00	347.00	317.00
2 1/2	MC4MS-250-16	364.00	335.00	306.00

**Collectors 5-into-1 and 8-into-1, 304SS, 16g**      **Tier 1**      **Tier 2**      **Tier 3**

1 5/8	MC5304-163-16	384.00	353.00	323.00
1 3/4	MC5304-175-16	388.00	357.00	326.00
1 7/8	MC5304-188-16	405.00	373.00	341.00
2	MC5304-200-16	388.00	357.00	326.00
1 1/2	MC5321-150-16-25DEG	415.00	382.00	349.00
1 7/8	MC5321-188-16-25DEG	539.00	496.00	452.00
1 7/8	MC8321-188-16-25DEG	864.00	795.00	726.00
2	MC8321-200-16-25DEG	864.00	795.00	726.00
2 1/8	MC8321-213-16-25DEG	990.00	911.00	832.00

**3XX Collectors**      **Tier 1**      **Tier 2**      **Tier 3**

MC23XX-250-16-25DEG	201.00	185.00	169.00
MC33XX-250-16-25DEG	355.00	327.00	298.00
MC43XX-250-16-25DEG	443.00	408.00	372.00

# Transitions

L = long, S = short**Transitions, 304SS, 16g**      **Tier 1**      **Tier 2**      **Tier 3**

1 1/4	RD-125-16-304-S	34.16	29.38	24.60
1 3/8	RD-138-16-304-S	35.19	30.26	25.34
1 1/2	RD-150-16-304-(S or L)	35.19	30.26	25.34
1 5/8	RD-163-16-304-(S or L)	36.23	31.16	26.09
1 3/4	RD-175-16-304-(S or L)	36.23	31.16	26.09
1 7/8	RD-188-16-304-(S or L)	37.26	32.04	26.83
2	RD-200-16-304-(S or L)	37.26	32.04	26.83
2 1/8	RD-213-16-304-(S or L)	37.26	32.04	26.83
2 1/4	RD-225-16-304-(S or L)	37.26	32.04	26.83
2 3/8	RD-238-16-304-(S or L)	40.37	34.72	29.07
2 1/2	RD-250-16-304-(S or L)	40.37	34.72	29.07
2 5/8	RD-263-16-304-(S or L)	40.37	34.72	29.07
2 3/4	RD-275-16-304-(S or L)	40.37	34.72	29.07
3	RD-300-16-304-(S or L)	40.37	34.72	29.07
3 1/4	RD-325-16-304-(S or L)	49.68	42.72	35.77
3 1/2	RD-350-16-304-(S or L)	49.68	42.72	35.77
4	RD-400-16-304-S	49.68	42.72	35.77
4 1/2	RD-450-16-304-S	49.68	42.72	35.77

**Transitions, 304SS, 18g**      **Tier 1**      **Tier 2**      **Tier 3**

1 1/4	RD-125-18-304-S	34.16	29.38	24.60
1 3/8	RD-138-18-304-S	35.19	30.26	25.34
1 1/2	RD-150-18-304-(S or L)	35.19	30.26	25.34
1 5/8	RD-163-18-304-(S or L)	36.23	31.16	26.09
1 3/4	RD-175-18-304-(S or L)	36.23	31.16	26.09
1 7/8	RD-188-18-304-(S or L)	37.26	32.04	26.83
2	RD-200-18-304-(S or L)	37.26	32.04	26.83
2 1/8	RD-213-18-304-(S or L)	37.26	32.04	26.83
2 1/4	RD-225-18-304-(S or L)	37.26	32.04	26.83
2 3/8	RD-238-18-304-(S or L)	40.37	34.72	29.07
2 1/2	RD-250-18-304-(S or L)	40.37	34.72	29.07
2 5/8	RD-263-18-304-(S or L)	40.37	34.72	29.07
2 3/4	RD-275-18-304-(S or L)	40.37	34.72	29.07
3	RD-300-18-304-(S or L)	40.37	34.72	29.07

**Transitions, 321SS, 16g**      **Tier 1**      **Tier 2**      **Tier 3**

1 1/2	RD-150-16-321-(S or L)	43.47	37.38	31.30
1 5/8	RD-163-16-321-(S or L)	43.47	37.38	31.30
1 3/4	RD-175-16-321-(S or L)	43.47	37.38	31.30
1 7/8	RD-188-16-321-(S or L)	44.51	38.28	32.05
2	RD-200-16-321-(S or L)	44.51	38.28	32.05
2 1/8	RD-213-16-321-(S or L)	45.54	39.16	32.79
2 1/4	RD-225-16-321-(S or L)	45.54	39.16	32.79
2 1/2	RD-250-16-321-(S or L)	47.61	40.94	34.28
3	RD-300-16-321-(S or L)	47.61	40.94	34.28

**Transitions, 321SS, 18g**      **Tier 1**      **Tier 2**      **Tier 3**

1 1/2	RD-150-18-321-(S or L)	43.47	37.38	31.30
1 5/8	RD-163-18-321-(S or L)	43.47	37.38	31.30
1 3/4	RD-175-18-321-(S or L)	43.47	37.38	31.30
1 7/8	RD-188-18-321-(S or L)	44.51	38.28	32.05
2	RD-200-18-321-(S or L)	44.51	38.28	32.05
2 1/8	RD-213-18-321-(S or L)	45.54	39.16	32.79
2 1/4	RD-225-18-321-(S or L)	45.54	39.16	32.79
2 1/2	RD-250-18-321-(S or L)	47.61	40.94	34.28

**Transitions, 321SS, 20g**      **Tier 1**      **Tier 2**      **Tier 3**

1 1/2	RD-150-20-321-(S or L)	43.47	37.38	31.30
1 3/4	RD-175-20-321-(S or L)	43.47	37.38	31.30
2	RD-200-20-321-(S or L)	44.51	38.28	32.05
2 1/8	RD-213-20-321-(S or L)	45.54	39.16	32.79
2 1/4	RD-225-20-321-(S or L)	45.54	39.16	32.79
2 1/2	RD-250-20-321-(S or L)	47.61	40.94	34.28
3	RD-300-20-321-(S or L)	47.61	40.94	34.28
3 1/2	RD-350-20-321-(S or L)	56.93	48.96	40.99
4	RD-400-20-321-S	56.93	48.96	40.99

*Transitions continued on next page.***phone: 949.631.5120**

# Transitions continued

<b>Transitions, Mild Steel, 16g</b>		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/2	RD-150-16-MS-(S or L)	28.98	24.92	20.87
1 5/8	RD-163-16-MS-(S or L)	28.98	24.92	20.87
1 3/4	RD-175-16-MS-(S or L)	28.98	24.92	20.87
1 7/8	RD-188-16-MS-(S or L)	30.02	25.82	21.61
2	RD-200-16-MS-(S or L)	30.02	25.82	21.61
2 1/8	RD-213-16-MS-(S or L)	31.05	26.70	22.36
2 1/4	RD-225-16-MS-(S or L)	33.12	28.48	23.85
2 3/8	RD-238-16-MS-(S or L)	33.12	28.48	23.85
2 1/2	RD-250-16-MS-(S or L)	34.16	29.38	24.60
2 5/8	RD-263-16-MS-(S or L)	34.16	29.38	24.60
3	RD-300-16-MS-(S or L)	34.16	29.38	24.60
3 1/4	RD-325-16-MS-(S or L)	42.44	36.50	30.56
3 1/2	RD-350-16-MS-(S or L)	42.44	36.50	30.56
4	RD-400-16-MS-S	42.44	36.50	30.56

<b>Transitions, 6061, 16g/17g</b>		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/4	RD-125-16-6061-S	34.16	29.38	24.60
1 3/8	RD-138-16-6061-S	35.19	30.26	25.34
1 1/2	RD-150-16-6061-(S or L)	35.19	30.26	25.34
1 5/8	RD-163-17-6061-(S or L)	35.19	30.26	25.34
1 3/4	RD-175-16-6061-(S or L)	35.19	30.26	25.34
1 7/8	RD-188-17-6061-(S or L)	36.23	31.16	26.09
2	RD-200-16-6061-(S or L)	36.23	31.16	26.09
2 1/8	RD-213-16-6061-(S or L)	37.26	32.04	26.83
2 1/4	RD-225-16-6061-(S or L)	37.26	32.04	26.83
2 1/2	RD-250-16-6061-(S or L)	37.26	32.04	26.83
2 3/4	RD-275-16-6061-(S or L)	40.37	34.72	29.07
3	RD-300-16-6061-(S or L)	40.37	34.72	29.07
3 1/2	RD-350-16-6061-(S or L)	42.44	36.50	30.56
4	RD-400-16-6061-S	46.58	40.06	33.54
4 1/2	RD-450-16-6061-S	50.72	43.62	36.52

## U-Bends - 20 gage 304

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/2	UB-150-25-20-304	33.65	29.28	23.56
1 3/4	UB-175-30-20-304	37.30	32.45	26.11
2	UB-200-30-20-304	35.27	30.68	24.69

## 15° and 25° Bends - 16 gage 304

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/2	15-150-25-16-304	23.76	20.67	16.63
1 3/4	15-175-30-16-304	28.58	24.86	20.01
1 7/8	15-188-30-16-304	37.92	32.99	26.54
2	15-200-30-16-304	29.60	25.75	20.72
2 1/8	15-213-30-16-304	38.85	33.80	27.20
2 1/4	15-225-40-16-304	40.67	35.38	28.47
2 1/2	15-250-40-16-304	45.99	40.01	32.19
3	15-300-40-16-304	57.58	50.09	40.31
1 3/4	25-175-30-16-304	28.58	24.86	20.01
2	25-200-30-16-304	32.13	27.95	22.49
2 1/2	25-250-40-16-304	45.99	40.01	32.19

## 15°, 25°, & 30° Bends - 18 gage 304

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/4	15-125-20-18-304	23.26	20.24	16.28
1 3/8	15-138-25-18-304	26.04	22.65	18.23
1 1/2	15-150-25-18-304	22.50	19.58	15.75
1 5/8	15-163-25-18-304	28.36	24.67	19.85
1 3/4	15-175-30-18-304	25.66	22.32	17.96
1 7/8	15-188-30-18-304	32.74	28.48	22.92
2	15-200-30-18-304	26.72	23.25	18.70
2 1/8	15-213-30-18-304	39.93	34.74	27.95
2 1/4	15-225-40-18-304	42.58	37.04	29.81
2 3/8	15-238-40-18-304	49.10	42.72	34.37
2 1/2	15-250-40-18-304	42.19	36.71	29.53
3	15-300-40-18-304	55.08	47.92	38.56
1 3/4	25-175-30-18-304	25.69	22.35	17.98
3	30-300-40-18-304	58.63	51.01	41.04

## 45° Bends - 16 gage 304

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/2	45-150-25-16-304	30.33	26.39	21.23
1 3/4	45-175-30-16-304	36.57	31.82	25.60
2	45-200-30-16-304	36.21	31.50	25.35
2 1/4	45-225-40-16-304	46.89	40.79	32.82
2 1/2	45-250-40-16-304	52.12	45.34	36.48
3	45-300-40-16-304	63.32	55.09	44.32
3 1/2	45-350-35-16-304	72.78	63.32	50.95
4	45-400-40-16-304	81.90	71.25	57.33

## 90° Bends - 16 gage 304

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
3/4	LB-075-20-16-304	27.37	23.81	19.16
1	LB-100-10-16-304	38.28	33.30	26.80
1	LB-100-25-16-304	34.43	29.95	24.10
1 1/4	LB-125-13-16-304	41.65	36.24	29.16
1 1/4	LB-125-20-16-304	35.71	31.07	25.00
1 3/8	LB-138-15-16-304	48.41	42.12	33.89
1 3/8	LB-138-25-16-304	37.34	32.49	26.14
1 1/2	LB-150-15-16-304	59.67	51.91	41.77
1 1/2	LB-150-25-16-304	36.18	31.48	25.33
1 5/8	LB-163-25-16-304	40.26	35.03	28.18
1 3/4	LB-175-17-16-304	63.06	54.86	44.14
1 3/4	LB-175-30-16-304	45.99	40.01	32.19
1 7/8	LB-188-18-16-304	69.80	60.73	48.86
1 7/8	LB-188-30-16-304	64.08	55.75	44.86
2	LB-200-20-16-304	63.06	54.86	44.14
2	LB-200-30-16-304	44.15	38.41	30.91
2 1/4	LB-225-22-16-304	65.30	56.81	45.71
2 1/4	LB-225-40-16-304	61.58	53.57	43.11
2 1/2	LB-250-25-16-304	72.06	62.69	50.44
2 1/2	LB-250-40-16-304	67.58	58.79	47.31
3	LB-300-30-16-304	78.25	68.08	54.78
3	LB-300-40-16-304	80.55	70.08	56.39
3 1/2	LB-350-35-16-304	88.38	76.89	61.87
4	LB-400-40-16-304	105.84	92.08	74.09
4 1/2	LB-450-45-16-304	122.73	106.78	85.91
5	LB-500-52-16-304	213.92	186.11	149.74

## 90° Bends - 18 gage 304

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/4	LB-125-20-18-304	34.41	29.94	24.09
1 3/8	LB-138-25-18-304	41.26	35.90	28.88
1 1/2	LB-150-25-18-304	33.09	28.79	23.16
3	LB-300-40-18-304	80.55	70.08	56.39

## J-Bends - 18 gage 304

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/4	JB-175-30-18-304	47.62	41.43	33.33
1 7/8	JB-188-30-18-304	67.23	58.49	47.06
2	JB-200-30-18-304	48.56	42.25	33.99
2 1/8	JB-213-30-18-304	74.90	65.16	52.43
2 3/8	JB-238-30-18-304	106.91	93.01	74.84
2 3/8	JB-238-40-18-304	117.05	101.83	81.94
2 1/2	JB-250-40-18-304	92.92	80.84	65.04

# 304 Stainless Tubing

## Straight - 16 gage 304

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
3/4	ST-075-16-304	6.93	6.03	4.85
1	ST-100-16-304	11.18	9.73	7.83
1 1/4	ST-125-16-304	11.94	10.39	8.36
1 3/8	ST-138-16-304	12.93	11.25	9.05
1 1/2	ST-150-16-304	12.36	10.75	8.65
1 5/8	ST-163-16-304	14.68	12.77	10.28
1 3/4	ST-175-16-304	16.59	14.43	11.61
1 7/8	ST-188-16-304	26.55	23.10	18.59
2	ST-200-16-304	16.56	14.41	11.59
2 1/8	ST-213-16-304	19.69	17.13	13.78
2 1/4	ST-225-16-304	19.57	17.03	13.70
2 3/8	ST-238-16-304	30.23	26.30	21.16
2 1/2	ST-250-16-304	20.59	17.91	14.41
2 3/4	ST-275-16-304	24.13	20.99	16.89
3	ST-300-16-304	22.98	19.99	16.09
3 1/2	ST-350-16-304	29.03	25.26	20.32
4	ST-400-16-304	31.62	27.51	22.13
4 1/2	ST-450-16-304	59.47	51.74	41.63
5	ST-500-16-304	55.86	48.60	39.10
6	ST-600-16-304	68.18	59.32	47.73

## Straight - 18 gage 304

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/4	ST-125-18-304	11.16	9.71	7.81
1 3/8	ST-138-18-304	15.27	13.28	10.69
1 1/2	ST-150-18-304	10.36	9.01	7.25
1 5/8	ST-163-18-304	16.75	14.57	11.73
1 3/4	ST-175-18-304	12.81	11.14	8.97
1 7/8	ST-188-18-304	20.67	17.98	14.47
2	ST-200-18-304	13.09	11.39	9.16
2 1/8	ST-213-18-304	20.98	18.25	14.69
2 1/4	ST-225-18-304	21.20	18.44	14.84
2 3/8	ST-238-18-304	27.18	23.65	19.03
2 1/2	ST-250-18-304	16.59	14.43	11.61
2 5/8	ST-263-18-304	33.31	28.98	23.32
3	ST-300-18-304	20.49	17.83	14.34

## Straight - 20 gage 304

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/2	ST-150-20-304	11.77	10.24	8.24
1 3/4	ST-175-20-304	11.91	10.36	8.34
2	ST-200-20-304	10.82	9.41	7.57

## J-Bends - 16 gage 304

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 3/4	JB-175-25-16-304	52.70	45.85	36.89
1 3/4	JB-175-30-16-304	57.05	49.63	39.94
1 7/8	JB-188-30-16-304	82.17	71.49	57.52
2	JB-200-30-16-304	56.94	49.54	39.86
2 1/8	JB-213-30-16-304	71.66	62.34	50.16
2 1/4	JB-225-40-16-304	70.98	61.75	49.69
2 1/2	JB-250-40-16-304	77.87	67.75	54.51



### U-Bends - 16 gage 304

		Tier 1	Tier 2	Tier 3
3/4	UB-075-20-16-304	26.27	22.85	18.39
1	UB-100-25-16-304	34.21	29.76	23.95
1 1/4	UB-125-20-16-304	33.99	29.57	23.79
1 3/8	UB-138-25-16-304	37.17	32.34	26.02
1 1/2	UB-150-25-16-304	36.17	31.47	25.32
1 1/2	UB-150-40-16-304	40.29	35.05	28.20
1 5/8	UB-163-25-16-304	40.03	34.83	28.02
1 5/8	UB-163-40-16-304	44.91	39.07	31.44
1 3/4	UB-175-25-16-304	43.24	37.62	30.27
1 3/4	UB-175-30-16-304	45.75	39.80	32.03
1 3/4	UB-175-40-16-304	48.77	42.43	34.14
1 7/8	UB-188-30-16-304	63.78	55.49	44.65
1 7/8	UB-188-40-16-304	68.69	59.76	48.08
1 7/8	UB-188-60-16-304	81.93	71.28	57.35
2	UB-200-30-16-304	45.67	39.73	31.97
2	UB-200-40-16-304	48.71	42.38	34.10
2	UB-200-60-16-304	57.02	49.61	39.91
2 1/8	UB-213-30-16-304	57.92	50.39	40.54
2 1/8	UB-213-40-16-304	61.42	53.44	42.99
2 1/8	UB-213-60-16-304	71.24	61.98	49.87
2 1/4	UB-225-40-16-304	63.97	55.65	44.78
2 3/8	UB-238-30-16-304	113.55	98.79	79.49
2 1/2	UB-250-40-16-304	65.68	57.14	45.98
2 3/4	UB-275-40-16-304	95.71	83.27	67.00
3	UB-300-45-16-304	119.34	103.83	83.54
3 1/2	UB-350-45-16-304	131.18	114.13	91.83
4	UB-400-60-16-304	138.49	120.49	96.94

### U-Bends - 18 gage 304

		Tier 1	Tier 2	Tier 3
1 1/4	UB-125-20-18-304	32.78	28.52	22.95
1 3/8	UB-138-25-18-304	41.08	35.74	28.76
1 1/2	UB-150-25-18-304	32.85	28.58	23.00
1 1/2	UB-150-30-18-304	34.58	30.08	24.21
1 1/2	UB-150-40-18-304	36.55	31.80	25.59
1 5/8	UB-163-25-18-304	43.45	37.80	30.42
1 5/8	UB-163-30-18-304	46.10	40.11	32.27
1 5/8	UB-163-40-18-304	49.30	42.89	34.51
1 3/4	UB-175-25-18-304	37.19	32.36	26.03
1 3/4	UB-175-40-18-304	41.22	35.86	28.85
1 7/8	UB-188-30-18-304	53.17	46.26	37.22
1 7/8	UB-188-40-18-304	56.94	49.54	39.86
1 7/8	UB-188-60-18-304	67.24	58.50	47.07
2	UB-200-25-18-304	60.19	52.37	42.13
2	UB-200-30-18-304	39.41	34.29	27.59
2	UB-200-40-18-304	41.75	36.32	29.23
2	UB-200-60-18-304	48.32	42.04	33.82
2 1/8	UB-213-25-18-304	72.75	63.29	50.93
2 1/8	UB-213-30-18-304	56.75	49.37	39.73
2 1/8	UB-213-40-18-304	59.92	52.13	41.94
2 1/4	UB-225-30-18-304	62.20	54.11	43.54
2 1/4	UB-225-40-18-304	66.38	57.75	46.47
2 1/2	UB-250-40-18-304	79.28	68.97	55.50

## 3XX Tubing

		Tier 1	Tier 2	Tier 3
3XX-25-250-40-16		58.88	51.23	41.22
3XX-LB-250-40-16		83.20	72.38	58.24
3XX-ST-250-16		34.07	29.64	23.85
3XX-UB-250-40-16		91.99	80.03	64.39

## 321 Stainless Tubing

### Straight - 16 gage 321

		Tier 1	Tier 2	Tier 3
1 1/2	ST-150-16-321	21.04	18.30	14.73
1 5/8	ST-163-16-321	23.30	20.27	16.31
1 3/4	ST-175-16-321	24.04	20.91	16.83
1 7/8	ST-188-16-321	46.21	40.20	32.35
2	ST-200-16-321	40.01	34.81	28.01
2 1/4	ST-225-16-321	77.06	67.04	53.94
2 1/2	ST-250-16-321	140.30	122.06	98.21

### Straight - 18 gage 321

		Tier 1	Tier 2	Tier 3
1 3/4	ST-175-18-321	38.30	33.32	26.81
2	ST-200-18-321	42.74	37.18	29.92

### Straight - 20 gage 321

		Tier 1	Tier 2	Tier 3
1 3/4	ST-175-20-321	53.70	46.72	37.59
2 1/4	ST-225-20-321	54.43	47.35	38.10
2 1/2	ST-250-20-321	44.03	38.31	30.82
3	ST-300-20-321	46.82	40.73	32.77
4	ST-400-20-321	87.10	75.78	60.97

### 90° Bends - 321 SS

		Tier 1	Tier 2	Tier 3
3	LB-300-30-16-321	176.55	162.43	148.30
3	LB-300-40-20-321	145.79	126.84	102.05

# 6061 Aluminum Tubing

### Straight - 6061 Aluminum

		Tier 1	Tier 2	Tier 3
3/4	ST-075-16-6061	6.33	5.51	4.43
1	ST-100-16-6061	7.04	6.12	4.93
1 1/4	ST-125-16-6061	9.07	7.89	6.35
1 3/8	ST-138-16-6061	10.26	8.93	7.18
1 1/2	ST-150-16-6061	10.89	9.47	7.62
1 5/8	ST-163-17-6061	11.35	9.87	7.95
1 3/4	ST-175-16-6061	12.96	11.28	9.07
2	ST-200-16-6061	13.88	12.08	9.72
2 1/8	ST-213-16-6061	24.30	21.14	17.01
2 1/4	ST-225-16-6061	18.81	16.36	13.17
2 1/2	ST-250-16-6061	21.21	18.45	14.85
3	ST-300-16-6061	27.33	23.78	19.13
3 1/2	ST-350-16-6061	42.62	37.08	29.83
4	ST-400-16-6061	52.63	45.79	36.84
4 1/2	ST-450-16-6061	70.64	61.46	49.45
5	ST-500-16-6061	65.77	57.22	46.04

### 45° Bends - 6061 Aluminum

		Tier 1	Tier 2	Tier 3
1 1/2	45-150-25-16-6061	31.34	27.27	21.94
1 3/4	45-175-25-16-6061	33.60	29.23	23.52
2	45-200-30-16-6061	34.58	30.08	24.21
2 1/4	45-225-40-16-6061	48.60	42.28	34.02
2 1/2	45-250-40-16-6061	55.84	48.58	39.09
3	45-300-40-16-6061	71.40	62.12	49.98

### 90° Bends - 6061 Aluminum

		Tier 1	Tier 2	Tier 3
3/4	LB-075-20-16-6061	32.41	28.20	22.69
1	LB-100-25-16-6061	33.60	29.23	23.52
1 1/4	LB-125-20-16-6061	36.79	32.01	25.75
1 3/8	LB-138-25-16-6061	38.83	33.78	27.18
1 1/2	LB-150-25-16-6061	40.21	34.98	28.15
1 5/8	LB-163-25-17-6061	40.86	35.55	28.60
1 3/4	LB-175-25-16-6061	43.45	37.80	30.42
2	LB-200-30-16-6061	45.33	39.44	31.73
2 1/4	LB-225-40-16-6061	66.33	57.71	46.43
2 1/2	LB-250-40-16-6061	75.15	65.38	52.61
3	LB-300-30-16-6061	84.45	73.47	59.12
3	LB-300-40-16-6061	95.73	83.29	67.01
3 1/2	LB-350-35-16-6061	101.13	87.98	70.79
4	LB-400-40-16-6061	132.82	115.55	92.97
4 1/2	LB-450-45-16-6061	180.70	157.21	126.49
5	LB-500-60-16-6061	168.88	146.93	118.22

### U-Bends - 6061 Aluminum

		Tier 1	Tier 2	Tier 3
3/4	UB-075-20-16-6061	27.20	23.66	19.04
1	UB-100-25-16-6061	29.43	25.60	20.60
1 1/4	UB-125-20-16-6061	30.70	26.71	21.49
1 3/8	UB-138-25-16-6061	33.70	29.32	23.59
1 1/2	UB-150-25-16-6061	34.57	30.08	24.20
1 5/8	UB-163-25-17-6061	35.16	30.59	24.61
1 3/4	UB-175-30-16-6061	40.26	35.03	28.18
2	UB-200-30-16-6061	41.64	36.23	29.15
2 1/8	UB-213-30-16-6061	63.61	55.34	44.53
2 1/4	UB-225-40-16-6061	60.05	52.24	42.04
2 1/2	UB-250-40-16-6061	74.40	64.73	52.08
3	UB-300-45-16-6061	115.63	100.60	80.94
3 1/2	UB-350-45-16-6061	132.30	115.10	92.61
4	UB-400-60-16-6061	180.71	157.22	126.50

### U-Bends - 16 gage 321

		Tier 1	Tier 2	Tier 3
1 1/2	UB-150-25-16-321	73.62	64.05	51.53
1 5/8	UB-163-25-16-321	81.53	70.93	57.07
1 3/4	UB-175-25-16-321	84.12	73.18	58.88
1 3/4	UB-175-30-16-321	91.84	79.90	64.29
1 3/4	UB-175-40-16-321	110.60	96.22	77.42
1 7/8	UB-188-25-16-321	106.38	92.55	74.47
1 7/8	UB-188-30-16-321	115.85	100.79	81.10
1 7/8	UB-188-40-16-321	135.74	118.09	95.02
2	UB-200-30-16-321	105.75	92.00	74.03
2	UB-200-40-16-321	123.56	107.50	86.49
2 1/4	UB-225-40-16-321	161.87	140.83	113.31
2 1/2	UB-250-40-16-321		Call for Pricing	

### U-Bends - 18 gage 321

		Tier 1	Tier 2	Tier 3
1 3/4	UB-175-25-18-321	79.21	68.91	55.45
1 7/8	UB-188-25-18-321	103.11	89.71	72.18
1 7/8	UB-188-30-18-321	112.97	98.28	79.08
1 7/8	UB-188-40-18-321	132.25	115.06	92.58
1 7/8	UB-188-60-18-321	165.95	144.38	116.17
2	UB-200-30-18-321	106.23	92.42	74.36
2	UB-200-40-18-321	111.37	96.89	77.96
2	UB-200-60-18-321	137.03	119.22	95.92

### U-Bends - 20 gage 321

		Tier 1	Tier 2	Tier 3
1 3/4	UB-175-30-20-321	101.05	87.91	70.74
1 7/8	UB-188-30-20-321	112.21	97.62	78.55
2	UB-200-30-20-321	115.95	100.88	81.17
2	UB-200-40-20-321	121.11	105.37	84.78

# Stainless Oval Tubing

<b>Straight – Oval 304, 16 gage</b>		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
3	ST-300-304-OVAL	52.35	45.51	36.41
3 1/2	ST-350-304-OVAL	60.39	52.51	42.01
4	ST-400-304-OVAL	59.69	51.93	41.78

<b>Oval Bends – 304, 16 gage</b>		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
3	45-300-S-304-OVAL	132.83	115.52	92.54
3	90-300-S-304-OVAL	147.05	127.87	102.44
3 1/2	90-350-S-304-OVAL	183.11	159.25	127.15
3 1/2	90-350-L-304-OVAL	165.69	144.09	115.44

<b>Round-Oval Transitions</b>		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
2 1/2	ROV-250-300-L	199.76	171.79	143.83
2 1/2	ROV-250-300-L-S	220.46	189.60	158.73
2 1/2	ROV-250-300-S	125.24	107.71	90.17
2 1/2	ROV-250-300-S-S	145.94	125.51	105.08
3	ROV-300-350-L	202.86	174.46	146.06
3	ROV-300-350-L-S	223.56	192.26	160.96
3	ROV-300-350-S	127.31	109.49	91.66
3	ROV-300-350-S-S	148.01	127.29	106.57
3 1/2	ROV-350-400-L	205.97	177.13	148.30
3 1/2	ROV-350-400-L-S	226.67	194.94	163.20
3 1/2	ROV-350-400-S	128.34	110.37	92.40
3 1/2	ROV-350-400-S-S	149.04	128.17	107.31
3	ROV-300-300-L	93.15	80.11	67.07
3	ROV-300-300-L-S	113.85	97.91	81.97
3	ROV-300-300-S	62.10	53.41	44.71
3	ROV-300-300-S-S	82.80	71.21	59.62
3 1/2	ROV-350-350-L	93.15	80.11	67.07
3 1/2	ROV-350-350-L-S	113.85	97.91	81.97
3 1/2	ROV-350-350-S	62.10	53.41	44.71
3 1/2	ROV-350-350-S-S	82.80	71.21	59.62
4	ROV-400-400-L	93.15	80.11	67.07
4	ROV-400-400-L-S	113.85	97.91	81.97
4	ROV-400-400-S	62.10	53.41	44.71
4	ROV-400-400-S-S	82.80	71.21	59.62

# X-Pipes

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
2 1/4	XP-225-225-16-304	410.90	378.03	345.16
2 1/2	XP-250-250-16-304	417.11	383.74	350.37
2 3/4	XP-275-275-16-304	545.45	501.81	458.18
3	XP-300-300-16-304	499.91	459.92	419.92
3 1/2	XP-350-350-16-304	588.92	541.81	494.69

# Y-Pipes

		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
2 1/4	YP-225-300-16-304	264.00	243.00	222.00
2 1/4	YP-225-350-16-304	264.00	243.00	222.00
2 1/2	YP-250-350-16-304	267.00	246.00	224.00
2 1/2	YP-250-400-16-304	272.00	250.00	228.00
2 3/4	YP-275-350-16-304	341.00	314.00	286.00
2 3/4	YP-275-400-16-304	346.00	318.00	291.00
3	YP-300-400-16-304	323.00	297.00	271.00
3	YP-300-450-16-304	328.00	302.00	276.00
3 1/2	YP-350-450-16-304	383.00	352.00	322.00
3 1/2	YP-350-500-16-304	383.00	352.00	322.00

# Flanges

<b>3 Bolt Flanges - 304 Stainless</b>		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
2	FL-3BF-200-304	38.24	32.50	26.77
2 1/4	FL-3BF-225-304	38.24	32.50	26.77
2 1/2	FL-3BF-250-304	42.39	36.03	29.67
3	FL-3BF-300-304	45.18	38.40	31.63
3 1/2	FL-3BF-350-304	52.66	44.76	36.86

<b>Turbo Inlet Flanges - 304 Stainless</b>		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
	FL-T100-RECT-304	74.32	63.17	52.02
	FL-T25	48.27	41.03	33.79
	FL-T3 RECT 304	45.97	39.07	32.18
	FL-T4 RECT 304	58.08	49.37	40.66
	FL-T4T-188-304	72.06	61.25	50.44
	FL-T4T-200-304	72.06	61.25	50.44

# Slip Assemblies

<b>Double Slip Assys - 16 gage 304</b>		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/2	DSA-150-16-304	25.14	21.87	20.11
1 5/8	DSA-163-16-304	25.91	22.54	20.73
1 3/4	DSA-175-16-304	28.07	24.42	22.46
1 7/8	DSA-188-16-304	28.37	24.68	22.70
2	DSA-200-16-304	27.34	23.79	21.87
2 1/8	DSA-213-16-304	27.47	23.90	21.98
2 1/4	DSA-225-16-304	26.96	23.46	21.57
2 3/8	DSA-238-16-304	36.08	31.39	28.86
2 1/2	DSA-250-16-304	38.49	33.49	30.79
2 5/8	DSA-263-16-304	39.15	34.06	31.32
2 3/4	DSA-275-16-304	37.91	32.98	30.33
3	DSA-300-16-304	38.43	33.43	30.74
3 1/4	DSA-325-16-304	44.66	38.85	35.73
3 1/2	DSA-350-16-304	39.21	34.11	31.37
4	DSA-400-16-304	40.25	35.02	32.20
4 1/2	DSA-450-16-304	50.70	44.11	40.56
5	DSA-500-16-304	49.05	42.67	39.24

<b>Double Slip Assys - 16 gage 321</b>		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/2	DSA-150-16-321	28.96	25.20	23.17
1 5/8	DSA-163-16-321	30.26	26.33	24.21
1 3/4	DSA-175-16-321	35.41	30.81	28.33
1 7/8	DSA-188-16-321	34.76	30.24	27.81
2	DSA-200-16-321	31.05	27.01	24.84
2 1/4	DSA-225-16-321	39.59	34.44	31.67
2 1/2	DSA-250-16-321	80.42	69.97	64.34

<b>Single Slips - 321 SS</b>		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/2	SSA-150-16-321	12.21	10.62	9.77
1 1/2	SSA-150-18-321	14.72	12.81	11.78
1 5/8	SSA-163-16-321	12.67	11.02	10.14
1 5/8	SSA-163-18-321	22.23	19.34	17.78
1 3/4	SSA-175-16-321	13.51	11.75	10.81
1 3/4	SSA-175-18-321	13.39	11.65	10.71
1 7/8	SSA-188-16-321	17.77	15.46	14.22
1 7/8	SSA-188-18-321	37.16	32.33	29.73
2	SSA-200-16-321	12.87	11.20	10.30
2	SSA-200-18-321	13.74	11.95	10.99
2 1/8	SSA-213-18-321	28.02	24.38	22.42
2 1/4	SSA-225-16-321	17.72	15.42	14.18
2 1/4	SSA-225-18-321	19.46	16.93	15.57
2 1/2	SSA-250-16-321	33.73	29.35	26.98
2 1/2	SSA-250-18-321	29.53	25.69	23.62
3	SSA-300-18-321	42.77	37.21	34.22

<b>Single Slips - 304 SS</b>		<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
1 1/4	SSA-125-16-304	10.32	8.98	8.26
1 3/8	SSA-138-16-304	10.37	9.02	8.30
1 1/2	SSA-150-16-304	10.26	8.93	8.21
1 1/2	SSA-150-18-304	10.02	8.72	8.02
1 5/8	SSA-163-16-304	10.84	9.43	8.67
1 5/8	SSA-163-18-304	11.44	9.95	9.15
1 3/4	SSA-175-16-304	11.02	9.59	8.82
1 3/4	SSA-175-18-304	10.92	9.50	8.74
1 7/8	SSA-188-16-304	12.99	11.30	10.39
1 7/8	SSA-188-18-304	12.22	10.63	9.78
2	SSA-200-16-304	11.31	9.84	9.05
2	SSA-200-18-304	10.81	9.40	8.65
2 1/8	SSA-213-16-304	11.97	10.41	9.58
2 1/8	SSA-213-18-304	12.46	10.84	9.97
2 1/4	SSA-225-16-304	11.43	9.94	9.14
2 1/4	SSA-225-18-304	13.00	11.31	10.40
2 3/8	SSA-238-16-304	11.48	9.99	9.18
2 3/8	SSA-238-18-304	13.04	11.34	10.43
2 1/2	SSA-250-16-304	12.00	10.44	9.60
2 1/2	SSA-250-18-304	11.92	10.37	9.54
2 5/8	SSA-263-16-304	13.88	12.08	11.10
2 3/4	SSA-275-16-304	16.06	13.97	12.85
3	SSA-300-16-304	16.32	14.20	13.06
3	SSA-300-18-304	15.44	13.43	12.35
3 1/4	SSA-325-16-304	19.41	16.89	15.53
3 1/2	SSA-350-16-304	16.70	14.53	13.36
4	SSA-400-16-304	17.22	14.98	13.78
4 1/2	SSA-450-16-304	22.41	19.50	17.93
5	SSA-500-16-304	21.59	18.78	17.27

# Clamps and Connectors

## Hydraflow Flexible Tube Connectors

### Complete Assembly, w/o O-rings

		Tier 1	Tier 2	Tier 3
1/2	W14J21-08DE-050-A	101.46	96.39	91.31
5/8	W14J21-10DE-063-A	106.65	101.32	95.98
3/4	W14J21-12DE-075-A	116.68	110.85	105.01
1	W14J21-16DE-100-A	126.28	119.97	113.65
1 1/4	W14J21-20DE-125-A	142.00	134.90	127.80
1 1/2	W14J21-24DE-150-A	175.09	166.34	157.58
1 3/4	W14J21-28DE-175-A	195.92	186.13	176.34
2	W14J21-32DE-200-A	207.65	197.26	186.89
2 1/2	W14J21-40DE-250-A	235.18	223.42	211.66
3	W14J21-48DE-300-A	269.03	255.58	242.14
3 1/2	W14J21-56DE-350-A	354.51	336.79	319.07
4	W14J21-64DE-400-A	390.44	370.91	351.40

### Clamshell (clamp & sleeve)

		Tier 1	Tier 2	Tier 3
1/2	W14J21-08A-050	69.28	65.82	62.35
5/8	W14J21-10A-063	71.33	67.76	64.20
3/4	W14J21-12A-075	69.74	66.25	62.77
1	W14J21-16A-100	71.46	67.89	64.31
1 1/4	W14J21-20A-125	87.18	82.82	78.46
1 1/2	W14J21-24A-150	88.53	84.10	79.68
1 3/4	W14J21-28A-175	108.22	102.81	97.40
2	W14J21-32A-200	107.77	102.38	96.99
2 1/2	W14J21-40A-250	125.58	119.30	113.02
3	W14J21-48A-300	152.15	144.54	136.94
3 1/2	W14J21-56A-350	212.01	201.41	190.81
4	W14J21-64A-400	219.76	208.77	197.78

### Weld Ferrule for Hydraflow (2 per connection)

		Tier 1	Tier 2	Tier 3
1/2	W903B08D-050	16.09	15.29	14.48
5/8	W903B10D-063	17.66	16.78	15.89
3/4	W903B12D-075	23.47	22.30	21.12
1	W903B16D-100	27.41	26.04	24.67
1 1/4	W903B20D-125	27.41	26.04	24.67
1 1/2	W903B24D-150	43.28	41.12	38.95
1 3/4	W903B28D-175	43.85	41.66	39.47
2	W903B32D-200	49.94	47.44	44.95
2 1/2	W903B40D-250	54.80	52.06	49.32
3	W903B48D-300	58.44	55.52	52.60
3 1/2	W903B56D-350	71.25	67.69	64.13
4	W903B64D-400	85.34	81.07	76.81

### O-Rings for Hydraflow (Viton)

		Tier 1	Tier 2	Tier 3
1/2	W903-ORV-015	0.31	0.29	0.28
5/8	W903-ORV-017	0.34	0.32	0.31
3/4	W903-ORV-117	0.59	0.56	0.53
1	W903-ORV-214	1.31	1.24	1.18
1 1/4	W903-ORV-218	1.43	1.36	1.29
1 1/2	W903-ORV-222	1.43	1.36	1.29
1 3/4	W903-ORV-224	1.98	1.88	1.78
2	W903-ORV-226	3.04	2.89	2.74
2 1/2	W903-ORV-230	3.32	3.15	2.99
3	W903-ORV-234	4.08	3.88	3.67
3 1/2	W903-ORV-238	4.84	4.60	4.36
4	W903-ORV-242	5.78	5.49	5.20

## Flat Band & Torca

### Flat Band Clamps

		Tier 1	Tier 2	Tier 3
1 3/4	FB-175	9.82	8.54	6.87
2	FB-200	9.82	8.54	6.87
2 1/4	FB-225	9.82	8.54	6.87
2 1/2	FB-250	9.82	8.54	6.87
2 3/4	FB-275	9.82	8.54	6.87
3	FB-300	9.82	8.54	6.87
3 1/4	FB-325	9.82	8.54	6.87
3 1/2	FB-350	9.82	8.54	6.87
3 3/4	FB-375	9.82	8.54	6.87
4	FB-400	10.85	9.44	7.60
4	FB-425	10.85	9.44	7.60
4 1/2	FB-450	10.85	9.44	7.60

### Torca Band Clamps

		Tier 1	Tier 2	Tier 3
1 3/4	TB-175	6.25	5.44	4.38
2	TB-200	6.56	5.71	4.59
2 1/4	TB-225	6.40	5.57	4.48
2 1/2	TB-250	6.78	5.90	4.75
2 3/4	TB-275	7.17	6.24	5.02
3	TB-300	7.83	6.81	5.48
3 1/2	TB-350	8.14	7.08	5.70
4	TB-400	8.42	7.33	5.89
5	TB-500	8.98	7.81	6.29

## V-Band

**321SS V-Band Clamps** for use with 321SS or Aluminum V-Band Flanges

**321SS V-Band Flanges** sizes: 175, 200, 225, 250, 275, 300, 350, 400, 450, or 500

### SS V-Band Clamp & Flange Assembly

	Tier 1	Tier 2	Tier 3
VCLAMP-XXX	52.50	49.90	47.30
VFLANGE-XXX	30.40	28.90	27.40
VB-XXX-ASSY	86.70	82.40	78.00
V-BOLT	7.76	7.37	6.98

### Machined V-Band Assemblies (SS)

	Tier 1	Tier 2	Tier 3	
2 1/2	VM-250-ASSY	96.80	87.12	77.44
3	VM-300-ASSY	96.80	87.12	77.44
3 1/2	VM-350-ASSY	110.20	99.18	88.16

### Machined V-Band Flanges (SS)

	Tier 1	Tier 2	Tier 3	
2 1/2	VMF-FLANGE250	31.00	29.45	27.90
3	VMF-FLANGE300	31.00	29.45	27.90
3 1/2	VMF-FLANGE350	37.22	35.36	33.50
2 1/2	VMM-FLANGE250	31.00	29.45	27.90
3	VMM-FLANGE300	31.00	29.45	27.90
3 1/2	VMM-FLANGE350	37.22	35.36	33.50

**Aluminum V-Band Flanges** sizes: 250, 300, 350, 400, or 500

### Aluminum V-Band Clamp & Flange Assembly

	Tier 1	Tier 2	Tier 3
VAL-FLNG-XXX	30.40	28.90	27.40
VAL-O-FLNG-XXX	30.40	28.90	27.40
VB-XXX-AL ASSY	86.70	82.40	78.00

### O-Ring for Aluminum V-Band Flange (Viton)

	Tier 1	Tier 2	Tier 3	
2 1/2	VAL-ORV-039	2.28	2.17	2.05
3	VAL-ORV-042	2.57	2.44	2.31
3 1/2	VAL-ORV-044	4.87	4.63	4.38
4	VAL-ORV-046	5.52	5.24	4.97
5	VAL-ORV-050	10.05	9.55	9.05

Burns Stainless LLC  
1013 West 18th Street  
Costa Mesa, CA 92627

949.631.5120 phone  
949.631.3184 fax  
burnsstainless.com

Monday – Friday  
7:30 am to 4:30 pm

PRST. STD.  
U.S. POSTAGE  
**PAID**  
PERMIT #254  
ORANGE, CA

# Hardware & Supplies

<b>O2 Rings &amp; Bungs</b>	<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
ACCES-1/2NPTNIP	12.94	11.00	9.06
ACCES-1/8NPTBUNG	3.05	2.59	2.14
O2 PLUG MS	5.18	4.40	3.63
O2 PLUG SS	22.25	18.91	15.58
O2 RAD	18.47	15.70	12.93
O2 RING FL 2 EX	30.53	25.95	21.37
O2 RING FL 2"	30.53	25.95	21.37
O2 RING FL 3"	30.53	25.95	21.37
O2 RING SS	14.49	12.32	10.14

<b>Collector Tabs</b>	<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
TAB-CNC-LUG-STYLE-3	11.39	9.68	7.97
TAB-LUG-2A	11.39	9.68	7.97
TAB-LUG-2B	11.39	9.68	7.97
TAB-U-BRACKET	2.59	2.20	1.81
TAB-SPRING	3.62	3.08	2.53
TAB-WIRE	1.55	1.32	1.09
TAB-SO-A-SS	3.11	2.64	2.18
TAB-SO-B-SS	3.11	2.64	2.18

<b>TIG Welding Rod &amp; Flux</b>	<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
Solar Flux B	43.42	36.91	30.39
Tig-308	28.20	23.97	19.74
Tig-309	28.20	23.97	19.74
Tig-347	28.20	23.97	19.74
Tig Al 5356	16.82	14.30	11.77
Tig-Silicon-Bronze	28.20	23.97	19.74

<b>Stainless Steel Polish</b>	<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
Stainless Polish Large	25.82	22.46	18.07
Stainless Polish Small	10.30	8.96	7.21

# Shop Services

<b>Description</b>	<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
Baloney Cut Tailpipe 2.75" or Larger	25.88	23.81	21.74
Baloney Cut Tailpipe Less than 2.75"	18.11	16.66	15.21
Cutting straight tubing or tailpipe rings, per cut	7.25	6.67	6.09
Expand Tubing 2.75" or Larger	10.35	9.52	8.69
Expand Tubing Less than 2.75"	7.25	6.67	6.09
Welding and cutting O2 sensor ring	46.58	42.85	39.13
Shape for Turbo Flange	38.81	35.71	32.60
Shop Labor Rate (HR)	98.33	90.46	82.60
Special Cutting on transition or megaphone	15.53	14.29	13.05
Stealth Collector Option	77.63	71.42	65.21
Welding Bracket/Tab	12.94	11.90	10.87
Welding, Turbo Flange	41.40	38.09	34.78
Welding, single weld, MS	12.94	11.90	10.87
Welding, single weld, SS or AL	20.70	19.04	17.39
X-Pipe Finishing Charge	67.28	61.90	56.52

## OUR PRICING POLICY

Burns Stainless LLC would like to thank our professional fabrication customers for allowing us to serve your needs for these past 25 years. In order to thank our customers for their allegiance to our products, we will extend discounts to professional fabricators and shops. To qualify for these discounts, shops will have to complete a customer application and submit business documentation including business license. You may complete an application online, or print it out and fax to 949.631.3184

## TERMS & CONDITIONS

Shipping - We ship by United Parcel Service (UPS), US Postal Service, or collect via your carrier, which may incur an additional charge. All orders will be shipped F.O.B. Costa Mesa, California, U.S.A.

**Order Size** - Our minimum order is \$25.00.

**Pricing** - As some of our products are affected by the changing price of metals, we reserve the right to change pricing at any time and without prior notice. Quantity pricing is available — please call for details.

**Payment** - We accept Visa, Mastercard, Discover, American Express, PayPal, Wire Transfer, or C.O.D. If charging to a credit card, we need to know the name on the card, account number, type of card, expiration date, CCV Code of the card and billing address.

**Credit** - Credit is subject to management's approval. Until a charge account is established, all shipments will be shipped per terms above. All credit privileges are subject to a periodic review. Past due accounts will forfeit open account privileges.

**Warranty** - Since our products are intended for racing we offer or imply no warranty.

**Returns** - Returns must be requested within 30 days of receipt of order. All returns must have a return authorization number(RA#). Returns without the RA# clearly marked on the package will be refused. All returns must be freight prepaid; any freight collect shipments will be refused. All returns are subject to a 20% restocking fee.

# Clothing & Merchandise

	<b>Tier 1</b>	<b>Tier 2</b>	<b>Tier 3</b>
Burns Stainless Banner	51.75	51.75	51.75
Cap, Checker	15.53	13.98	12.42
T-Shirt, Large, BLACK	17.60	15.84	14.08
T-Shirt, Medium, BLACK	17.60	15.84	14.08
T-Shirt, X- Large, BLACK	17.60	15.84	14.08
T-Shirt, XX-Large, BLACK	17.60	15.84	14.08
T-Shirt, Large, ASH	17.60	15.84	14.08
T-Shirt, Medium, ASH	17.60	15.84	14.08
T-Shirt, X-Large, ASH	17.60	15.84	14.08
T-Shirt, XX Large, ASH	17.60	15.84	14.08