



SlimFold
ECO
URBAN





Sleek and Chic: Slimline Folding Doors in Multiple Configurations and Six Premium Colours

Introducing our latest SlimFold Eco-Urban Heritage door range - a collection that seamlessly blends Industrial and Loft style décor. Our Slimline Folding Doors have been carefully crafted to offer bold lines and geometric profiles, complete with a variety of panel and glass styles for a sleek, modern look. These doors come in a range of configurations to fit various door/wall openings and are available in clear, frosted, designer, and tinted glass options, providing endless design possibilities. With six premium primed colour choices you're sure to find a perfect match for your space.

Our SlimFold Doors are made from high-quality wood, and designed and made in the UK. This range is the only one of its kind in the UK market, adding an exclusive element to your home. Our doors are not only stylish but also practical, saving valuable floor space while adding a touch of luxury to your interiors. Don't know which colour to choose? No worries! We offer colour samples so you can match them to your space and find the perfect fit. Experience the perfect combination of style and functionality with our SlimFold door range.

Stylishly Functional: SlimFold Doors


Introducing our Slimline Wooden Folding Doors - the perfect addition to elevate the style and functionality of any interior. Crafted from sustainably sourced European solid laminated timber, our Eco-Urban Folding Doors not only offer a sleek and modern look, but also provide a space-saving solution for your home. Opt for our SlimFold Doors to infuse your home with an eco-friendly and sophisticated touch, and enjoy the convenience and elegance they bring to your living space.



SlimFold Eco-Urban Doors: Details

Rails = 120mm*, Stiles = 55mm*
Astragals are all nominal 34mm ± 2mm

These heavily dowel jointed solid laminated wood doors are **40mm thick*** and are designed to meet the most demanding quality requirements. Eco-Urban are **British made** industrial style doors, made of sustainable, fast growing solid laminated timber .



*All dimensions and thicknesses are +/- 2mm.


The supplier of our **solid laminated core** timber for the Eco-Urban door range guarantee the wood is responsibly sourced and 100% FSC compliant.

Door stiles, rails and astragal materials are an Eco sustainable solid laminated timber in what is known as a laminated construction, this is when thick sections of timber are laminated to provide a product stronger and more stable than an individual timber section and all from FSC registered and managed forests, door panels are always 9mm thick moisture resistant MDF.



SlimFold Eco-Urban Doors: Colour, Finish

Six Premium Primed Colour Options - Samples available.




Premium Primed Finish:


The beauty of the grain may be visible on some of the real wood door material.

All our Eco-Urban products from our Thru brand are meticulously prepared, featuring a premium high-quality primer. These specialized paint materials, developed for us in Germany by the world-renowned paint supplier "Remmers," ensure a superior finish. While we acknowledge that some customers may find the finish satisfactory, applying a topcoat is required before installation, followed by touch-ups as needed.


One point to note is that all primed or painted doors but especially black primed doors will show movement between door rails and panels, the panel will possibly show "shrinkage" in the finish at the edges which will ultimately lead to customers unease, this is not a manufacturing issue, these doors need to be finished on site.




Door Leaf Sizes Available




298mm



337mm



375mm




413mm




Door Configuration Options Available

2+2



- 2068x1273mm Wide/298mm Doors
- 2068x1429mm Wide/337mm Doors
- 2068x1581mm Wide/375mm Doors
- 2068x1733mm Wide/413mm Doors


3+0



- 2068x969mm Wide/298mm Doors
- 2068x1086mm Wide/337mm Doors
- 2068x1200mm Wide/375mm Doors
- 2068x1314mm Wide/413mm Doors


Door Configuration Options Available

3+1



- 2068x1273mm Wide/298mm Doors
- 2068x1429mm Wide/337mm Doors
- 2068x1581mm Wide/375mm Doors
- 2068x1733mm Wide/413mm Doors


3+2



- 2068x1573mm Wide/298mm Doors
- 2068x1768mm Wide/337mm Doors
- 2068x1958mm Wide/375mm Doors
- 2068x2148mm Wide/413mm Doors


Door Configuration Options Available

3+3



- 2068x1872mm Wide/298mm Doors
- 2068x2106mm Wide/337mm Doors
- 2068x2334mm Wide/375mm Doors
- 2068x2562mm Wide/413mm Doors


4+0



- 2068x1269mm Wide/298mm Doors
- 2068x1425mm Wide/337mm Doors
- 2068x1577mm Wide/375mm Doors
- 2068x1729mm Wide/413mm Doors


Door Configuration Options Available

4+1



- 2068x1573mm Wide/298mm Doors
- 2068x1768mm Wide/337mm Doors
- 2068x1581mm Wide/375mm Doors
- 2068x2148mm Wide/413mm Doors


4+2



- 2068x1872mm Wide/298mm Doors
- 2068x2106mm Wide/337mm Doors
- 2068x2334mm Wide/375mm Doors
- 2068x2562mm Wide/413mm Doors


Door Configuration Options Available

4+3



- 2068x2172mm Wide/298mm Doors
- 2068x2445mm Wide/337mm Doors
- 2068x2711mm Wide/375mm Doors
- 2068x2977mm Wide/413mm Doors

4+4




- 2068x2471mm Wide/298mm Doors
- 2068x2783mm Wide/337mm Doors
- 2068x3087mm Wide/375mm Doors
- 2068x3391mm Wide/413mm Doors

Sizes Matrix

DOOR CONFIGURATION	OVERALL WIDTH OPTIONS	OVERALL WIDTH WITHOUT FRAME	OVERALL WIDTH INCLUDING FRAME	OVERALL HEIGHT WITHOUT FRAME	OVERALL HEIGHT INCLUDING FRAME
2 + 2	298mm	1192mm	1273mm	2038mm	2068mm
2 + 2	337mm	1348mm	1429mm	2038mm	2068mm
2 + 2	375mm	1500mm	1581mm	2038mm	2068mm
2 + 2	413mm	1652mm	1733mm	2038mm	2068mm
3 + 0	298mm	894mm	969mm	2038mm	2068mm
3 + 0	337mm	1011mm	1086mm	2038mm	2068mm
3 + 0	375mm	1125mm	1200mm	2038mm	2068mm
3 + 0	413mm	1239mm	1314mm	2038mm	2068mm
3 + 1	298mm	1192mm	1273mm	2038mm	2068mm
3 + 1	337mm	1348mm	1429mm	2038mm	2068mm
3 + 1	375mm	1500mm	1581mm	2038mm	2068mm
3 + 1	413mm	1652mm	1733mm	2038mm	2068mm
3 + 2	298mm	1490mm	1573mm	2038mm	2068mm
3 + 2	337mm	1685mm	1768mm	2038mm	2068mm
3 + 2	375mm	1875mm	1958mm	2038mm	2068mm
3 + 2	413mm	2065mm	2148mm	2038mm	2068mm
3 + 3	298mm	1788mm	1872mm	2038mm	2068mm
3 + 3	337mm	2022mm	2106mm	2038mm	2068mm
3 + 3	375mm	2250mm	2334mm	2038mm	2068mm
3 + 3	413mm	2478mm	2562mm	2038mm	2068mm
4 + 0	298mm	1192mm	1269mm	2038mm	2068mm
4 + 0	337mm	1348mm	1425mm	2038mm	2068mm
4 + 0	375mm	1500mm	1577mm	2038mm	2068mm
4 + 0	413mm	1652mm	1729mm	2038mm	2068mm
4 + 1	298mm	1490mm	1573mm	2038mm	2068mm
4 + 1	337mm	1685mm	1768mm	2038mm	2068mm
4 + 1	375mm	1875mm	1958mm	2038mm	2068mm
4 + 1	413mm	2065mm	2148mm	2038mm	2068mm
4 + 2	298mm	1788mm	1872mm	2038mm	2068mm
4 + 2	337mm	2022mm	2106mm	2038mm	2068mm
4 + 2	375mm	2250mm	2334mm	2038mm	2068mm
4 + 2	413mm	2478mm	2562mm	2038mm	2068mm
4 + 3	298mm	2086mm	2172mm	2038mm	2068mm
4 + 3	337mm	2359mm	2445mm	2038mm	2068mm
4 + 3	375mm	2625mm	2711mm	2038mm	2068mm
4 + 3	413mm	2891mm	2977mm	2038mm	2068mm
4 + 4	298mm	2384mm	2471mm	2038mm	2068mm
4 + 4	337mm	2696mm	2783mm	2038mm	2068mm
4 + 4	375mm	3000mm	3087mm	2038mm	2068mm
4 + 4	413mm	3304mm	3391mm	2038mm	2068mm

SlimFold Eco-Urban Doors: Construction



Panel Doors:

Rails & Stiles: Solid laminated timber.

Panels: 9mm thick moisture resistant MDF, recessed within the door thickness.

Finish: Premium Primed

Glazed Doors:

Rails & Stiles: Solid laminated timber.

Glass: All doors will be 4mm Toughened glass, some of the smallest panes may be 4mm annealed glass.

Finish: Premium Primed

SlimFold Eco-Urban Doors: Panel & Glass Options

Panel, Clear Glass & Frosted Glass options are available.

Glass: All doors will be 4mm Toughened glass, some of the smallest panes may be 4mm annealed glass.

Panels: 9mm thick moisture-resistant MDF, recessed within the door thickness.



For our glazed versions we also have a choice of:

- **White Laminate Glass**
- **Smoke Tinted Glass**
- **Reeded Glass**

If there is any glass other than those listed above that you would like to order, please contact your supplier for a quote.





SlimFold Eco-Urban Doors: Glazing

Glass supplied with our Handmade Eco-Urban doors conforms to British Standard BS EN 12600

Glazing:

A feature of safety glass is that each pane will have a safety stamp etched within the glass. The style and positioning of this etching varies depending on the manufacturer, most will be visible but some may be discreet or on occasion, they are hidden. This feature is in order to comply with safety building regulations and we, therefore, have no control over the requirement or style (annealed glass will not have a safety stamp).

Safety glass is defined as glass which must have passed an impact test and either must not break or must break safely. The test is intended to classify flat glass products into three principal classes by performance under impact and by mode of breakage.

Characteristics of toughened glass:

Fragmentation

Should the glass break, it will fragment into small pieces with dulled edges, thereby greatly reducing the risk of injury.

Increased resistance to mechanical stresses


Toughened glass offers impact resistance and bending strength up to five times more than annealed glass of the same thickness.

Increased resistance to thermal stresses


It offers greater resistance to thermal stresses than ordinary float annealed glass.

SlimFold Eco-Urban Doors: Designs

DD6201
BALTIMORE
PANEL




DD6201
BALTIMORE
GLAZED




SlimFold Eco-Urban Doors: Designs


DD6203
MANCHESTER
PANEL



DD6203
MANCHESTER
GLAZED




DD6306
BERKLEY
PANEL




SlimFold Eco-Urban Doors: Designs


DD6204
BROOKLYN
PANEL



DD6204
BROOKLYN
GLAZED




DD6207
STATEN
PANEL




SlimFold Eco-Urban Doors: Designs


DD6205
BEDFORD
PANEL



DD6205
BEDFORD
GLAZED



DD6208
HEREFORD
PANEL



SlimFold Eco-Urban Doors: Designs - Samples



**Multi door
discount
available.**

**To order a colour
sample contact your
supplier.**





We offer a variety of handles that are designed to complement our Eco-Urban sliding doors. All of our handles are sold in multiple pairs, providing a cost-effective and convenient solution for your needs.



CHESTER
MATT BLACK
FHE204R-40/120-MBLK-1PR



CHESTER
SATIN STAINLESS STEEL
FHE204R-40/120-SSS-1PR



CHESTER
POLISHED STAINLESS STEEL
FHE204R-40/120-PSS-1PR



BURBANK
MATT BLACK
FHE203-35/120-MBLK-1PR




BURBANK
SATIN STAINLESS STEEL
FHE203-35/120-SSS-1PR



BURBANK
POLISHED STAINLESS STEEL
FHE203-35/120-BSS-1PR



ANNISTON
MATT BLACK
FHE201-50-MBLK-1PR



ANNISTON
SATIN STAINLESS STEEL
FHE201-50-SSS-1PR



ANNISTON
POLISHED STAINLESS STEEL
FHE201-50-PSS-1PR

Contact

+44 (0)1968 671 681
enquiries@directdoors.com

Delivery

Our standard delivery service is operating for almost all products, albeit some may have slight delays that are subject to change due to supply source issues. Our aim is to dispatch all orders with a minimum of delay.

We provide tailored support and exceptional service, creating a bespoke door experience that makes our clients feel valued and cared for. We aim to build long-term relationships built on trust and mutual respect.





SlimFold
ECO
URBAN

