

EZ Tube® CONNECT BACKLIT 10FT CONFIGURATION A

PRODUCT CATEGORY: EZ FABRIC DISPLAYS
 PRODUCT CODE: EZCNCT-BL-10KIT-A-3X3X3G1



On frame On graphic



PRODUCT DESCRIPTION

Let your message shine! EZ Tube® Connect modular tube display is now backlit. Included LED ladder lights attach easily and hook into corresponding holes on the top and bottom tubes. At 90" tall, EZ Tube® Connect Backlit has multiple frame widths of 3ft, 5ft, and 10ft. Each EZ Tube® Connect Backlit frame connects tool-free, with a simple push button snap to lock and to attach to feet. Configure multiple frames as desired. Feet have two mounting points to connect frames side-by-side. Customize a single-sided fabric graphic that pulls over frame and zips closed underneath. Medium Hard Case included.

DISPLAY DIMENSIONS	108"W x 90"H x 18.75"D
GRAPHIC SIZE	37"W x 89.5"H (each frame)

GRAPHIC MATERIAL

Dye Sub Backlit Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

56mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	58 lbs (each case - 3 cases total)
Shipping Dimensions	22"W x 39"H x 17"D

LARGE QUANTITY FREIGHT

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	464 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY	Pacific Fulfillment Center
--------------	----------------------------

LED LIGHT SPECIFICATION

POWER	9W (per strip)
LED QTY PER STRIP	9
LED STRIP QTY	21
AVERAGE BEAM ANGLE	175°
TOTAL POWER	189W
VOLTAGE INPUT	24V
SPECS ARE PER LADDER LIGHT	

TRANSFORMER SPECIFICATION

VOLTAGE INPUT	100-240V
VOLTAGE OUTPUT	24V
AMPS	6.25A
WORKING TEMP	40°
CERTIFICATES	UL, CE
SPECS ARE PER TRANSFORMER	



Single foot connection



Double foot connection

Foot Dims
3 1/8" x 18 3/4"



Includes qty 3 Medium Hard Cases
 Case Inside Dimensions:
 20.5"W x 32.5"H x 12"D

EZ Tube® CONNECT BACKLIT 10FT CONFIGURATION A

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

PRODUCT CODE: EZCNCT-BL-10KIT-A-3X3X3G1

PARTS LIST



Top straight tube -3ft (56mm)
(qty 3)



Bottom straight tube - 3ft(56mm)
(qty 3)



L shape connector (56mm)
(qty 6)



Vertical tube(56mm)
(qty6)



Plastic corner connector (56mm)
(qty 6)



Single foot(56mm)
(qty 2)



LED Light Bag
(qty 3)



Light kit
(qty 3)



Transformer
(qty 3)



Transformer Bag
(qty 3)



YC-E3 wire line
(qty 3)



Medium Hard Case
(qty 3)



Double foot(56mm)
(qty 2)

EZ Tube® CONNECT BACKLIT 10FT CONFIGURATION B

PRODUCT CATEGORY: EZ FABRIC DISPLAYS
 PRODUCT CODE: EZCNCT-BL-10KIT-B-5X5G1



On frame On graphic



PRODUCT DESCRIPTION

Let your message shine! EZ Tube® Connect modular tube display is now backlit. Included LED ladder lights attach easily and hook into corresponding holes on the top and bottom tubes. At 90" tall, EZ Tube® Connect Backlit has multiple frame widths of 3ft, 5ft, and 10ft. Each EZ Tube® Connect Backlit frame connects tool-free, with a simple push button snap to lock and to attach to feet. Configure multiple frames as desired. Feet have two mounting points to connect frames side-by-side. Customize a single-sided fabric graphic that pulls over frame and zips closed underneath. Medium Hard Case included.

DISPLAY DIMENSIONS	120"W x 90"H x 18.75"D
GRAPHIC SIZE	61"W x 89.5"H (each frame)

GRAPHIC MATERIAL

Dye Sub Backlit Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

56mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	66 lbs (each case - 2 cases total)
Shipping Dimensions	22"W x 39"H x 17"D

LARGE QUANTITY FREIGHT

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	528 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY	Pacific Fulfillment Center
--------------	----------------------------

LED LIGHT SPECIFICATION

POWER	9W (per strip)
LED QTY PER STRIP	9
LED STRIP QTY	21
AVERAGE BEAM ANGLE	175°
TOTAL POWER	189W
VOLTAGE INPUT	24V

SPECS ARE PER LADDER LIGHT

TRANSFORMER SPECIFICATION

VOLTAGE INPUT	100-240V
VOLTAGE OUTPUT	24V
AMPS	6.25A
WORKING TEMP	40°
CERTIFICATES	UL, CE

SPECS ARE PER TRANSFORMER



Single foot connection



Double foot connection

Foot Dims
3 1/8" x 18 3/4"



Includes qty 2 Medium Hard Cases
Case Inside Dimensions:

EZ Tube® CONNECT BACKLIT 10FT CONFIGURATION B

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

PRODUCT CODE: EZCNCT-BL-10KIT-B-5X5G1

PARTS LIST



Top straight tube -5ft (56mm)
(qty 2)



Bottom straight tube - 5ft(56mm)
(qty 2)



L shape connector (56mm)
(qty 4)



Vertical tube(56mm)
(qty 4)



Plastic corner connector (56mm)
(qty 4)



Single foot(56mm)
(qty 2)



LED Light Bag
(qty 4)



Light kit
(qty 4)



Transformer
(qty 4)



Transformer Bag
(qty 4)



YC-E3 wire line
(qty 4)



Medium Hard Case
(qty 2)



Double foot(56mm)
(qty 1)

EZ Tube® CONNECT BACKLIT 20FT CONFIGURATION A

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

PRODUCT CODE: EZCNCT-BL-20KIT-A-5X10X5G1



On frame On graphic



PRODUCT DESCRIPTION

Let your message shine! EZ Tube® Connect modular tube display is now backlit. Included LED ladder lights attach easily and hook into corresponding holes on the top and bottom tubes. At 90" tall, EZ Tube® Connect Backlit has multiple frame widths of 3ft, 5ft, and 10ft. Each EZ Tube® Connect Backlit frame connects tool-free, with a simple push button snap to lock and to attach to feet. Configure multiple frames as desired. Feet have two mounting points to connect frames side-by-side. Customize a single-sided fabric graphic that pulls over frame and zips closed underneath. Medium Hard Case included.

DISPLAY DIMENSIONS	120"W x 90"H x 18.75"D
GRAPHIC SIZE 5FT	61"W x 89.5"H
GRAPHIC SIZE 10FT	121"W x 89.5"H

GRAPHIC MATERIAL

Dye Sub Backlit Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

56mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight 5FT	66 lbs (each case - 2 cases total)
Shipping Weight 10FT	85 lbs (1 case)
Shipping Dimensions	22"W x 39"H x 17"D

LARGE QUANTITY FREIGHT

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	528 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY	Pacific Fulfillment Center
--------------	----------------------------

LED LIGHT SPECIFICATION

POWER	9W (per strip)
LED QTY PER STRIP	9
LED STRIP QTY	21
AVERAGE BEAM ANGLE	175°
TOTAL POWER	189W
VOLTAGE INPUT	24V

SPECS ARE PER LADDER LIGHT

TRANSFORMER SPECIFICATION

VOLTAGE INPUT	100-240V
VOLTAGE OUTPUT	24V
AMPS	6.25A
WORKING TEMP	40°
CERTIFICATES	UL, CE

SPECS ARE PER TRANSFORMER



Single foot connection



Double foot connection

Foot Dims
3 1/8" x 18 3/4"



Includes qty 3 Medium Hard Cases
Case Inside Dimensions:
20.5"W x 32.5"H x 12"D

EZ Tube® CONNECT BACKLIT 20FT CONFIGURATION A

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

PRODUCT CODE: EZCNCT-BL-20KIT-A-5X10X5G1

PARTS LIST



Top straight tube -5ft (56mm)
(qty 2)



Bottom straight tube - 5ft(56mm)
(qty 2)



L shape connector (56mm)
(qty 6)



Vertical tube(56mm)
(qty 6)



Plastic corner connector (56mm)
(qty 6)



Single foot(56mm)
(qty 2)



LED Light Bag
(qty 8)



Light kit
(qty 8)



Transformer
(qty 8)



Transformer Bag
(qty 4)



YC-E3 wire line
(qty 8)




Top straight tube -10ft (56mm)
(qty 1)



Bottom straight tube - 10ft(56mm)
(qty 1)



Double foot(56mm)
(qty 2)



Vertical Support Pole
(qty 1)



Medium Hard Case
(qty 3)


EZ Tube® CONNECT BACKLIT 10FT CONFIGURATION B

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

PRODUCT CODE: EZCNCT-BL-20KIT-B-5X5X5X5G1



On frame On graphic



PRODUCT DESCRIPTION

Let your message shine! EZ Tube® Connect modular tube display is now backlit. Included LED ladder lights attach easily and hook into corresponding holes on the top and bottom tubes. At 90" tall, EZ Tube® Connect Backlit has multiple frame widths of 3ft, 5ft, and 10ft. Each EZ Tube® Connect Backlit frame connects tool-free, with a simple push button snap to lock and to attach to feet. Configure multiple frames as desired. Feet have two mounting points to connect frames side-by-side. Customize a single-sided fabric graphic that pulls over frame and zips closed underneath. Medium Hard Case included.

DISPLAY DIMENSIONS	120"W x 90"H x 18.75"D
GRAPHIC SIZE	61"W x 89.5"H (each frame)

GRAPHIC MATERIAL

Dye Sub Backlit Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

56mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	66 lbs (each case - 4 cases total)
Shipping Dimensions	22"W x 39"H x 17"D

LARGE QUANTITY FREIGHT

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	528 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY	Pacific Fulfillment Center
--------------	----------------------------

LED LIGHT SPECIFICATION

POWER	9W (per strip)
LED QTY PER STRIP	9
LED STRIP QTY	21
AVERAGE BEAM ANGLE	175°
TOTAL POWER	189W
VOLTAGE INPUT	24V

SPECS ARE PER LADDER LIGHT

TRANSFORMER SPECIFICATION

VOLTAGE INPUT	100-240V
VOLTAGE OUTPUT	24V
AMPS	6.25A
WORKING TEMP	40°
CERTIFICATES	UL, CE

SPECS ARE PER TRANSFORMER



Single foot connection



Double foot connection

Foot Dims
3 1/8" x 18 3/4"



Includes qty 4 Medium Hard Cases
Case Inside Dimensions:
20.5"W x 32.5"H x 12"D

EZ Tube® CONNECT BACKLIT 10FT CONFIGURATION B

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

PRODUCT CODE: EZCNCT-BL-20KIT-B-5X5X5G1

PARTS LIST



Top straight tube -5ft (56mm)
(qty 4)



Bottom straight tube - 5ft(56mm)
(qty 4)



L shape connector (56mm)
(qty 8)



Vertical tube(56mm)
(qty 8)



Plastic corner connector (56mm)
(qty 8)



Single foot(56mm)
(qty 4)



LED Light Bag
(qty 8)



Light kit
(qty 8)



Transformer
(qty 8)



Transformer Bag
(qty 8)



YC-E3 wire line
(qty 8)



Medium Hard Case
(qty 4)




Double foot(56mm)
(qty 2)


EZ Tube® CONNECT BACKLIT

PRODUCT CATEGORY: EZ FABRIC DISPLAYS
INSTRUCTIONS FOR 3FT, 5FT, AND 10FT FRAMES


SETUP INSTRUCTIONS



Tube Connection



LED Light Installation Top Connection
Insert hooks into holes along top tube
5ft and 10ft frames have holes in corners to attach
3ft and 8ft frame only attach along top tube




LED Light Installation Bottom Connection
Insert hooks into holes along bottom tube
Bottom of lights have a pull loop and
adjuster to add tension to lights

TRANSFORMER WIRING INSTRUCTIONS

Power wires for transformers are highlighted in red on the renders below.


Make to sure to set up the ladder lights accordingly.

Feed wiring through the opening for legs on the graphic per renderings.




3ft

1 Ladder Light
1 Transformer
1 Outlet Required



5ft

2 Ladder Lights
2 Transformers
2 Outlets Required



10ft

4 Ladder Lights
4 Transformers
4 Outlets Required