according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830

Article No.: 30615 Whittle Waxes Evolution Print date: 09.01.2020 Revision date: 22.11.2019 Version: 3.0 Issue date: 22.11.2019

Version: 3.0 Issue date: 22.11.2019 Page 1 / 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. product identifiers

Article No. (manufacturer/supplier) 30615

Identification of the substance or mixture Whittle Waxes Evolution

colour range

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

paint

coating material

1.3. Details of the supplier of the safety data sheet

supplier (manufacturer/importer/downstream user/distributor)

WHITTLEWAXES Pty Ltd.

P.O. Box 455 Cooroy Telephone: + 61 1300 326 929

QLD 4563

Australia info@whittlewaxes.com.au

www.whittlewaxes.com.au

Dept. responsible for information:

Sale + 61 1300 326 929

E-mail (competent person) info@whittlewaxes.com.au

1.4. Emergency telephone number

+61 1300 326 929

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

Hazard statements

not applicable

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of the reach of children.

P103 Read label before use.

contains:

not applicable

Supplemental Hazard information (EU)

EUH210 Safety data sheet available on request.

2.3. Other hazards

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Product description / chemical characterization

Description Solvent-borne paints

Hazardous ingredients

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No. REACH No.
CAS No. Chemical name
INDEX No. classification: // Remark

Wt %

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830

Article No.: 30615 Whittle Waxes Evolution Print date: 09.01.2020 Revision date: 22.11.2019 Version: 3.0 Issue date: 22.11.2019

| Hydrocarbons, C11 - C14; Isoalkanes, cyclic, <c2% aromatics<br="">Asp. Tox. 1 H304</c2%> | 12,5 - 20 |
|---|---|
| 01-2119457273-39 | |
| aromatics | 12,5 - 20 |
| | |
| Hydrocarbon C11 - C13, isoalkanes <2% aromatics Asp. Tox. 1 H304 | 10 - 12,5 |
| 01-2119456377-30 | |
| Hydrocarbons, C12-C16 isoalkanes, cyclenes, <2% aromatics Asp. Tox. 1 H304 | 5 - 10 |
| 01-2119456810-40 | |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics Asp. Tox. 1 H304 | 2,5 - 5 |
| | |
| Strontium bis(2-ethylhexanoate) Acute Tox. 4 H302 / Skin Irrit. 2 H315 / Eye Dam. 1 H318 / Repr. 2 H361 | < 0,5 |
| | 01-2119457273-39 hydrocarbons, C10-C13, n-alkane, iso-alkane, cyclic compound, < 2 % aromatics Asp. Tox. 1 H304 Hydrocarbon C11 - C13, isoalkanes <2% aromatics Asp. Tox. 1 H304 01-2119456377-30 Hydrocarbons, C12-C16 isoalkanes, cyclenes, <2% aromatics Asp. Tox. 1 H304 01-2119456810-40 Hydrocarbons, C11-C13, isoalkanes, <2% aromatics Asp. Tox. 1 H304 Strontium bis(2-ethylhexanoate) |

Page 2 / 7

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830

Article No.: 30615 Whittle Waxes Evolution Print date: 09.01.2020 Revision date: 22.11.2019

ΕN Issue date: 22.11.2019 Page 3 / 7 Version:

Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours. See protective measures under point 7 and 8.

6.2. **Environmental precautions**

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Occupational exposure limit values:

not applicable

Exposure controls 8.2.

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

For prolonged or repeated handling the following glove material must be used: e.g. Nitrile (according to DIN EN 374)

Thickness of the glove material > 0.4 mm; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830

30615 Whittle Waxes Evolution Article No.: Revision date: 22.11.2019 Issue date: 22.11.2019 Print date: 09.01.2020

ΕN Page 4 / 7 Version:

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical state: Liquid Colour: refer to label Odour: characteristic **Odour threshold:** not applicable pH at 20 °C:: not applicable -45 °C Melting point/freezing point:

Source: Hydrocarbons, C11 - C14; Isoalkanes, cyclic, <c2% aromatics

Initial boiling point and boiling range: 100 °C

> Method: DIN 53171 Source: water

Flash point: > 61 °C **Evaporation rate:** not applicable

Flammability (solid, gas):

Burning time (s): not applicable

Upper/lower flammability or explosive limits:

Lower explosion limit: 0,5 Vol-%

Method: calculated

Source: Hydrocarbons, C11 - C14; Isoalkanes, cyclic, <c2% aromatics

Upper explosion limit: 7 Vol-%

Method: calculated

Source: hydrocarbons, C10-C13, n-alkane, iso-alkane, cyclic compound, <

2 % aromatics

0,0067 mbar Vapour pressure at 20 °C::

Method: calculated

Source: Hydrocarbons, C11 - C14; Isoalkanes, cyclic, <c2% aromatics

Vapour density: not applicable

Relative density:

Density at 20 °C:: 0,900 q/cm³

Method: DIN 53217

Solubility(ies):

Water solubility (g/L) at 20 °C:: insoluble Partition coefficient: n-octanol/water: see section 12

228 °C Auto-ignition temperature:

Method: calculated

Source: Hydrocarbons, C11 - C14; Isoalkanes, cyclic, <c2% aromatics

not applicable **Decomposition temperature:** Viscosity at 40 °C:: 141 mm²/s

Method: kinematisch

not applicable **Explosive properties: Oxidising properties:** not applicable

9.2. Other information

> Solid content (%): 42 Wt %

solvent content:

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2015/830

Article No.: 30615 Whittle Waxes Evolution Print date: 09.01.2020 Revision date: 22.11.2019 Version: 3.0 Issue date: 22.11.2019

Organic solvents: 57 Wt % Water: 0 Wt %

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

ΕN

Page 5 / 7

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP]

No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

hydrocarbons, C10-C13, n-alkane, iso-alkane, cyclic compound, < 2 % aromatics inhalative (vapours), LC50, Rat: > 20 mg/l (4 h)

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

Respiratory or skin sensitisation

Toxicological data are not available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

SECTION 12: Ecological information

overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP]

There is no information available on the preparation itself .

Do not allow to enter into surface water or drains.

12.1. Toxicity

hydrocarbons, C10-C13, n-alkane, iso-alkane, cyclic compound, < 2 % aromatics

Fish toxicity, LC50: > 1000 mg/l (96 h)

Daphnia toxicity, EC50: > 1000 mg/l (48 h)

Algae toxicity, ErC50: > 1000 mg/l

Long-term Ecotoxicity

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830

30615 Whittle Waxes Evolution Article No.: Print date: 09.01.2020 Revision date: 22.11.2019

ΕN Issue date: 22.11.2019 Page 6 / 7 Version:

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 080111

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

14.1. UN number

not applicable

14.2. UN proper shipping name

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

Land transport (ADR/RID) not applicable not applicable Marine pollutant

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

tunnel restriction code

Sea transport (IMDG)

EmS-No. not applicable

Air transport (ICAO-TI / IATA-DGR)

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830

Article No.: 30615 Print date: 09.01.2020 Version:

Whittle Waxes Evolution Revision date: 22.11.2019 Issue date: 22.11.2019

ΕN Page 7 / 7

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions

VOC-value (in g/L): 519

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/f); VOC limit value: 700 g/l

Maximum VOC content (g/L) of the product in a ready to use condition: 519

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

15.2. Chemical Safety Assessment

For the following substances of this preparation a chemical safety assessment has been carried out:

| EC No. CAS No. | Chemical name | REACH No. |
|-------------------|---|------------------|
| 918-481-9 | hydrocarbons, C10-C13, n-alkane, iso-alkane, cyclic compound, < 2 | 01-2119457273-39 |
| 64742-48-9 | % aromatics | 01 2110-01210 00 |
| | Hydrocarbons, C12-C16 isoalkanes, cyclenes, <2% aromatics | 01-2119456377-30 |
| 927-676-8 | | |
| | Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 01-2119456810-40 |
| 920-901-0 | • | |

SECTION 16: Other information

Full text of classification in section 3:

May be fatal if swallowed and enters airways. Asp. Tox. 1 / H304 Aspiration hazard

Acute Tox. 4 / H302 Acute toxicity (oral) Harmful if swallowed. Skin Irrit. 2 / H315 skin corrosion/irritation Causes skin irritation. Eve Dam. 1 / H318 Serious eye damage/eye irritation Causes serious eye damage.

Reproductive toxicity Suspected of damaging the unborn child. Repr. 2 / H361

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.