

Trade name: Whittle Waxes Object Oil Version: 35 / GB Replaces Version: 34 / GB



Revision: 11.04.2022 Print date: 17.05.22

## 1. Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier Whittle Waxes Object Oil
- 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/preparation

Surface treatment of wood and other materials

#### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Whittle Waxes, PO Box 455 Cooroy, QLD, 4563 Australia

Telephone no. E-mail address +1300 326 929, 1300 ECO WAX info@whittlewaxes.com.au

#### 1.4. Emergency telephone number

Germany: +49 (0) 30 30686700

## 2. Hazards identification

## 2.1. Classification of the substance or mixture

## Classification (Regulation (EC) No. 1272/2008)

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

## Labelling according to regulation (EC) No 1272/2008

#### Supplemental information

EUH066Repeated exposure may cause skin dryness or cracking.EUH210Safety data sheet available on request.

#### Further supplemental information

Cleaning cloth soaked with the product can self ignite during packing up, therefore dry the cloth on a line or through spreading and dispose of after dry up.

#### 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB) (if not listed in Section 3).

#### 3. Composition/information on ingredients

#### Hazardous ingredients

 alkanes, cycloalkanes, C11-14-iso 

 EINECS no.
 927-285-2

 Registration no.
 01-2119480162-45

 Concentration
 >=
 25
 <</td>
 50
 %

 Classification (Regulation (EC) No. 1272/2008)

Trade name: Whittle Waxes	Object Oil				
Version: 35 / GB					Revision: 11.04.2022
Replaces Version: 34 / GB					Print date: 17.05.22
	Asp. Tox. 1	H304			
Naphtha (petroleum CAS No.	<b>), hydrotreated heavy</b> 64742-48-9				
EINECS no.					
Concentration	01-2119463258-33 >= 25	<	50	%	
Classification (Reg	ulation (EC) No. 1272/2008)				
	Asp. Tox. 1	H304			
2-ethylhexanoic aci	d zirconium salt				
CAŠ No.	22464-99-9				
EINECS no.					
Concentration no.	01-2119979088-21 >= 0,1	<	1	%	
	ulation (EC) No. 1272/2008)		•	70	
τ 3	Repr. 2	H361d			

For explanation of abbreviations see section 16.

## 4. First aid measures

## 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical attention. If unconscious place in recovery position and seek medical advice. First aider: Pay attention to self-protection! Remove affected person from danger area, lay him down.

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. Keep warm, calm and covered up. In all cases of doubt, or when symptoms persist, seek medical attention.

#### After skin contact

Wash off immediately with soap and water. Do NOT use solvents or thinners. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the evelids apart for at least 10 minutes and seek immediate medical advice. Take medical treatment.

#### After ingestion

Do not induce vomiting. Take medical treatment.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. High concentration of vapours may cause irritation to eyes and respiratory system and produce narcotic effects.

## 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / treatment

Treat symptomatically.

Version: 35 / GB

Replaces Version: 34 / GB

Revision: 11.04.2022 Print date: 17.05.22

## 5. Firefighting measures

## 5.1. Extinguishing media

## Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist

#### Non suitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

## 5.2. Special hazards arising from the substance or mixture

Fire will produce dense black smoke. In a fire, hazardous decomposition products may be produced. Exposure to decomposition products may cause a health hazard. Vapours can form an explosive mixture with air.

## 5.3. Advice for firefighters

## Special protective equipment for fire-fighting

In case of combustion evolution of dangerous gases possible. Use self-contained breathing apparatus.

#### Other information

Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water. Standard procedure for chemical fires.

## 6. Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Do not inhale vapours. Do not inhale gases. Do not inhale mist.

## 6.2. Environmental precautions

Do not allow to enter drains or waterways. Do not allow to enter soil, waterways or waste water canal. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Do NOT use solvents or thinners. Send in suitable containers for recovery or disposal.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## 7. Handling and storage

## 7.1. Precautions for safe handling

## Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Keep container tightly closed and dry in a cool, well-ventilated place. Use only with adequate ventilation/personal protection. Ensure adequate ventilation. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values. Avoid contact with skin and eyes. Avoid inhalation of vapour and spray mist. Do no eat, drink or smoke when using this product. Use personal protective clothing. For personal protection see Section 8.

Version: 35 / GB

Replaces Version: 34 / GB

Revision: 11.04.2022 Print date: 17.05.22

#### Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Vapours are heavier than air and may spread along floors. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Take measures to prevent the build up of electrostatic charge. Wear shoes with conductive soles. No sparking tools should be used. Fight fire with normal precautions from a reasonable distance. Do not process in the same cabin together with highly flammable material (e.g. CN lacquer) => fire hazard through self ignition! Cleaning cloth soaked with the product can self ignite during packing up, therefore dry the cloth on a line or through spreading and dispose of after dry up.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Provide solvent-resistant and impermeable floor. Keep only in the original container in a cool, well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Hints on storage assembly

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

#### Storage classes

Storage class according to TRGS 510 10

Flammable liquids

## Further information on storage conditions

Keep away from heat. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in accordance with the particular national regulations.

## 7.3. Specific end use(s)

See exposure scenario, if available.

## 8. Exposure controls/personal protection

#### 8.1. Control parameters

**Exposure limit values** 

Naphtha (petroleum), hydro	treated heavy	
Value	1200	mg/m³
Status: 01/2020		

#### Other information

## Derived No/Minimal Effect Levels (DNEL/DMEL)

#### 2-ethylhexanoic acid zirconium salt

Type of value	Derived No Effect Level (DNEL)	
Reference group	Workers (industrial)	
Duration of exposure	Long-term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	32,97	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Workers (industrial)	
Duration of exposure	Long-term	
Route of exposure	Dermal exposure	

#### Safety data sheet in accordance with regulation (EC) No 1907/2006 Trade name: Whittle Waxes Object Oil Version: 35 / GB Revision: 11.04.2022 Print date: 17.05.22 Replaces Version: 34 / GB Mode of action Systemic effects Concentration 6.49 mg/kg/d Derived No Effect Level (DNEL) Type of value Reference group Consumer Duration of exposure Long-term Route of exposure Oral exposure Mode of action Systemic effects Concentration 4,51 mg/kg/d Type of value Derived No Effect Level (DNEL) Reference group Consumer Duration of exposure Long-term Route of exposure inhalative Mode of action Systemic effects Concentration 8,13 mg/m<sup>3</sup> Derived No Effect Level (DNEL) Type of value Reference group Consumer Duration of exposure Lona-term Route of exposure Dermal exposure Mode of action Systemic effects Concentration 3.25 mg/kg/d Predicted No Effect Concentration (PNEC) 2-ethylhexanoic acid zirconium salt Type of value PNEC Type Freshwater Concentration 0.36 mg/l Type of value PNEC Type Saltwater Concentration 0,036 mg/l PNEC Type of value Type Fresh water sediment Concentration 6,37 mg/kg Type of value PNEC Type saltwater sediment Concentration 0,637 mg/kg PNEC Type of value Type Soil Concentration 1,06 mg/kg PNEC Type of value Type Sewage treatment plant (STP) Concentration 71,7 mg/kg

## 8.2. Exposure controls

Version: 35 / GB

Replaces Version: 34 / GB

Revision: 11.04.2022 Print date: 17.05.22

#### **Exposure controls**

Users are advised to consider national Occupational Exposure Limits or other equivalent values. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

#### **Respiratory protection**

Respiratory protection not applicable; Use breathing apparatus if exposed to vapours/dust/aerosol. Recommended Filter type: Respiratory protection mask with combination filter A/P2

#### Hand protection

Protective gloves complying with EN 374.

Glove material

Appropriate Ma	aterial	Nitrile	rubber	
Material thickn	ess	>=	0,4	mm
Breakthrough t	ime	>=	30	min

This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

The breakthrough time must be greater than the end use time of the product.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.

#### Eye protection

Wear eye glasses with side protection according to EN 166.

#### Body protection

Wear suitable protective clothing. Remove contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

## 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

liquid		•	•	
colou	irless			
pleas	ant			
not d	etermined			
not d	etermined			
not d	etermined			
boiling rang	ge			
	159	to	250	
>	60			
	colou pleas not d not d <b>not d</b> <b>boiling rang</b>		colourless pleasant not determined not determined not determined <b>boiling range</b> 159 to	colourless pleasant not determined not determined not determined boiling range 159 to 250

°C

°C

Replaces Version: 34 / GB       Print date: 17.05.22         Remarks       not determined         Flammability (solid, gas) not determined       Image: Construction of the cons	rade name: Whittle Waxes Object Oil						
Remarks       not determined         Flammability (solid, gas) not determined       Image: Solid So	/ersion: 35 / GB						Revision: 11.04.202
Remarks       not determined         Flammability (solid, gas) not determined       Image: Solution of the solutis of the solution of the solution of the solutis of the solution o	Replaces Version: 34 / GB						
Flammability (solid, gas) not determined         Upper/lower flammability or explosive limits Remarks       not determined         Remarks       not determined         Vapour pressure Remarks       not determined         Remarks       not determined         Vapour density Remarks       not determined         Density Value       appr.       0.884       kg/l         Value       appr.       0.884       kg/l         Temperature       20       °C       °C         Solubility in water Remarks       not determined       Kg/l         Remarks       not determined       Solubility in water         Remarks <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>							
not determined Upper/Iower flammability or explosive limits Remarks not determined Vapour pressure Remarks not determined Density Value appr. 0.884 kg/l Temperature 20 °C Solubility in water Remarks not determined Solubility in water Remarks not determined Solubility in suter Remarks not determined Partition coefficient: n-octanol/water Remarks not determined Ignition temperature Remarks not determined Decomposition temperature Remarks not determined Uiscosity Remarks not determined Efflux time Value 26 to 32 s Temperature 20 °C Method DIN 5321114 mm Explosive properties evaluation not determined 9.2. Other information Non-volatile content Value 40,1 % Method 2alculated value Other information	Remarks	not de	termined				
Remarks       not determined         Vapour pressure Remarks       not determined         Remarks       not determined         Vapour density       Remarks         Remarks       not determined         Density       appr. 0.884       kg/l         Value       appr. 0.884       kg/l         Temperature       20       °C         Solubility in water       not determined         Remarks       not determined         Solubility in water       Remarks         Remarks       not determined         Solubility in water       Remarks         Remarks       not determined         Partition coefficient: n-octanol/water       Remarks         Remarks       not determined         Ignition temperature       Remarks         Remarks       not determined         Viscosity       Remarks         Remarks       not determined         Viscosity       Remarks         Remarks       not determined         Efflux time       20       °C         Value       26       to       32       s         Temperature       20       °C       s         Temperature       20							
Vapour pressure       not determined         Remarks       not determined         Vapour density       not determined         Remarks       not determined         Density       20       °C         Value       appr. 0,884       kg/l         Temperature       20       °C         Solubility in water       economic       kg/l         Remarks       not determined       kg/l         Solubility(ies)       remarks       not determined         Remarks       not determined       Partition coefficient: n-octanU/water         Remarks       not determined       "C         Partition coefficient:       20       "C	Upper/lower flammability or e	explosiv	ve limits				
Remarks       not determined         Vapour density       Remarks         Remarks       not determined         Density       appr.       0.884         Value       appr.       0.884         Temperature       20       °C         Solubility in water       appr.       6.844         Remarks       not determined       Solubility(ies)         Value       20       °C       Solubility(ies)         Welthod </td <td>Remarks</td> <td>not det</td> <td>termined</td> <td></td> <td></td> <td></td> <td></td>	Remarks	not det	termined				
Vapour density Remarks       not determined         Density       appr. 0.884       kg/l         Value       appr. 0.884       kg/l         Temperature       20       °C         Solubility in water Remarks       not determined       kg/l         Remarks       not determined       secondary         Partition coefficient: n-octanol/water Remarks       not determined       secondary         Viscosity       not determined       secondary         Remarks       not determined       secondary         Viscosity       secondary       secondary         Remarks       not determined       secondary         Value       26       to       s2       s         Value       20       °C       secondary       secondary         Method       DIN 53211 4 mm       secondary       secondary       secondary         Solubility in water       secondary       secondary       secondary       secondary	Vapour pressure						
Remarks       not determined         Density       appr. 0.884       kg/l         Value       appr. 0.884       kg/l         Temperature       20       °C         Solubility in water       not determined       kg/l         Remarks       not determined       sc         Solubility(ies)       not determined       sc         Remarks       not determined       sc         Partition coefficient: n-octanol/water       not determined       sc         Remarks       not determined       sc         Ignition temperature       not determined       sc         Remarks       not determined       sc         Decomposition temperature       not determined       sc         Remarks       not determined       sc         Viscosity       sc       sc         Remarks       not determined       sc         Efflux time       20       °C         Value       26       to       32       s         Temperature       20       °C       sc       sc         Method       DIN 532114 mm       sc       sc         Scilising properties       sc       sc       sc         Remar	Remarks	not de	termined				
Density       value       appr.       0.884       kg/l         Temperature       20       °C       Solubility in water         Remarks       not determined       For the solution of the	• •						
Value Temperatureappr.0.884 20%Solubility in water Remarksnot determined"C"Remarksnot determined""Solubility(ies) Remarksnot determined""Remarksnot determined""Partition coefficient: n-octano//water Remarksnot determined""Remarksnot determined""Ignition temperature Remarksnot determined""Remarksnot determined""Viscosity Remarksnot determined""Remarksnot determined""Value26to ""<">"Value26to ""<">"Value20"C"Temperature Method20"C"Solubility in temperature Remarks20""Remarksnot determined""Value26to ""<">"Solution20""<"	Remarks	not de	termined				
Temperature       20       °C         Solubility in water       Remarks       not determined         Remarks       not determined       Solubility(ies)         Remarks       not determined       Partition coefficient: n-octanol/water         Remarks       not determined       Image: Composition temperature         Value       26       to       32       s         Temperature       20       °C       °C       °C         Method       DIN 53211 4 mm       Image: Composition temperature       Imag	-						
Solubility in water       not determined         Remarks       not determined         Solubility(ies)       not determined         Remarks       not determined         Partition coefficient: n-octaw/water       Remarks         Remarks       not determined         Ignition temperature       Remarks         Remarks       not determined         Decomposition temperature       Remarks         Remarks       not determined         Viscosity       not determined         Remarks       not determined         Efflux time       20       °C         Value       26       to       32       s         Temperature       20       °C       Not determined       So         Temperature       20       °C       So       So         Value       26       to       32       s         Temperature       20       °C       So       So         Method       DIN 53211 4 mm       So       So         Solubility formation       Not determined       So       So         Solubility formation       Not determined       So       So         Qualuation       not determined       So       <		appr.		°C		kg/l	
Remarksnot determinedSolubility(ies) Remarksnot determinedPartition coefficient: n-octano//water Remarksnot determinedIgnition temperature Remarksnot determinedRemarksnot determinedRemarksnot determinedPecomposition temperature RemarkssecondRemarksnot determinedPecomposition temperature RemarkssecondRemarksnot determinedPecomposition temperature RemarkssecondRemarksnot determinedFfflux timesecondUalue26toValue20°CMethodDIN 532114 mmFexplosive properties evaluationsecondOxidising properties RemarkssecondOxidising properties RemarkssecondOxidising properties ValuesecondValue40,1%Oxidiale content%Value40,1Value <t< td=""><td>-</td><td></td><td>20</td><td>-0</td><td></td><td></td><td></td></t<>	-		20	-0			
Solubility(ies) Remarksnot determinedPartition coefficient: n-octano//water Remarksnot determinedIgnition temperature Remarksnot determinedRemarksnot determinedDecomposition temperature Remarksiteration of determinedRemarksnot determinedViscosity Remarksiteration of determinedViscosity Remarksiteration of determinedEfflux time Value26 20 °Citeration of all o	-	not do	torminod				
Remarks       not determined         Partition coefficient: n-octanol/water         Remarks       not determined         Ignition temperature         Remarks       not determined         Decomposition temperature         Remarks       not determined         Decomposition temperature         Remarks       not determined         Viscosity         Remarks       not determined         Viscosity         Remarks       not determined         Efflux time         Value       26       to       32       s         Temperature       20       °C       s       s         Method       DIN 53211 4 mm       s       s       s         Explosive properties       evaluation       not determined       s       s         evaluation       not determined       s       s       s         Oxidising properties       not determined       s       s       s         generks       not determined       s       s       s       s         92. Other information       not determined       s       s       s       s         Walue       40,1       %       s       s <td></td> <td>not de</td> <td>lennineu</td> <td></td> <td></td> <td></td> <td></td>		not de	lennineu				
Partition coefficient: n-octanu-l/water         Remarks       not determined         Ignition temperature       not determined         Remarks       not determined         Decomposition temperature       not determined         Remarks       not determined         Viscosity       not determined         Remarks       not determined         Ffflux time       26       to       32       s         Value       26       °C       s         Temperature       20       °C       s         Method       DIN 53211 4 mm       s         Explosive properties       s       s         evaluation       not determined       s         Oxidising properties       s       s         Remarks       not determined       s         92. Other information       s       s         Value       40,1       %         Value       40,1       %         Method       40,1       %         Other information       s       s		not do	torminod				
Remarksnot determinedIgnition temperature Remarksnot determinedDecomposition temperature Remarksnot determinedRemarksnot determinedViscosity RemarkssRemarksnot determinedEfflux timesValue26 20 °CsMethodDIN 532114 mmExplosive properties evaluationsRemarksnot determinedFirst remarkssOxidising properties RemarkssOxidising properties RemarkssValue remarks40,1Value Method40,1Value Method40,1Value Method40,1Value Method40,1Other informationValue MethodOther information							
Ignition temperature       not determined         Remarks       not determined         Remarks       not determined         Viscosity       not determined         Remarks       not determined         Viscosity       not determined         Remarks       not determined         Ffflux time       26       to         Value       26       to       32       s         Temperature       20       °C       s       s         Method       DIN 532114 mm       s       s         Explosive properties       s       s       s         evaluation       not determined       s       s         Oxidising properties       s       s       s         Remarks       not determined       s       s         9.2. Other information       not determined       s       s         Value       40,1       %       %         Method       edottermined       %         Other information       s       s         Value       40,1       %         Method       edottermined       s							
Remarksnot determinedDecomposition temperature Remarksnot determinedViscosity Remarksnot determinedEfflux time26to32sValue26to32sTemperature Method20°C°CServer properties evaluationnot determined		not de	lennineu				
Decomposition temperature       Not determined         Remarks       not determined         Viscosity       not determined         Remarks       not determined         Efflux time       26       to       32       s         Value       26       °C       °C       s         Temperature       20       °C       °C       s         Method       DIN 53211 4 mm       S       S         Explosive properties       s       s       S         evaluation       not determined       S       S         Oxidising properties       s       S       S         Remarks       not determined       S       S         Oxidising properties       S       S       S         Remarks       not determined       S       S         Other information       S       S       S         Value       40,1       %       %         Method       calculated value       %         Other information       S       S       S		not dei	termined				
Remarksnot determinedViscosity Remarksnot determinedEfflux time		not do					
Viscosity Remarksnot determinedEfflux time26to32sValue26°C°CsTemperature20°C°CsMethodDIN 53211 4 mmSsExplosive properties evaluationnot determinedsOxidising properties Remarksnot determineds9.2. Other information40,1%Value40,1%Other informationcalculated value%		not det	termined				
Remarksnot determinedEfflux time26to32sValue26to32sTemperature20°C°CMethodDIN 53211 4 mm*********************************		not do					
Efflux time         Value       26       to       32       s         Temperature       20       °C       °C       s         Method       DIN 53211 4 mm       s       s         Explosive properties       ont determined       s       s         evaluation       not determined       s       s         Oxidising properties       not determined       s       s         Remarks       not determined       s       s         9.2. Other information       s       s       s         Value       40,1       %       s         Value       40,1       %       s         Other information       s       s       s         Value       40,1       %       s         Other information       s       s       s         Value       40,1       %       s         Other information       s       s       s         Value       40,1       %       s         Other information       s       s       s         S       s       s       s       s         S       s       s       s       s		not det	termined				
Value26to32sTemperature20°C°CMethodDIN 53211 4 mmExplosive propertiesevaluationnot determinedOxidising propertiesRemarksnot determined9.2. Other informationNon-volatile contentValue40,1Value40,1Methodcalculated valueOther information							
Temperature Method20 DIN 53211 4 mmExplosive properties evaluation0xidising properties RemarksOxidising properties Remarksnot determined9.2. Other information Non-volatile content Value Method40,1 calculated valueValue Method40,1 calculated valueOther information%			26	to	32	S	
Explosive properties   evaluation   not determined   Oxidising properties   Remarks   not determined   9.2. Other information   Non-volatile content   Value   Value   A0,1   Method   calculated value   Other information	Temperature		20		-	-	
evaluation       not determined         Oxidising properties       not determined         Remarks       not determined         9.2. Other information       Value         Value       40,1         Value       40,1         Method       calculated value         Other information       Value	Method	DIN 53	3211 4 mm				
Oxidising properties Remarks       not determined         9.2. Other information       Value         Value       40,1         Value       40,1         Method       calculated value         Other information       %	Explosive properties						
Remarks     not determined       9.2. Other information       Non-volatile content       Value     40,1       Method     calculated value       Other information		not de	termined				
9.2. Other information Non-volatile content Value 40,1 % Method calculated value Other information	- · ·						
Non-volatile contentValue40,1Methodcalculated valueOther information		not dei	termined				
Value40,1%Methodcalculated valueOther information							
Method calculated value Other information							
Other information		calcula				%	
	Other information						

1

Version: 35 / GB

Replaces Version: 34 / GB

Revision: 11.04.2022 Print date: 17.05.22

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

To avoid thermal decomposition, do not overheat.

#### 10.4. Conditions to avoid

Isolate from sources of heat, sparks and open flame.

#### 10.5. Incompatible materials

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

#### **10.6. Hazardous decomposition products**

Carbon monoxide and carbon dioxide, nitrous oxides (NOx), dense black smoke, No decomposition if used as prescribed.

#### **11. Toxicological information**

## 11.1. Information on toxicological effects

Acute oral toxicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Acute dermal toxicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Acute inhalational toxicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Serious eye damage/irritat	ion
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Sensitization	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Mutagenicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Reproductive toxicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.
Reproduction toxicity (Cor	nponents)
2-ethylhexanoic acid zirconi evaluation	um salt Toxic to Reproduction Category 2
Carcinogenicity	

Version: 35 / GB

Replaces Version: 34 / GB

Revision: 11.04.2022 Print date: 17.05.22

Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.

## Specific Target Organ Toxicity (STOT)

Single	exposure
•	0.0000.0

Repeated exposure	
Remarks	Based on available data, the classification criteria are not met.
Method	Calculation method (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Other information

No toxicological data are available.

## 12. Ecological information

#### 12.1. Toxicity

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

#### 12.2. Persistence and degradability

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

#### 12.3. Bioaccumulative potential

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

#### Partition coefficient: n-octanol/water

Remarks

not determined

## 12.4. Mobility in soil

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

#### Mobility in soil

no data available

## 12.5. Results of PBT and vPvB assessment

## **General information**

For this subsection there is no ecotoxicological data available on the product as such.

#### 12.6. Other adverse effects

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

#### General information / ecology

For this subsection there is no ecotoxicological data available on the product as such.

## 13. Disposal considerations

Completely emptied packagings can be given for recycling.

Land transport ADR/RID

Not classified as dangerous in the

meaning of transport regulations.

Trade name: Whittle Waxes Object Oil	
Version: 35 / GB	Revision: 11.04.202
Replaces Version: 34 / GB	Print date: 17.05.22
13.1. Waste treatment methods	5
Disposal recommendations f	or the product
EWC waste code	080111 - waste paint and varnish containing organic solvents or other dangerous substances
EWC waste code	200127 - paint, inks, adhesives and resins containing dangerous substances
Where possible recycling is pre Do not allow to enter drains or	eferred to disposal or incineration. waterways.
modified product	
EWC waste code	080113 - sludges from paint or varnish containing organic solvents or other dangerous substances
EWC waste code	080115 - aqueous sludges containing paint or varnish containing organic solvents or other dangerous substances
Dried residues	
EWC waste code	080112 - waste lacquers and waste paint except those falling under 080111
Disposal recommendations f	or packaging
EWC waste code	150110 - packaging containing residues of or contaminated

## 15. Regulatory information

14. Transport information

14.1. UN number

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

by dangerous substances

Marine transport IMDG/GGVSee

Not classified as dangerous in the

meaning of sea and air transport

regulations.

Air transport ICAO/IATA

Not a dangerous substance as

defined in the above regulations.

VOC (EU)	59.7	%	528	g/l	
15.2. Chemical safety ass	,	,0	0_0	9	
For this substance / mix	ture a chemical safety	assess	ment was r	not carried out.	
16. Other information					
Hazard statements liste	ed in Chapter 3				
H304	May be fatal if swallowed and enters airways.				
H361d	Suspected of damaging the unborn child.				
CLP categories listed in	n Chapter 3				
Asp. Tox. 1	Aspiration hazar	d, Cate	gory 1		

Version: 35 / GB

Replaces Version: 34 / GB

Repr. 2

Revision: 11.04.2022 Print date: 17.05.22

Reproductive toxicity, Category 2

## Abbreviations

ADR - Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID - Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning theInternational Transport of Dangerous Goods by Rail) IMDG - International Maritime Code for Dangerous Goods IATA - International Air Transport Association IATA-DGR - Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO-TI - Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS - Globally Harmonized System of Classification and Labelling of Chemicals EINECS - European Inventory of Existing Commercial Chemical Substances CAS - Chemical Abstracts Service (division of the American Chemical Society) GefStoffV - Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL - Lowest Observed Adverse Effect Level LOEL - Lowest Observed Effect Level NOAEL - No Observed Adverse Effect Level NOEC - No Observed Effect Concentration

NOEL - No Observed Effect Level

OECD - Organisation for Econpmic Cooperation and Development

VOC - Volatile Organic Compounds

Changes since the last version are highlighted in the margin (\*\*\*). This version replaces all previous versions.

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

The information contained herein is based on the present state of our knowledge and does therefore not guarantee certain properties.