## SAFETY DATA SHEET OF ALCOHOL WIPES DISINFECTANT FOR PROBE THERMOMETERS

SECTION 1- PRODU	CT AND COMPANY IDENTIFICA	TION	
PRODUCT NAME	Alcohol Wipes Disinfectant for Probe Thermometers	DESCRIPTION: Non-woven wipe saturated with 50% Ethyl Alcohol and 8% Isopropyl Alcohol.	
Recommended Use:		For disinfection of probe thermometer and work surface	
Importer Name:		Fildes Food Safety Pty.ltd.	
Importer Address:		28-32 George St.Sandringham,Victoria,Australia ,3191	
Emergency phone nu	mber:	1800673644 (office hours)	
		Poisons Information Centre 131126(24hours)	
SECTION 2 - HAZAR	RDS IDENTIFICATION		
Classification of subs	tance or mixture:	Eye Damage/Irritation - Category 2, H319 Highly Flammable Liquid and Vapor – Category 2, H225 Specific target Organ Toxicity –Single Exposure – Category 3, H336	
Signal Word:		Warning, Danger	
Pictogram:			
		Cause serious eye irritation	
Hazard Statements:		Highly Flammable Liquid and Vapor  May cause drowsiness or dizziness	
Precautionary Statem	nents:		
Prevention		Keep away from heat/sparks/open flames/hot surfaces No smoking.  Use only in a well-ventilated area.	
Response		If inhaled: Remove person to fresh air and keep comfortable for breathing.  If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  If eye irritation persists: Get medical advice/attention.  In case of fire: Use appropriate media to extinguish.	
Storage		Store in a well-ventilated place. Keep cool.	
Disposal		Dispose of waste and residues in accordance with local authority requirements.	

Ingredients of unknown toxicity:			N.A	A.		
Hazards not Otherwise Classified:			No	Data Available		
SECTION 3 - COMPOSITION / INFORMATION ON I			N ON INGREDI	ENTS		
Mixtures						
Ingredients	CAS#	Conc.(%	) by Volume	Classification		
Ethyl Alcohol	64-17-5	50		Flammable Liquid -Category 2 ,H225		
				Eye Damage/Irritation - Category 2, H319		
Jaansanyi Alaahai	67.62.0			Highly Flammable Liquid and Vapor – Category 2, H225		
Isopropyl Alcohol	67-63-0	8		Specific Target Organ Toxicity –Single Exposure – Category 3,		
				H336		
Non-Hazardous Ingredients	Proprietary	42		Not applicable		
Composition co	omments			centration of composition has been withheld as a trade ance with paragraph (i) of the OSHA HCS 1910.1200.		
SECTION 4 - FIRS	T AID MEASUR	ES				
			Take proper p	precautions to ensure your own health and safety before attempting		
FIRST AID MEASU	IRES GENERAL	:	rescue and pr	rescue and providing first aid. Consult a physician. Show this safety data sheet to		
			the doctor in attendance. Move out of dangerous area.			
INHALATION:			Remove to fre	Remove to fresh air and keep at rest in a position comfortable for breathing. Call a		
INHALATION.			POISON CEN	ITER/doctor/physician if you feel unwell.		
SKIN CONTACT:			In case of skir	n irritation, discontinue use of product. Wash off with soap and water.		
SKIN CONTACT.			Get medical attention if irritation develops and persists.			
			Immediately f	lush eyes with plenty of water for at least 15 minutes. Remove contac		
EYES CONTACT:			lenses, if present and easy to do. Continue rinsing. Get medical attention			
			immediately.			
			If swallowed,	get medical help or contact a Poison Control Center immediately.		
INGESTION:			Immediately rinse mouth out with water. Do not induce vomiting. If vomiting occurs			
INGLOTION.			naturally, have victim lean forward to reduce risk of aspiration. Never give anything			
			by mouth if victim is unconscious, or is convulsing.			
MOST IMPORTAN	Т					
SYMPTOMS/EFFECTS,ACUTE AND		May cause ey	ve damage. Vapors may cause drowsiness or dizziness.			
DELAYED:						
INDICATION OF ANY IMMEDIATE						
MEDICAL ATTENTION AND SPECIAL		Provide gener	ral supportive measures and treat symptomatically.			
TREATMENT NEEDED:						
SECTION 5 - FIRE	FIGHTING ME	ASURES				
SUITABLE EXTINGUISHING MEDIA: A		Alcohol resista	ant foam. Carbon dioxide (CO2). Dry chemical.			
UNSUITABLE EXTINGUISHING MEDIA: N		Not available.				

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:	During fire, gases hazardous to health may be formed.
SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.
FIRE-FIGHTING EQUIPMENT/INSTRUCTIONS:	In case of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray. Move containers from fire area if you can do so without risk.
SPECIFIC METHODS:	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.
SECTION 6- ACCIDENTAL RELEASE MEAS	URES
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:	Eliminate all source of ignition. Wear appropriate protective equipment and clothing during clean-up.
ENVIRONMENTAL PRECAUTIONS:	Prevent from entering waterways.
MATHODS AND MATERIAL FOR	For large releases, absorb into dry earth and transfer into containers. Wash spill
CONTAINMENT AND CLEAN UP:	site and water.
PETERS TO OTHER SECTIONS	For personal protection, see section 8 of this SDS.
REFERENCE TO OTHER SECTIONS:	For disposal consideration, see section 13 of this SDS.
SECTION 7- HANDLING AND STORAGE	
	Flammable, keep away from fire or flame. Do not use with electrocautery
	procedures. Use according to package label instructions. Discard after single use.
PRECAUTIONS FOR SAFE HANDLING:	Wear appropriate personal protective equipment. Do not get this material in contact
PRECAUTIONS FOR SAFE HANDLING.	with eyes. Avoid prolonged exposure. Provide adequate ventilation. Do not handle,
	store or open near an open flame, sources of heat or sources of ignition. Observe
	good industrial hygiene practices. Use care in handling/storage.
	Store at room temperature. For hospital and professional use only. Keep away from
CONDITIONS FOR SAFE STORAGE,	heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store
INCLUDING ANY INCOMPATIBILITIES:	in a well-ventilated place. Store in original tightly closed container. Store away from
	incompatible materials (see Section 10 of the SDS). Keep out of reach of children.
	SONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Isopropyl Alcohol (CAS 67-63-0)	PEL	980 mg/m3
		400 ppm
Ethyl Alcohol (CAS 64-17-5)	PEL	1900 mg/m3
		1000 ppm
US. ACGIH Threshold Limit Values		
Components	Туре	Value
Isopropyl Alcohol (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm
US. NIOSH: Pocket Guide to Chemical Ha	zards	
Components	Туре	Value
Isopropyl Alcohol (CAS 67-63-0)	STEL	1225 mg/m3
		500 ppm
	TWA	980 mg/m3
		400 ppm
Ethyl Alcohol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
EXPOSURE CONTROLS		
ENGINEERING CONTROLS:	Ensure there is sufficient ventilation of the area. Ensure all ignition sources are	
	removed.	
INDIVIDUAL PROTECTION MEASURES,	SUCH AS PERSONAL PROTECTIVE EQUI	PMENT
EYE/FACE RPOTECTION:	Wear gear as deemed necessary. Follow	v label directions.
SKIN PROTECTION		
HAND PROTECTION:	Wear gear as deemed necessary. Follow	v label directions.
OTHER:	Follow label directions carefully.	
RESPIRATORY PROTECTION:	Wear positive pressure self-contained br	eathing apparatus(SCBA).
THERMAL HAZARDS:	Not available.	
OTHER WORK/HYGIENIC PRACTICE:	When using do not smoke.	
		ustrial hygiene and safety practice. Wash
	thoroughly with soap and water after ha	andling and before eating, drinking, or using
	tobacco. Safety shower and eye wash sh	

SECTION 9 - PHYSICAL AND CHEMICAL PR	ROPERTIES	3
APPEARANCE:	Moist wipe	e saturated with colourless liquid
ODOUR:	Alcoholic	
ODOUR THRESHOLD:	N/A	
pH:	N.D.	
FLASH POINT:	N.D	
FLAMMABLE OR EXPLOSIVE LIMITS:	LEL: N.D	
TEAVINABLE ON EXTENSIVE ENVITOR	UEL: N.D	
AUTO IGNITION TEMPERATURE:	N.D.	
SOLUBILITY:	Azeotrope	
PARTITION COEFFICIENT	N.D.	
WATER/N-OCTANOL:	14.5.	
VOC%:	N/A	
VISCOSITY:	N.D.	
SPECIFIC GRAVITY:	N.D	
DENSITY LBS/GAL:	N/A	
FLAMMABILITY:	N.D.	
VAPOR PRESSURE:	N.D.	
VAPOR DENSITY:	N.D.	
BOILING POINT:	N.D.	
BOILING RANGE:	N.D.	
EVAPORATION RATE:	N.D.	
MELTING POINT:	N/A	
SECTION 10 - STABILITY AND REACTIVITY	,	
REACTIVITY:		This product may react with strong oxidizing agents.
CHEMICAL STABILITY:		Stable under recommended storage and handling conditions.
POSSIBILITY OF HAZARDOUS REACTIONS		Hazardous polymerization will not occur.
CONDITIONS TO AVOID:		Heat, flames and sparks. Avoid temperatures exceeding the flash
CONDITIONS TO AVOID.		point. Do not mix with other chemicals.
INCOMPATIBLE MATERIALS:		Aldehydes, amines, strong oxidizers, caustics, chlorinated compounds, alkanolamines.
HAZARDOUS DECOMPOSITION PRODUCTS:		May include and are not limited to: Oxides of carbon
SECTION 11 - TOXICOLOGICAL INFORMAT	TION	
INFORMATION ON TOXICOLOGICAL EFFEC		
INGESTION:		Not applicable under normal conditions of use.
INHALATION:		Vapors have a narcotic effect and may cause headache, fatigue,

		dizziness and nausea.	
SKIN CONTACT:		Not expected to be a primary skin irritant.	
EYE CONTACT:		Cause serious eye irritation.	
SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:  INFORMATION ON TOXICOLOGICAL EFFECTS		Symptoms of overexposure may be headache, dizzin ess, tiredness, nausea and vomiting.  Symptoms may include stinging, tearing, redness, swelling, and blurred vision.	
ACUTE TOXICITY:		Narcotic effects.	
Base on 100% Isopropyl Alcohol (CAS: 67-	63 0)	Ival cotto effects.	
	.03-0)		
Acute			
Dermal	D 11.7	40000 #	
LD50	Rabbit	12800 mg/kg	
Inhalation	D-4	40070 1/4/2	
LC50 Oral	Rat	16970 mg/L/4h	
LD50	Rat	4396 mg/kg	
Base on 100% Ethyl Alcohol (CAS 64-17-5		4550 Hg/kg	
Acute	)		
Dermal LD50 Not Available			
LD50 Inhalation	NOL Available		
LC50	Mouse	39 mg/l, 4 Hours	
1500	Rat	31623 ppm, 4 Hours	
		20000 ppm, 10hours	
Oral		., .	
LD50	Dog	5500 mg/kg	
	Guinea pig	5600 mg/kg	
	Mouse	3450 mg/kg	
	Rat	7600 mg/kg	
SKIN CORROSION/IRRITATION:	Prolo	nged skin contact may cause temporary irritation.	
EXPOSURE MINUTES:	Not a	vailable.	
		available.	
OEDEMA VALUE: Not av		vailable.	
SERIOUS EYE DAMAGE/EYE IRRITATION: Cause		e serious eye irritation.	
CORNEAL OPACITY VALUE: Not av		vailable.	
		vailable.	
CONJUNCTIVAL REDDENING VALUE: Not av		vailable.	

CONJUNCTIVAL OEDEMA	VALUE:	Not av	railable.		
RECOVERY DAYS:		Not available.			
RESPIRATORY OR SKIN SENSITIZATION					
RESPIRATORY SENSITIZATION:		Not av	Not available.		
SKIN SENSITIZATION:		This p	roduct is not expected to cause skin sen	nsitization.	
GERM CELL MUTAGENICITY:		This p	roduct is not expected to have chronic h	ealth effects.	
CARCINOGENICITY:		This p	s product is not considered to be a carcinogen by IARC, ACGIH, NTP, or		
US. OSHA SPECIFICALLY RE	GULATED SUBSTA	ANCES	NCES (29 cfr 1910.1001-1050) : Not listed.		
REPRODUCTIVE TOXICITY:			This product is not expected to have chronic health effects.		
SPECIFIC TARGET ORGAN TO	OXICITY -SINGLE				
EXPOSURE:			Narcotic effects.		
SPECIFIC TARGET ORGAN T	OXICITY -REPEAT	ED			
EXPOSURE:			Not classified.		
ASPIRATION HAZARD:			Not classified.		
CHRONIC EFFECTS:			Prolonged inhalation may be harmful.		
FURTHER INFORMATION:			Not available		
SECTION 12 - ECOLOGICAL	INFORMATION				
ECOTOXICITY SEE BELOW					
COMPONENTS			SPECIES	TEST RESULTS	
ISOPROPYL ALCOHOL (CAS 67-63-0)					
Algae	IC50		Algae	1000mg/L, 72 Hours	
Crustacea	EC50		Daphnia	11744.5 mg/L, 48 Hours	
Aquatic					
Fish	LC50		Bluegill (Lepomis macrochirus)	>1400mg/L, 96 Hours	
COMPONENTS	COMPONENTS		SPECIES	TEST RESULTS	
Ethyl Alcohol (CAS 64-17-5)					
Crustacea EC50		Daphnia	11744.5 mg/L, 48 Hours		
Aquatic					
Crustacea	Crustacea EC50		Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours	
Fish LC50			Fathead minnow(Pimephales promelas)	> 100 mg/l, 96 hours	
PERSISTENCE AND DEGRADABILITY:			No data available.		
BIOACCUMULATIVE POTENTIAL:		No data available.			
MOBILITY IN SOIL:		No data available.			
MOBILITY IN GENERAL:		Not available.			
OTHER ADVERSE EFFECTS	OTHER ADVERSE EFFECTS		No other adverse environmental effects (e.g. ozone depletion,		
			photochemical ozone creation potential, endocrine disruption, global		
			warming potential) are expected from	this component.	

SECTION 13 - DISPOSABLE CONSIDERATIONS	
DISPOSAL INSTRUCTIONS:	Follow container label directions carefully. Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.
LOCAL DISPOSAL REGULATIONS:	Dispose in accordance with all applicable regulations.
HAZARDOUS WASTE CODE:	Dispose in accordance with all applicable regulations.
WASTE FROM RESIDUES/UNUSED PRODUCTS:	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
CONTAMINATED PACKAGING:	Empty containers should be taken to an approved waste handling site for recycling or disposal.  Since emptied containers may retain product residue, follow label warnings even after container is emptied.
SECTION 14 - TRANSPORT INFORMATION	
U.S. DEPARTMENT OF TRANSPORTATION (DOT):	
Basic shipping requirements:	
UN Number	UN3175
Proper Shipping Name	Solids containing flammable liquid, n.o.s. (Alcohol, Isopropyl Alcohol)
Hazard Class	4.1
Packing Group	II
Packaging exceptions	<1kg - limited quantity (par. 173.151)  Note: Individually wrapped packet product is exempted from DOT regulation per Special Provision 47.
TRANSPORTATION OF DANGEROUS GOODS (TDG-Canada):  Basic shipping requirements:	
UN Number	UN3175
Proper Shipping Name	Solids containing flammable liquid, n.o.s. (Alcohol, Isopropyl Alcohol)
Hazard Class	4.1
Packing Group	II
Packaging exceptions	<1kg - limited quantity
DOT; TDG	
SECTION 15 - REGULATORY INFORMATION	

### US FEDERAL REGULATIONS

TSCA SECTION 12(B) EXPORT NOTIFICATION (40 CFR 707, SUBPT.D)

Not regulated.

CERCLA HAZARDOUS SUBSTANCE LIST (40 CFR 302.4)

Isopropyl Alcohol (CAS 67-63-0)

US. OSHA SPECIFICALLY REGULATED SUBSTANCES (29 CFR 1910.1001-1050)

Not listed.

#### SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA)

HAZARD CATEGORIES	IMMEDIATE HAZARD	Yes
	DELAYED HAZARD	No
	FIRE HAZARD	Yes
	PRESSURE HAZARD	No
	REACTIVITY HAZARD	No
SARA 302 EXTREMELY HAZARDOUS SUBSTANCE	No	
SARA 311/312 HAZARDOUS CHEMICAL	No	
SARA 313 (TRI reporting)		
Chemical Name	CAS Number	% by volume
Isopropyl Alcohol	67-63-0	8

Listed.

#### OTHER FEDERAL REGULATIONS

CLEAN AIR ACT (CAA) SECTION 112 HAZARDOUS AIR POLLUTANTS (HAPS) LIST

Not regulated.

CLEAN AIR ACT (CAA) SECTION 112 (R) ACCIDENTAL RELEASE PREVENTION (40 CFR 68.130)

Not regulated.

SAFE DRINKING WATER ACT (SDWA)

Not regulated.

FOOD AND DRUG ADMINISTRATION (FDA)

Not regulated.

### US STATE REGULATIONS

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Hazardous Substances (Director's): Listed substance

Isopropyl Alcohol (CAS 67-63-0) Listed.
Ethyl Alcohol (CAS 64-17-5) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT):

Not listed.

US - Illinois Chemical Safety Act: Listed substance

Isopropyl Alcohol (CAS 67-63-0) Listed.
Ethyl Alcohol (CAS 64-17-5) Listed.

US - Louisiana Spill Reporting: Listed substance

Isopropyl Alcohol (CAS 67-63-0)	Listed.
Ethyl Alcohol (CAS 64-17-5)	Listed.
US - Minnesota Haz Subs: Listed substance	
Isopropyl Alcohol (CAS 67-63-0)	Listed.
Ethyl Alcohol (CAS 64-17-5)	Listed.
US - New Jersey RTK - Substances: Listed substa	ance
Isopropyl Alcohol (CAS 67-63-0)	Listed.
Ethyl Alcohol (CAS 64-17-5)	Listed.
US. Massachusetts RTK - Substance List	
Isopropyl Alcohol (CAS 67-63-0)	Listed.
Ethyl Alcohol (CAS 64-17-5)	Listed.
US. Pennsylvania RTK - Hazardous Substances	
Isopropyl Alcohol (CAS 67-63-0)	Listed.
Ethyl Alcohol (CAS 64-17-5)	Listed.
US. Rhode Island RTK	
Isopropyl Alcohol (CAS 67-63-0)	Listed.

#### **SECTION 16 - OTHER INFORMATION**

SECTION 16 - OTHER INFORMATION	
LEGEND  Severe 4 Serious 3 Moderate 2 Slight 1 Minimal 0	HEALTH / 1  FLAMMABILITY 3  PHYSICAL HAZARD 0  PERSONAL X
DISCLAIMER:	The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.
ISSUE DATE:	May 6 <sup>th</sup> ,2021
EFFECTIVE DATE:	May 6 <sup>th</sup> ,2021
EXPIRATION DATE:	May. 6 <sup>th</sup> ., 2026
OTHER INFORMATION:	This Safety Data Sheet was prepared to comply with the current OSHA Hazard

Communication Standard (HCS) adoption of the Globally Harmonized System of
Classification and Labeling of Chemicals (GHS).

# END SDS