





### **Power Tool Series for the Contractor**



**Exceptional features and superior quality, Thin Kerf** 

TENRYU's comprehensive line of blades for portable and stationary power tools. More variety, better quality and greater value. Sizes range from 4" to 12" for most types of applications. The TENRYU **PT SERIES** goes on to include thin kerf wood cutting blades designed especially for smooth cuts on miter and slide-compound.

### BLADE FEATURES:

- Fully hardened, expertly tensioned tool steel bodies absorb impact, remain flat and true, and resist excess heat build-up.
- High-grade, C-3, fine-grain tungsten carbide tips resist erosion for extended blade life.
- Aggressive rake angles for maximum cutting speed and efficiency.
- Each tip is precision honed on all four exposed surfaces. This minimizes micro-chipping along the sharp edge of the blade and results in a sharper, longer-lasting edge.

- Thin kerf for less waste and lighter cutting performance (reduced feed pressure).
- Inserted tooth design on some models greatly increases the body-to-tip braze area for greater support and tip strength.
- Expansion slots and/or variable pitch gullets keep blade cool under stressful work loads.
- Can be resharpened for extended blade life.



## **POWER TOOL SERIES - Primarily for Portable Saws and Table Saws**

| MODEL #    | DIA.   | TEETH | ARBOR | GRIND        | KERF  | RAKE    | APPLICATION  |
|------------|--------|-------|-------|--------------|-------|---------|--|
| PT-10024   | 4"     | 24    | 20mm  | <u>ATAF</u>  | .055" | 18      | For woodworking on Makita 4" trim saw.                         |
| PT-10006-1 | 4"     | 6     | 22mm  | <u>FTG</u>   | .157" | 20      | For very clean and accurate biscuit slots in all woods.        |
| PT-10006-2 | 4"     | 6     | 22mm  | <u>ATAFR</u> | .157" | 1/3/-13 | For exceptionally clean and smooth biscuit slots in all woods. |
| PT-11036   | 4-3/8" | 36    | 20mm  | <u>ATAF</u>  | .063" | 15      | For fine trim work on corded Makita trim saws.                 |
| PT-11536   | 4-1/2" | 36    | 3/8"  | <u>ATAF</u>  | .063" | 113     | For clean and easy trim work on the Porter Cable trim saw.     |

| PT-14036    | 5-1/2" | 36 | 5/8"/ 1/2" | <u>ATAF</u> | .063" | 15 | For fine and easy trim work on Makita or Skil circular saws.                |
|-------------|--------|----|------------|-------------|-------|----|---|
| PT-15236    | 6"     | 36 | 1/2"       | <u>ATAF</u> | .063" | 15 | For excellent results on 6" Porter Cable corded or cordless saws.           |
| PT-16524    | 6-1/2" | 24 | 5/8"KO     | <u>ATB</u>  | .079" | 20 | For woodworking on 6-1/2" corded saws. FAST!                                |
| PT-16524-T  | 6-1/2" | 24 | 5/8"KO     | <u>ATAF</u> | .059" | 20 | For very fast and easy work on 6-1/2" corded or cordless saws.              |
| PT-16540    | 6-1/2" | 40 | 5/8"KO     | <u>ATB</u>  | .079" | 20 | For finer cuts on corded 6-1/2" saws.                                       |
| PT-16540-CR | 6-1/2" | 40 | BEVEL      | <u>ATB</u>  | .063" | 18 | For use on the CRAIN JAMB SAW for carpet/flooring installers.               |
| PT-16540-T  | 6-1/2" | 40 | 5/8"KO     | <u>ATB</u>  | .063" | 18 | ULTRA-THIN kerf for fine work on corded or cordless saws.                   |
| PT-16552-T  | 6-1/2" | 52 | 5/8"KO     | <u>ATAF</u> | .063" | 18 | ULTRA-THIN kerf for SUPER clean work on 6-1/2" saws.                        |
| PT-18516B   | 7-1/4" | 16 | 5/8"KO     | <u>ATB</u>  | .073" | 27 | Our super fast framing and ripping blade with INSERTED teeth.               |
| PT-18520B   | 7-1/4" | 20 | 5/8"KO     | <u>ATB</u>  | .073" | 27 | Fast and furious 20 tooth INSERTED TOOTH blade for framers.                 |
| PT-18524AM  | 7-1/4" | 24 | 5/8"KO     | <u>ATB</u>  | .070" | 20 | 24 tooth contractor blade. Fast with long cutting life.                     |
| PT-18524P   | 7-1/4" | 24 | 5/8"KO     | <u>ATB</u>  | .070" | 20 | BULLFROG. The choice when cutting pressure treated or wet lumber. COATED.   |
| PT-18524P3  | 7-1/4" | 24 | 5/8"KO     | <u>ATB</u>  | .070" | 20 | 3-Pack BULLFROG Blades  |
| PT-18524V   | 7-1/4" | 24 | 5/8"KO     | <u>ATB</u>  | .070" | 20 | CITATION. The unique VARIABLE PITCH framing blade for FAST, smooth cutting. |
|             | •      |    | •          |             |       |    | •   |

| PT-18524V3 | 7-1/4"  | 24 | 5/8"KO | <u>ATB</u>  | .070" | 20 | 3-Pack CITATION Blades   |
|------------|---------|----|--------|-------------|-------|----|--|
| PT-18540   | 7-1/4"  | 40 | 5/8"KO | <u>ATB</u>  | .073" | 27 | Spectacular INSERTED TOOTH finish blade. Great performance.                                |
| PT-18540B  | 7-1/4"  | 40 | 5/8"KO | <u>ATAF</u> | .063" | 27 | ULTRA-THIN kerf for finish cross-cutting. Bulk packaged.                                   |
| PT-18540-T | 7-1/4"  | 40 | 5/8"KO | <u>ATB</u>  | .063" | 18 | ULTRA-THIN blade for finish work on circular or trim saws.                                 |
| PT-18552-T | 7-1/4"  | 52 | 5/8"KO | <u>ATAF</u> | .063" | 18 | ULTRA-THIN, ultra-fine blade for trim work. For finest cuts.                               |
| PT-20360   | 8"      | 60 | 5/8"KO | <u>ATAF</u> | .087" | 5  | A no-nonsense clean cutting 8" woodcutting blade. Also for Panel saws.                     |
| PT-21018   | 8-1/4"  | 18 | 5/8"KO | <u>ATB</u>  | .075" | 25 | Fast cutting for woodworking and ripping on table or circular saws. INSERTED TOOTH DESIGN. |
| PT-21040   | 8-1/4"  | 40 | 5/8"KO | <u>ATB</u>  | .079" | 15 | The tremendously popular 8-1/4" Power Tool Series blade. For table or portable saws.       |
| PT-21060   | 8-1/4"  | 60 | 5/8"KO | <u>ATAF</u> | .079" | 12 | For fine cuts in wood with a table saw or circular saw.                                    |
| PT-26036   | 10-1/4" | 36 | 5/8"KO | <u>ATAF</u> | .079" | 20 | For woodworking on modified circular saws.   |

# POWER TOOL SERIES FOR MITER & SLIDE MITER SAWS

The "PT" Series blades for miter or slide miter saws range in sizes from 8-1/2" for the popular Hitachi through 12" diameters. 14" blades for older saws can be found on in our **Pro Series** for Wood. 15" miter saw blades are available in our **Miter-Pro Series**.

NOTE: This series may also be used for crosscutting applications on table saws.

### EACH BLADE FEATURES:

- Thin kerf design is easier on miter saw motors and brakes.
  Fully hardened, expertly tensioned tool steel bodies.
  Fine grain tungsten carbide tips with fine grit honing for keen edges.
- Excellent price/value

## **POWER TOOL SERIES - For Miter or Slide Miter Saws**

| MODEL #    | DIA.   | TEETH | ARBOR | GRIND       | KERF  | RAKE | APPLICATION  |
|------------|--------|-------|-------|-------------|-------|------|--|
| PT-21624   | 8-1/2" | 24    | 5/8"  | <u>ATB</u>  | .087" | 15   | A fast cutting blade for use on 8-1/2" saws in thick wood. |
| PT-21640   | 8-1/2" | 40    | 5/8"  | <u>ATB</u>  | .087" | 15   | A super blade for use on 8-1/2" saws in wood.              |
| PT-21660-1 | 8-1/2" | 60    | 5/8"  | <u>ATAF</u> | .079" | 5    | A super performer on 8-1/2" miter saws.                    |
| PT-21680   | 8-1/2" | 80    | 5/8"  | <u>ATAF</u> | .087" | 10   | For extra-clean cuts in wood and thin products.            |
| PT-23040   | 9"     | 40    | 5/8"  | <u>ATAF</u> | .087" | 5    | Our Power Tool Series blade for 9" miter or table saws.    |
| PT-25540   | 10"    | 40    | 5/8"  | <u>ATB</u>  | .083" | 0    | Used for miter or table saws.                              |
| PT-25550   | 10"    | 50    | 5/8"  | <u>ATAF</u> | .091" | 15   | UINSERTED TEETH. For use on miter saws. Great value.       |
| PT-25560   | 10"    | 60    | 5/8"  | <u>ATB</u>  | .083" | 0    | Used for miter or slide miter saws.                        |

| PT-25560D | 10" | 60  | 5/8" | <u>TCG</u>  | .087" | 10 | Triple chip woodworking blade for man-made wood materials.   |
|-----------|-----|-----|------|-------------|-------|----|--|
| PT-25572A | 10" | 72  | 5/8" | <u>ATB</u>  | .098" | 15 | Clean performance on miter saws.   |
| PT-25590  | 10" | 90  | 5/8" | <u>ATAF</u> | .091" | 10 | For super clean cuts in thin wood on miter saws.   |
| PT-30560  | 12" | 60  | 1"   | <u>ATAF</u> | .094" | 3  | Thin kerf. Outstanding value. Excellent woodworking miter or radial arm saw blade for thick stock. |
| PT-30580  | 12" | 80  | 1"   | <u>ATAF</u> | .094" | 5  | Thin kerf. Fine cut-off blade for woodworking on miter or radial arm saws for medium stock.        |
| PT-305100 | 12" | 100 | 1"   | <u>ATAF</u> | .094" | 5  | Thin kerf. Extra clean cuts in wood on your miter or radial arm saw for thin stock.                |

2016 Tenryu America, Inc. All Rights Reserved.