

# SAFETY DATA SHEET





SCOUR POWER

## SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

Trade Name (As Labeled): SCOUR POWER  
 Product Code: N-55  
 Product Use: Scouring and whitening of hard surfaces.  
 Synonyms: N-55  
 Manufacturer: The Clean Environment Company  
 Mailing Address: PO Box 489, Brooklyn, IA 52211  
 Company Website: <http://www.cleanevironmentco.com>  
 Emergency Phone Number: For First Aid Emergencies, call Poison Control Center at 1-800-222-1222  
 Information Phone Number: 844-606-9558 9 a.m. to 5 p.m. CT Mon - Fri except holidays  
 Prepared By: The Clean Environment Company  
 Company Contact: SDS Coordinator  
 Issue Date: Oct. 23, 2016  
 Revision: 02  
 Revision Date: May 16, 2017

## SECTION 2 HAZARDS IDENTIFICATION

Hazardous Materials Identification System (HMIS) Rating Legend: 4-Severe, 3-Serious, 2-Moderate, 1-Slight, 0-Minimal  Personal Protection Index: See Section 16	<b>HEALTH</b>	3
	<b>FLAMMABILITY</b>	2
	<b>PHYSICAL HAZARDS</b>	2
	<b>PERSONAL PROTECTION</b>	E

Hazards Classification			
U.S.A.	This product is considered hazardous under the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).		
Global Harmonization System			
Hazard Statements	Category	Signal Word	Pictogram
May intensify fire; oxidizer	Oxidizing Solids, Category 2	DANGER	
Harmful if swallowed.	Acute Toxicity-Oral, Category 4	WARNING	
Causes serious eye damage.	Eye Damage/Irritation, Category 1	DANGER	
Toxic to aquatic life.	Hazardous To The Aquatic Environment – Acute Hazard, Category 2	None	None
Toxic to aquatic life with long lasting effects.	Hazardous To The Aquatic Environment – Chronic Hazard, Category 2	None	
Precautionary Statements			
General	Keep out of reach of children.		
Prevention	Keep away from heat. Keep away from clothing and other combustible materials.		

## SAFETY DATA SHEET

SCOUR POWER

Prevention (cont.)	Take any precaution to avoid mixing with combustibles. Wear protective gloves such as rubber gloves and eye protection such as safety glasses with side shields, goggles and/or face shield. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment.
Response	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Refer to Section 4 FIRST AID MEASURES, for additional information. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. Collect spillage.
Storage	Store in original container.
Disposal	Dispose of contents and container in accordance with local, state, and federal regulations.
Hazards Not Otherwise Classified (HNOC)	None known
Percent Ingredients With Unknown Acute Toxicity	0 % of product contains ingredients of unknown acute oral toxicity. Refer to Section 3.

### SECTION 3 COMPOSITION & INFORMATION ON INGREDIENTS

INGREDIENT	CAS NUMBER	% by wt. <sup>1</sup>	LD50, Rat
Sodium Carbonate	497-19-8	50 - 70	2800 mg/kg
Sodium Percarbonate	15630-89-4	30 - 50	1034 mg/kg

<sup>1</sup>Where ranges are shown, the exact concentration has been withheld as a trade secret.

### SECTION 4 FIRST AID MEASURES

Eyes:	Immediately flush with water for 15 minutes. If contacts are present, remove after first 5 minutes of flushing and continue flushing for 15 minutes. If irritation persists, have eyes examined and treated by medical personnel.
Skin:	If irritation occurs, wash thoroughly with soap and water. Call a doctor if irritation persists.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. Seek medical attention if symptoms appear.
Ingestion:	<b>NEVER</b> give anything by mouth if victim is unconscious. Have victim drink water to dilute. Do not induce vomiting unless advised by a physician or poison control center. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call Poison Control at 1-800-222-1222.

### SECTION 5 FIRE FIGHTING MEASURES

Flash Point:	Not available.
Extinguishing Media:	As appropriate for surrounding fire. Use dry sand, dry chemical, carbon dioxide or alcohol-resistant foam for extinction.
Special Fire Fighting Procedures:	Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.
Unusual Fire and Explosion Hazards:	Do not allow water to enter container because of violent reaction. Keep container tightly closed. Powerful oxidizing agent; may ignite oxidizable materials.



# SAFETY DATA SHEET

## SECTION 6 ACCIDENTAL RELEASE MEASURES

Precautions for Responders	
Industrial Setting	Wear appropriate Personal Protective Equipment. See Sec. 8
Spill Containment and Clean-up	
Industrial Setting	<p>Before attempting containment and cleanup, refer to hazard data given.</p> <p>Small Spill: Use appropriate tools to put the spilled solid in a convenient waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.</p> <p>Large Spill: Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements, or confined areas; dike if needed. Neutralize the residue with a dilute solution of acetic acid.</p> <p>Any disposal practice must be in compliance with local, state, and federal regulations.</p>
Consumer / Household Setting	<p>Use appropriate tools to put the spilled solid in a convenient waste disposal container. Do not dispose of material in residential trash. Call your local solid waste handler for instructions on proper disposal of chemical products. If necessary: Neutralize the residue with house-hold vinegar.</p>

## SECTION 7 HANDLING AND STORAGE

Handling	
Industrial Setting	<p><b>Handling:</b> Wear appropriate Personal Protective Equipment (see Section 8). Keep away from heat. Keep away from sources of ignition. Keep away from combustible material. Do not ingest. Do not breathe dust. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, organic materials, metals, acids, moisture.</p> <p><b>Storage:</b> Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not allow water to enter container because of violent reaction.</p>
Consumer / Household Setting	Use as directed on product label.
Storage	Store in original, labeled container. Keep container closed when not in use. Do not allow water to enter container. Should be stored between 40° and 100°F in order to insure long life of product.
Other	KEEP OUT OF REACH OF CHILDREN AND PETS.

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits	Contains no substances with occupational exposure limit values.
Engineering Controls	<p><b>Industrial Setting:</b> Use explosion-proof ventilation equipment. Provide adequate ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits indicated below. The level of protection and types of controls will vary depending upon potential exposure conditions.</p> <p><b>Consumer/Household Setting:</b> Use in a well ventilated area.</p>



## SAFETY DATA SHEET

SCOUR POWER

Personal Protective Equipment (PPE)	
Industrial Setting	
Eye Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133.
Skin Protection	If prolonged or repeated skin contact is likely, wear appropriate protective gloves. Clothing: Selection of protective clothing depends on work conditions, potential exposure conditions and may include gloves, boots, suits and other protective items.
Respiratory Protection	Where adequate ventilation is not available an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection Standard, 29 CFR 1920.134. In confined areas, use a self-contained breathing apparatus.
Consumer / Household Setting	Safety glasses or goggles should be used for eye protection. Hands should be protected with rubber gloves.
Other Measures	Handle in accordance with good industrial hygiene and safety practices.

### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid, Granular
Color	White
Clarity	Not applicable.
Odor	Mild (characteristic of ingredients)
Odor Threshold	Not available.
pH	10.5 (1% solution)
Melting Point	Not available.
Decomposition Temperature	122° F
Initial Boiling Point and Boiling Range	Not available.
Flash Point	Not available.
Evaporation Rate	Not available.
Upper Explosive Limit (UEL)	Not available.
Lower Explosive Limit (LEL)	Not available.
Vapor Pressure (mmHg)	Not available.
Relative Density (H <sub>2</sub> O = 1)	Not available.
Vapor Density (Air = 1)	Not available.
Solubility in Water	140 g/l
Partition Coefficient: n-octonal/water	Not available.
Viscosity	Not available.
VOC (weight %)	0

### SECTION 10 STABILITY AND REACTIVITY

Reactivity	Reactive with organic materials, metals, moisture.
Chemical Stability	Stable under normal use and temperatures.
Possibility of Hazardous Reactions	Highly reactive with reducing agents, acids.
Conditions to Avoid	Corrosive in presence of aluminum, of zinc, of copper. Slightly corrosive to corrosive in presence of steel.
Incompatible Materials	
Industrial Setting	Highly reactive with reducing agents, acids. Reactive with organic materials, metals, moisture.
Consumer / Household Setting	Cleaning products should not be mixed with other household chemicals, unless specifically stated in the directions for use.
Hazardous Polymerization	Will not occur.



# SAFETY DATA SHEET

## SECTION 11 TOXICOLOGICAL INFORMATION

Potential Routes of Exposure	Eyes, Skin, Ingestion, Inhalation
Effects of Acute Exposure	
Oral Toxicity	LD50 rat: 1034 mg/kg Harmful if swallowed. If swallowed this material will irritate the mucous membranes of the mouth, throat and esophagus.
Dermal Toxicity	LD50 rabbit: >2000 mg/kg Causes skin irritation with redness and pain. Long term exposure can result in dermatitis.
Inhalation Toxicity	LD50 rat: 4580 mg/kg Causes respiratory tract and mucous membrane irritation.
Eye Contact	Causes serious eye damage. Severe watering, irritation and redness, can cause conjunctivitis.
Skin Contact	Causes skin irritation with redness and pain. Long term exposure can result in dermatitis.
Component Information	Refer to Section 3 for ingredient LD50 (acute oral toxicity).
Effects of Chronic Exposure	Not expected to have chronic health effects.
Sensitization	Not expected to be a sensitizer, based on literature of products containing similar ingredients.
Carcinogenicity	Carcinogenicity classification not possible from current data.
NTP	No ingredients listed.
IARC	No ingredients listed.
OSHA	No ingredients listed.
Reproductive Effects	Not expected to have chronic health effects.
Teratogenicity	Not expected to have chronic health effects.
Mutagenicity	Not expected to have chronic health effects.
Target Organ Effects	Not expected to have chronic health effects.

## SECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity	Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 70.7 mg/l - 96 h. LC50 - (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l.
Persistence and Degradability	No data available.
Bioaccumulative Potential	Does not bioaccumulate.
Mobility in Soil	No data available.
Environmental Fate	No data available.

## SECTION 13 DISPOSAL CONSIDERATIONS

Waste Disposal	Dispose of in accordance with federal, state, and local regulations.
Industrial Setting	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
Consumer / Household Setting	Residue remaining in container may be discarded in trash. Quantities greater than residue: Do not dispose of material in residential trash. Call your local solid waste handler for instructions on proper disposal of chemical products.
EPA Hazardous Waste Number:	None.
EPA Hazard Waste Class:	None.
Empty Containers	Do not re-use empty containers.



# SAFETY DATA SHEET

## SECTION 14 TRANSPORT INFORMATION

U.S. DOT (Surface Transport)	Road and Rail Transport
Proper Shipping Name:	Sodium Carbonate Peroxyhydrate
Hazard Class:	5.1
UN Number:	3378
Packaging Group:	3

## SECTION 15 REGULATORY INFORMATION

TSCA	All components of this product are listed on the TSCA inventory list.
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 311/312	Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard.
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
CERCLA	This material, as supplied, does not contain any substances regulated as hazardous substances under CERCLA. There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.
Clean Air Act, Sec. 112	This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.
Clean Water Act	This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)
California Proposition 65	This product is not subject to warning labeling under California Proposition 65

## SECTION 16 OTHER INFORMATION

### ABBREVIATIONS

~	Approximately
<	Less than
>	Greater than
≤	Less than or equal to
CERCLA	The Comprehensive Environmental Response, Compensation, and Liability Act
EPA	Environmental Protection Agency
HMIS	Hazardous Materials Information System
GHS	The Globally Harmonized System of Classification and Labelling of Chemicals
IARC	International Agency for Research on Cancer
NA	Not Applicable
NDA	No Data Available
NFPA	National Fire Protection Association
NI	Not Indicated
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PPE	Personal Protection Equipment
SARA	Superfund Amendments and Reauthorization Act of 1986, Title III
SDS	Safety Data Sheet
TSCA	Toxic Substances Control Act





# SAFETY DATA SHEET

## SECTION 16 (continued)

PERSONAL PROTECTION INDEX			
A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or S.O.P. for "SPECIAL" handling directions

SDS Prepared By	The Clean Environment Co.
Issue Date	Oct. 23, 2016
Revision	02
Revision Date	May 16, 2017
Revision Note(s)	Revised format per 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Disclaimer:

The information in this Safety Data Sheet was obtained from sources we believe to be reliable. However, the information is provided by The Clean Environment Company without any warranty, express or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable. Users should make their own investigations to determine the suitability of the information or products for their particular purpose.

The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, The Clean Environment Company does not assume responsibility and expressly disclaims liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.

**End of Safety Data Sheet**