

GLUE SAFETY DATA SHEET

Product identification

Product name: Camauto hot melt glue sticks

Product code: CAM2214

Product type: Hot melt glue

Emergency and information Telephone number: 1-514-713-0121

Supplier of the safety data sheet: Camauto Pro

Ingredients:

This product is formulated with a mixture of Resin, Polymers, and anti-oxidants.

Product description: 11mm diameter Sticks

Color: Light yellow

Hazardous Ingredients

This product does NOT contain any health hazardous components

Emergency and first aid procedures:

Inhalation: If exposed to fumes of adhesive, move victim directly to fresh air, and apply artificial respiration if needed, or if breathing stopped. Call for urgent medical attention.

Eyes contact: Flush as much as possible with cold water. Contact physician if irritation persists.

Skin contact: If the skin is burned by the molted adhesive, cool quickly with water, and with soap if available. Do not attempt to remove adhesive from the skin, instead, get medical attention for burns.

Ingestion: Material is not likely to be ingested. Consult a physician if ingested.

Fire-fighting measures

Extinguish fire with water, foam extinguishers, dry chemicals, or carbon dioxide.

Hazardous combustion may contain fumes, smoke, carbon dioxide, and carbon monoxide.

Spill or Leak procedures

To sweep up spilled material and dispose according to federal or state local regulations, knowing that material is recyclable.

Handling and Storage

Keep out of reach of children.

Avoid excessive heat and freezing.

Do not store in overheated areas, or near open flames.

Exposure Control Measures

Respiratory protection: Not required.

Ventilation: Normal room ventilation, or use fans if necessary.

Protective gloves: Not required.

Eye protection: Safety glasses and face shield are recommended to protect from hot adhesive splashes.

Hand protection: Thermal gloves are recommended only when handling this adhesive hot.

Physical and Chemical Properties

Appearance and Odor: Low aromatic, with pale yellow color

Physical State: Solid.

Form: 11mm Diameter stick

Soluble in Water: Not soluble

Softening Range: 176°F-185°F (80°C-85°C)

Application Temperature: Use a minimum 60W applicator gun

Water absorption: Negligible

Specific gravity: 0.96

Stability and Reactivity

Stability: Stable

Conditions to avoid: Excessive heat

Incompatibility or Materials to avoid: Strong Oxidizing Agents

Hazardous decomposition products: Combustion products.

Toxicological information

Inhalation health risks and symptoms of exposure: Overheating/charring may generate irritating vapors.

Skin and eye contact health risks and symptoms of exposure: Molten adhesive will cause skin burns.

Ingestion: Minimal toxicity.

Ecological Information

Toxicity: None known

Degradability: Not readily biodegradable.

Other adverse effects: None known.

Disposal Consideration

Dispose of according with the local/regional/state/federal/international regulations.

Transport Information

Not regulated per U.S.DOT, IATA or IMO

This adhesive is not regulated for road, sea, and air transport.

Regulatory information

U.S. Federal and State regulation: Fire Hazard – No Pressure Hazard – No Reactivity Hazard – No