SAFETY DATA SHEET

SECTION 1

MATERIAL IDENTIFICATION

PRODUCT NAME / DESCRIPTION: Isopropyl Alcohol

DISTRIBUTED / MANUFACTURED BY: Moon Chemical Products, Inc. 8112 SW 8th Street Oklahoma City, OK 73128

Date: 2/25/2015 Phone: (405) 787-4110 Emergency Phone: (800) 255-3924

FUNCTION Oilfield Compound

SECTION 2

HAZARD IDENTIFICATION

CLASSIFICATION:

Flammability:	Category 2
Acute Toxicity:	Category 4
Skin Corrosion/Irritation:	Category 3
Serious Eye Damage/Eye Irritation:	Category 2.5
TOST:Acute	Category 3

SIGNAL WORD: DANGER!

HAZARD STATEMENTS: Highly flammable liquid and vapor. Harmful if swallowed. Causes mild skin irritation. Causes eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.





PRECAUTIONARY STATEMENTS Obtain Special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well ventilated area. Wash all exposed skin thoroughly after handling. Avoid release to the environment. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep container tightly closed. Keep only in original container. Do not get in eyes, on skin, or on clothing. Do not eat, drink, or smoke when using this product. Keep away from heat/sparks/open flame/hot surfaces.-No smoking. Do not spray on an open flame of ignition source. Keep/store away from clothing/.../combustible materials. Take any precaution to avoid mixing with combustibles. Wear flame/fire resistant/retardant clothing. In case of fire, stop leak if safe to do so. In case of fire, eliminate all ignition sources if safe to do so. Ground/bond container and receiving equipment. Use explosion proof electrical/ventilating/lighting/.../equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not subject to grinding/shock/.../friction. In case of fire, Evacuate area. Fight fire remotely due to the risk of explosion.

TOXICITY: See Section 11

SECTION 3

HEALTH HAZARDS

FIRST AID

CHEMICAL NAME	
Isopropanol	
(Proprietary	Formula)

<u>%W/W</u> <100 CAS NUMBER 67-63-0

SECTION 4

Potential acute health effects:

Eyes:	May cause severe irritation, burns, and/or damage		
Skin:	May cause severe irritation, burns, and/or damage		
Inhalation:	Inhalation may cause severe irritation		
Ingestion:	Ingestion may cause irritation, corrosion/ulceration, nausea, and vomiting.		

Medical conditions aggravated by exposure:

None known.

Eye Contact:In case of contact, immediately flush eyes with cool running water. Lift and
separate eyelids while flushing with plenty of water for at least 15 minutes.
Get medical attention.

Skin Contact: Wash with soap and water. Get medical attention if irritation occurs. Wash clothing before reuse. Destroy contaminated shoes.

- Inhalation: Remove victim to fresh air and keep at rest in a position confortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if symptoms develop.
- Ingestion:Do NOT induce vomiting unless directed to do so by medical personnel.
Never give anything by mouth to an unconscious person. If large quantities
of this material are swallowed, call a physician immediately. Give plenty of
water.

SECTION 6

ACCIDENTAL RELEASE MEASURES

Fire Hazard Classification (OSHA/NFPA): Extinguishing Media: Special Fire Fighting Procedures: Hazardous Combustion Products: 3

As required for fire being fought. Use self-contained breathing apparatus. None known.

Personal Precautions, Wear protective clothing as described in Section 8 of this safety data sheet. PPE, and Emergency **Procedures:** Containment Stop the flow of material, if this is without risk. Wear appropriate protective equipment and clothing during clean-up. Do not allow the **Procedures:** spilled product to enter public drainage system or open water courses. Sweep up or gather material and place in appropriate container for **Clean-Up Procedures:** disposal. Wash spill area thoroughly. Wear appropriate protective equipment during cleanup. Dispose of collected material according to regulations. SECTION 7 HANDLING AND STORAGE Handling: Avoid contact with eyes, skin, and clothing. Do not take internally. For industrial use only. Wash after handling. Don't breath dust, vapor, or gas. Keep this and all chemicals out of reach of children. Keep away from heat, sparks, and open flames. Prevent spills. Keep Storage: container tightly closed and in a cool, well-ventilated place away from incompatible materials. Empty product containers may contain product residue. do not reuse. **PERSONAL PROTECTION / EXPOSURE CONTROLS** SECTION 8 **Ventilation System:** Always keep exposure below permissible exposure limits. In general dilution ventilation is a satisfactory health hazard control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust system should be considered. Airborne None Established. Exposure Limits: **Personal Protection:** As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1920.132), employers must perform a Hazard Assessment for all workplaces to determine the need for, and selection of, proper protective equipment for each task performed. Wear face shield, safety glasses, or chemical goggles. Eves: Hands & Skin: For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended. If ventilation is not sufficient appropriate NIOSH/MSHA respiratory **Respiratory:** protection must be provided. Eye wash fountain and emergency showers are recommended. Work Practices:

Dhusi cal Forme	Linuid
Physical Form:	Liquid
Color:	Clear
Odor:	Alcohol
Odor Threshold:	NE
рН:	N/A
Boiling Point:	NE
Melting Point:	NE
Flash Point:	NE
Evaporation Rate (Butylacetate=1):	NE
Flammability:	Flammable
UEL:	NE
LEL:	NE
Vapor Pressure:	NE
Vapor Density:	NE
Specific Gravity (Water=1):	0.80+/-0.05
Solubility Water:	Soluble
Partition Coefficient:	NE
Auto-ignition Temperature:	NE
Decomposition Temperature:	NE
Viscosity (CPS):	NE

SECTION 10

STABILITY AND REACTIVITY

Stability:	This product is stable under normal temperatures and pressures.
Incompatibility:	Strong Oxidizers
Decomposition	COx Water
Products:	
Conditions to Avoid:	Extreme Heat

SECTION 11

TOXICOLOGICAL PROPERTIES

Raw Material	Test	Result	Route	Species
Isopropanol (67-63-0)	LD50	400 mg/kg	Oral	rats

See Section 4 for symptoms.

CARCINOGENICITY No known carcinogens.

MUTAGENICITY: No known mutagens.

REPRODUCTIVE TOXINS: No known reproductive toxins.

SECTION 12

Raw Material	Test	Result	Time	Species
Isopropanol (67-63-0)	LC50	>5000 mg/L	96 hr	Carassius Auratus

PERSISTENCE & DEGRADABILITY: NE

BIOACCUMULATION: NE

MOBILITY: NE

SECTION 13

DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use, or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose container and unused contents in accordance with federal, state, and local requirements.

SECTION 14

TRANSPORT INFORMATION

ISOPROPANOL 3, UN1219, PGII FLAMMABLE LABEL/PLACARD REQUIRED

SECTION 15

REGULATORY INFORMATION

US FEDERAL REGULATIONS

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

SARA 302 EXTREMELY HAZARDOUS SUBSTANCES LIST: N/A

SARA 312 HAZARD CATEGORY: N/A

SARA 313 TOXIC CHEMICALS LIST: N/A

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT): N/A

RCRA (RESOURCE CONSERVATION AND RECOVERY ACT) LISTED HAZARDOUS WASTES: $\mathrm{N/A}$

CWA (CLEAN WATER ACT) LISTED SUBSTANCES: N/A

FDA (FOOD AND DRUG ADMINISTRATON):

TOXIC SUBSTANCES CONTROL ACT (TSCA): ALL INGREDIENTS ARE LISTED.

NFPA HAZARD INFORMATION SIGN

[2]	HEALTH HAZARD (BLUE DIAMOND)	[0]	REACTIV	ITY HAZARD (YELLOW DIAMOND)	
	4-DEADLY		4-MAY	DETONATE	
	3-EXTREME DANGER		3-SHO	CK AND HEAT MAY DETONATE	
	2-HAZARDOUS		2-VIOLENT CHEMICAL CHANGE		
	1-SLIGHTLY HAZARDOUS		1-UNSTABLE IF HEATED		
	0-NORMAL MATERIAL		0-STAE	BLE	
[3]	FIRE HAZARD (RED DIAMOND)	[]	SPECIFIC	HAZARD (WHITE DIAMOND)	
	FLASH POINTS:		OXY	OXIDIZER	
	4-BELOW 73 F		ACID	ACID	
	3-BELOW 100 F		ALK	ALKALI	
	2-BELOW 200 F		COR	CORROSIVE	
	1-ABOVE 200 F		W	USE NO WATER	
	0-WILL NOT BURN				
<u>SECT</u>	<u>'ION 16</u>			OTHER INFORMATION	

THIS INFORMATION IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTEDED USE AND DETERMINE WHETHER THEY ARE APPROPRIATE.