

ALUMINIUM

ALUMINIUM





ESE/ESP/ESU4005

ESCUTCHEON
Concealed Fix Press-on-Rose

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8

ESE4005
ESP4005
ESU4005







EST4005

THUMBTURN AND RELEASE
Concealed Fix Press-on-Rose
c/w Indicator

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8







EST4025

**DDA COMPLIANT
THUMBTURN AND RELEASE**
Concealed Fix Press-on-Rose
c/w Indicator

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8







FIX4019

ROSE KIT

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8







FPP43000

PLAIN FINGER PLATE

Dimensions (mm):
Plate: 300x75
Plate Thickness: 2

Variations:
FPP43500
FPP45000
FPP46500



FPP43001

PULL FINGER PLATE

Dimensions (mm):
Plate: 300x75
Plate Thickness: 2

Variations:
FPP43501 350x75
FPP45001 500x75
FPP46501 650x75

SAA

FPP43002

PUSH FINGER PLATE

Dimensions (mm):
Plate: 300x75
Plate Thickness: 2

Variations:
FPP43502 350x75
FPP45002 500x75
FPP46502 650x75

SAA


SIGNS

Dimensions (mm):

FPA4301 Pull Symbol	75x30
FPA4302 Push Symbol	75x30
SEX4011 Male Symbol	75 Dia.
SEX4012 Female Symbol	75 Dia.
SEX4014 Shower Symbol	75 Dia.
SEX4015 Fire Door Keep Locked	75 Dia.
SEX4016 Fire Door Keep Shut	75 Dia.
SEX4017 Disabled Symbol	75 Dia.
SEX4018 Unisex Symbol	75 Dia.
SEX4019 Baby Change Symbol	75 Dia.

SAA





ECP4000

EURO CYLINDER PULL
Dimensions (mm):
Overall: 97x43







OCP4000

OVAL CYLINDER PULL
Dimensions (mm):
Overall: 97x43







RCP4000

RIM CYLINDER PULL
Dimensions (mm):
Overall: 68x43







FPH4100

FLUSH PULL
Dimensions (mm):
Overall: 100x50







DSF4032

**FLOOR MOUNTED
DOOR STOP**
Dimensions (mm):
Overall: 50x40







DSW6001

**WALL MOUNTED
DOOR STOP**
Dimensions (mm):
Overall: 72





BBT4100

STRAIGHT BARREL BOLT

Dimensions (mm):
Overall: 102x25

Variations:
BBT4150
BBT4200

SAA



BBT4100CR

CRANKED BARREL BOLT

Dimensions (mm):
Overall: 102x25

Variations:
BBT4150CR

SAA



FBT4006

LEVER ACTION FLUSH BOLT

Dimensions (mm):
Overall: 152x19

Variations:
FBT4008
FBT4010

SAA



LPB4004

CONTRACT
Lever on Latch Backplate

Dimensions (mm):
Backplate: 103x40
Projection: 56
Lever Length: 106
Plate Thickness: 10

Long Plate:
LPP4004 Lock
LPT4004 Bathroom
LPE4004 Euro 47.5c/c

SAA



SAA21

CONTRACT
Lever on Lock Backplate

Dimensions (mm):

Backplate: 155x41

Projection: 55

Lever Length: 110

Plate Thickness: 10

Variations:

SAA21Y Euro 47.5c/c

SAA21WC Bathroom

SAA21U Oval 48.5c/c

Short Plate:

SAA22 103x40

Latch

 SAA





SAA51

CONTRACT
Lever on Latch Backplate

Dimensions (mm):

Backplate: 103x40

Projection: 63

Lever Length: 107

Plate Thickness: 10

Long Plate Variations:

SAA50 151x44

SAA50WC Lock

Bathroom

 SAA





SAA60

MIAL
Lever on Lock Backplate

Dimensions (mm):

Backplate: 152x38

Projection: 51

Lever Length: 102

Plate Thickness: 10

Variations:

SAA60Y Euro 47.5c/c

SAA60WC Bathroom

Short Plate:

SAA61 102x38

Latch

 SAA





SAA28

HAT AND COAT HOOK

Dimensions (mm):

Overall: 130x19

 SAA



ALUMINIUM

ALUMINIUM





SAA23

LETTERPLATE

Dimensions (mm):
Outer Frame: 250x78

 **SAA**





SAA26

LETTER TIDY

Dimensions (mm):
Outer Frame: 255x68

 **SAA**





SAAIND

INDICATOR BOLT

Dimensions (mm):
Overall: 70x32

 **SAA**





LRS9000

SAFETY LEVER ON SPRUNG ROSE DDA COMPLIANT
Concealed Fix
Press-on-Rose

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8
Projection: 69
Lever Length: 145
Bar: 22 Dia.

Variations:
LRS9001 Bar 19 Dia.
Lever Length 140
LRS9001U Bar 19 Dia.
Lever Length 140
Unsprung

 **SAA**





LRS9002

STRAIGHT LEVER ON SPRUNG ROSE
Concealed Fix
Press-on-Rose

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8
Projection: 69
Lever Length: 139
Bar: 19 Dia.

 **SAA**

LRS9003

**CURVED LEVER
ON SPRUNG ROSE**
Concealed Fix
Press-on-Rose

Dimensions (mm):
Rose: 52 Dia., 8
Rose Thickness: 66
Projection: 139
Lever Length: 19 Dia., 19 Dia.

SAA



LRS9005

**MITRED LEVER
ON SPRUNG ROSE**
Concealed Fix
Press-on-Rose

Dimensions (mm):
Rose: 52 Dia., 8
Rose Thickness: 69
Projection: 132
Lever Length: 19 Dia., 19 Dia.

SAA



PAD/PFD

D PULL HANDLE

Variations:
PAD9150 150c/c - Bar 19 Dia.
PAD9225 225c/c - Bar 19 Dia.
PAD9300 300c/c - Bar 19 Dia.
PFD9150 150c/c - Bar 22 Dia.
PFD9225 225c/c - Bar 22 Dia.
PFD9300 300c/c - Bar 22 Dia.
PFD9450 450c/c - Bar 22 Dia.
PFD9600 600c/c - Bar 22 Dia.

SAA



FIX9005

ROSE KIT

Dimensions (mm):
Rose: 52
Rose Thickness: 8

SAA



ALUMINIUM

ALUMINIUM





ESE/ESP/ESU9005

ESCUTCHEON
Concealed Fix Press-on-Rose

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8

ESE9005
ESP9005
ESU9005

**SAA**





EST9005

THUMBTURN AND RELEASE
Concealed Fix
2 Part Screw-on-Rose
c/w Indicator

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8

**SAA**





EST9025

**DDA COMPLIANT
THUMBTURN AND RELEASE**
Concealed Fix
2 Part Screw-on-Rose
c/w Indicator

Dimensions (mm):
Rose: 52 Dia.
Rose Thickness: 8

**SAA**





EST9625

**DDA COMPLIANT
HANDLE SET**

Dimensions (mm):
Overall: 178x38

**GAA** **PAA** **SAA**





BCP9000

BLANK CYLINDER PULL

Dimensions (mm):
Overall: 78x44

**SAA**

ALUMINIUM

ALUMINIUM





ECP9000

EURO CYLINDER PULL

Dimensions (mm):
Overall: 78x44

 **SAA**






OCP9000

OVAL CYLINDER PULL

Dimensions (mm):
Overall: 78x44

 **SAA**






PCP9000

LOCK CYLINDER PULL

Dimensions (mm):
Overall: 78x44

 **SAA**





RCP9000

RIM CYLINDER PULL

Dimensions (mm):
Overall: 78x44

 **SAA**





DSW9015

**WALL MOUNTED
DOOR STOP**

Dimensions (mm):
Diameter: 16

 **SAA**





DSF9030

**FLOOR MOUNTED
DOOR STOP**

Dimensions (mm):
Diameter: 30

 **SAA**

ALUMINIUM

ALUMINIUM



DSF9031

LARGE FLOOR MOUNTED DOOR STOP

Dimensions (mm):
Diameter: 78

SAA





DSF9032

FLOOR MOUNTED DOOR STOP

Dimensions (mm):
Diameter: 44

SAA





HCH9012

FLAT COAT HOOK

Dimensions (mm):
Overall: 70x20

SAA





HCH9013

FLAT HAT AND COAT HOOK

Dimensions (mm):
Overall: 175x20

SAA



ALUMINIUM

ALUMINIUM

LIP9001

DDA COMPLIANT SAFETY
LEVER ON INNER PLATE

Dimensions (mm):
Backplate: 154x40
Projection: 68
Lever Length: 143
Bar: 19 Dia.
Plate Thickness: 10

LIP9001 + PLB9001

CODE	DESCRIPTION
PLE9001	Euro Plate - 47,5 c/c
PLB9001	Latch Plate
PLP9001	Lock Plate
PLT9001	Bathroom Plate + Indicator + Turn

LIP9001/DIN

DDA COMPLIANT SAFETY
LEVER ON INNER PLATE DIN

Dimensions (mm):
Backplate: 154x40
Projection: 68
Lever Length: 143
Bar: 19 Dia.
Plate Thickness: 10

LIP9001 + PLB9001

CODE	DESCRIPTION
PLE9001/72	Euro Plate - Din 72 c/c
PLT9001/78	Bathroom Plate - Din 78 c/c + Indicator + Turn



 	AQ45
	
COVERED ESCUTCHEON Peardrop	
Dimensions (mm): Overall: 60x18	
 CP  PB	

 	AA4
	
SQUARE ESCUTCHEON	
Dimensions (mm): Overall: 50x50	
 PB	

 	M41
	
FLAT ESCUTCHEON Rose:	
Dimensions (mm): 31 Dia.	
 CP  PB  SC	



M42

COVERED ESCUTCHEON

Dimensions (mm):
Rose: 32 Dia.

CP PB SC



DK4

LARGE COVERED ESCUTCHEON

Dimensions (mm):
Overall: 73x23

CP PB SC



DK6

STEPPED OVAL COVERED
ESCUTCHEON

Dimensions (mm):
Overall: 60x30

CP PB SC



AQ90

FLUSH PULL

Dimensions (mm):
Overall: 102x45

CP PB SC



SP104

SPARE THUMBTURN
AND RELEASE SPINDLE

Dimensions (mm):
Overall Length: 90
Spindle: 4.9x67

Variations:
SP104L
Overall Length: 104
Spindle: 4.9x80

CP PB SC



AA33



**OVAL THUMBTURN
AND RELEASE**
To Operate Rack Bolt
(Hardened Steel Spindle)

Dimensions (mm):
Rose:
Knob:

37 Dia.
32x20





AA133



**OVAL THUMBTURN
AND RELEASE**
5mm Spindle for Bathroom Lock

Dimensions (mm):
Rose:
Knob:

32 Dia.
32x20





AA32



**OVAL THUMBTURN
AND RELEASE**
4,5 x 45mm Spine Spindle

Dimensions (mm):
Rose:
Knob:

37 Dia.
32x20





AA62



**SILENT PATTERN
CABIN HOOK**

Dimensions (mm):
Length:

152

Variations:
AA63 202
AA64 254
AA65 305
AA60 Lightweight 76
AA61 Lightweight 102





222



223



AA25

HAT AND COAT HOOK

Dimensions (mm):
Height: 132
Projection: 65

CP

PB

SC



AA26

VICTORIAN ROBE HOOK

Dimensions (mm):
Height: 46
Projection: 39

CP

PB

SC



AA27

VICTORIAN DOUBLE ROBE HOOK

Dimensions (mm):
Height: 55
Projection: 26

CP

PB

SC



AA38

HAT AND COAT HOOK

Dimensions (mm):
Height: 60
Projection: 86

CP

PB



AQ25

HEAVY HAT AND COAT HOOK

Dimensions (mm):
Height: 141
Projection: 74

CP

PB

SC



AA84

HEAVY HANDRAIL BRACKET

Dimensions (mm):
Height: 76
Projection: 81

Variations:
AA86 Projection 91

CP

PB

SC



AA85




LIGHT HANDRAIL BRACKET

Dimensions (mm):

Height: 90

Projection: 73





AA21



DOOR STOP WITH ROSE

Dimensions (mm):

Length: 71

Variations:

AA23 83





AA22



DOOR STOP

Dimensions (mm):

Length: 71

Variations:

AA122 116





AA21 and AA23 contract versions AA21B and AA23B available. Contact our sales office on 01 228 511030 for details.



AA20



OVAL FLOOR MOUNTED DOOR STOP

Dimensions (mm):

Base: 45 Dia.





DSF5020



FLOOR MOUNTED DOOR STOP

Dimensions (mm):

Diameter: 39

Finish Variations:

DSF2020 PB

DSF3020 CP





AA79



SUNK SLIDE FLUSH BOLT

Dimensions (mm):

Overall: 102x17

Shoot Diameter: 8





AA20 contract version AA20B available. Contact our sales office on 01228 511030 for details.



AA813



FLUSH BOLT SOCKET
13mm Slot Size
Dimensions (mm):
Overall: 63x19





AQ46
WOOD

AQ47
CONCRETE

AQ46/AQ47



**DUST EXCLUDING SOCKET
FOR FLUSH BOLTS**
Wood Variation: AQ46
Circular Section: 45 Dia.
Hole Size: 12
Concrete Variation: AQ47
Circular Section: 27 Dia.
Hole Size: 12





BR35



BATHROOM INDICATOR BOLT
Dimensions (mm):
Overall: 67x35





AA34



SECURITY BOLT WITH TURN
Dimensions (mm):
Fixing Plate: 55x23





AA35



**INDICATOR BOLT WITH
EMERGENCY RELEASE**
Dimensions (mm):
Fixing Plate: 55x23





DSB8225



SECURITY DOOR BOLT
Dimensions (mm):
Length: 61
Backset: 32
Variations:
DSB8225L
Length: 86
Backset: 57
DSK8000
Key






ES34



**ESPAÑOLETTE BOLT
OVAL KNOB SET**
With 2 No. x 1.2m
Rods and Mortice Keepers
c/w Locking Keeper





DB8



DUTCH DOOR BOLT
c/w 3 Keepers for Various Applications

Dimensions (mm):
Length: 205

Variations:
DB12 305
DB18 460
DB24 610






ES35



**ESPAÑOLETTE BOLT
TEE KNOB SET**
With 2 No. x 1.2m
Rods and Mortice Keepers





OD8



**ARCHITECTURAL
SURFACE BOLT**
c/w 3 Keepers for Various Applications

Dimensions (mm):
Length: 205

Variations:
OD12 305
OD18 460
OD24 610







AQ82EX

SURFACE BOLT
c/w 3 Keeps for Various Applications

Dimensions (mm):
Extended Bolt: 150
Overall Length: 355











AQ82

ARCHITECTURAL SURFACE BOLT
c/w 3 Keeps for Various Applications

Dimensions (mm):
Overall: 156x36

Variations:
AQ81 102x36
AQ83 203x36
AQ84 255x36









AQ83 and AQ84 not available in FB finish.





AA80

LEVER ACTION FLUSH BOLT

Dimensions (mm):
Overall: 152x20
Shoot Diameter: 11

Variations:
AA81 204x20
AA810 254x20
AA812 305x20
AA818 457x20
AA824 609x20













BB3808

BARREL BOLT

Dimensions (mm):
Overall: 202x38

Variations:
BB3204 102x32
BB3206 152x32
BB3208 202x32
BB3806 152x38









AA810 and AA812 not available in SC finish.
AA818 and AA824 not available in SN finish.




PL4

PLAIN SLOT BRASS VENT
Radius Corners

Dimensions (mm):
Overall: 242x89

Variations:
PL5 242x165





HM4

HIT AND MISS BRASS VENT
Radius Corners

Dimensions (mm):
Overall: 242x89

Variations:
HM3 165x89
HM5 242x165
HM6 242x242





HL4

HOODED LOUVRE BRASS VENT
Radius Corners

Dimensions (mm):
Overall: 242x89

Variations:
HL3 165x89
HL5 242x165
HL6 242x242



HM3 is not available in SSSC finish. HL3 is not available in SSSC or SSCP finish.
Please note SSCP and SSSC are not dual finish. They are Satin Chrome and Polished Chrome finishes on Stainless Steel.





FRP50

FLUSH RING PULL

Dimensions (mm):
Overall: 50x38

Variations:
FRP63 63x50





DK45

GRAVITY DOOR CATCH

Dimensions (mm):
Backplate: 50x30





STEELWORX® STAINLESS STEEL





FPH1000

RECTANGULAR FLUSH PULL

Dimensions (mm):
Overall: 102x51





FPH1001

RADIUS FLUSH PULL

Dimensions (mm):
Overall: 120x41





FPH1002

CIRCULAR FLUSH PULL

Dimensions (mm):
Diameter: 50



STEELWORX® STAINLESS STEEL

STEELWORX® STAINLESS STEEL





FPH1003

CIRCULAR FLUSH PULL

Dimensions (mm):
Diameter: 80







FPH1004

CIRCULAR FLUSH PULL

Dimensions (mm):
Diameter: 90







CAB1100

CABIN HOOK GRADE 316

Dimensions (mm):
Length: 100
Variations:
CAB1150 150
CAB1200 200







HCH1010

HAT AND COAT HOOK

Dimensions (mm):
Height: 152
Projection: 60







HCH1011

COAT HOOK

Dimensions (mm):
Height: 94
Projection: 55







HCH1012

FLAT COAT HOOK

Dimensions (mm):
Height: 74
Projection: 46



STEELWORX® STAINLESS STEEL

STEELWORX® STAINLESS STEEL



HCH1013

FLAT HAT AND COAT HOOK

Dimensions (mm):

Height: 178

Projection: 59

BSS

SSS





HCH1014

HAT AND DOUBLE COAT HOOK

Dimensions (mm):

Height: 184

Projection: 38

BSS

SSS





HCH1015

DOUBLE COAT HOOK

Dimensions (mm):

Height: 100

Projection: 35

BSS

SSS





HCH1016

COAT HOOK

Dimensions (mm):

Diameter: 33

Projection: 45

BSS

SSS





HCH1017

COAT HOOK
Concealed Fix

Dimensions (mm):

Diameter: 16

Projection: 35

BSS

SSS





HCH1018

BUFFERED COAT HOOK

Dimensions (mm):

Rose: 50 Dia.

Projection: 93

BSS

SSS



STEELWORX® STAINLESS STEEL

STEELWORX® STAINLESS STEEL





HRB1000/P62

**DDA COMPLIANT
HANDRAIL BRACKET**

Dimensions (mm):
Height: 88
Projection: 62

Variations:
HRB1000/P85 Projection 85

☐ BSS ☒ SSS





HBS1038

SADDLE
To suit 38mm dia. handrail

Dimensions (mm):
Overall:

Variations:
HBS1050 To suit 50mm dia. handrail

☐ BSS ☒ SSS





DSF1030

FLOOR MOUNTED DOOR STOP

Dimensions (mm):
Height: 40
Diameter: 30

Variations:
DSF1030/C

☐ BSS ☒ SSS





DSF1031

**LARGE FLOOR MOUNTED
DOOR STOP**

Dimensions (mm):
Height: 29
Diameter: 78

☐ BSS ☒ SSS





DSF1032

**FLOOR MOUNTED
DOOR STOP**

Dimensions (mm):
Height: 24
Diameter: 44

☐ BSS ☒ SSS





DSW1015

WALL MOUNTED DOOR STOP

Dimensions (mm):
Diameter: 16
Projection: 73

☐ BSS ☒ SSS

STEELWORX® STAINLESS STEEL

STEELWORX® STAINLESS STEEL



DSW1016

WALL MOUNTED DOOR STOP WITH ROSE

Dimensions (mm):
Diameter: 22
Length: 76

Variations:
DSW1017 Length 102

☐ BSS ☐ SSS





FBT1008

LEVER ACTION FLUSH BOLT

Dimensions (mm):
Overall: 200x20
Shoot Diameter: 11

Variations:
FBT1008/R Radius

☐ BSS ☐ SSS





BBT1080

BARREL BOLT

Dimensions (mm):
Overall: 80x38

Variations:
BBT1100 100x38
BBT1150 150x38
BBT1200 200x38

☐ BSS ☐ SSS





BBT1080CR

CRANKED BARREL BOLT

Dimensions (mm):
Overall: 80x38

Variations:
BBT1100CR 100x38
BBT1150CR 150x38
BBT1200CR 200x38

☐ BSS ☐ SSS





CPD

CABINET PULL HANDLE

Variations:
CPD1096 96c/c - Bar 10 Dia.
CPD1128 128c/c - Bar 10 Dia.

☐ SSS





CPM

CABINET PULL HANDLE

Variations:
CPM1096 96c/c - Bar 10 Dia.
CPM1128 128c/c - Bar 10 Dia.

☐ SSS



LUDLOW BLACK ANTIQUE





LF56NP92

STRAIGHT NARROW PLATE

Dimensions (mm):

Backplate: 218x30

Projection: 60

Lever Length: 120

Centres: 92

 BA





LF5505

FLEUR DE LYS

Lever on Latch Backplate

Dimensions (mm):

Backplate: 209x57

Projection: 52

Lever Length: 100

Variations:

LF5504 Lock

LF5506 Bathroom

 BA



Traditional Black Antique Range

LUDLOW BLACK ANTIQUE

LUDLOW BLACK ANTIQUE



LF5502

TRADITIONAL
Lever on Latch Backplate

Dimensions (mm):
Backplate: 156x54
Projection: 68
Lever Length: 96

Variations:
LF5501 Lock
LF5503 Bathroom
LF5501Y Euro 47.5c/c





LF5518

TRADITIONAL V
Lever on Bathroom Backplate

Dimensions (mm):
Backplate: 156x54
Projection: 57
Lever Length: 109

Variations:
LF5516 Lock
LF5517 Latch





LF5507Y

SLIMLINE V
Lever on Euro Backplate

Dimensions (mm):
Backplate: 158x38
Projection: 58
Lever Length: 109

Variations:
LF5507 Lock
LF5508 Latch
LF5509 Bathroom





LF5116

CURLY TAIL
Lever on Lock Backplate

Dimensions (mm):
Backplate: 167x51
Projection: 53
Lever Length: 120

Variations:
LF5117 Latch
LF5118 Bathroom



LUDLOW BLACK ANTIQUE





LF5111

CURLY TAIL ON GOTHIC BACKPLATE
Lever on Latch Backplate

Dimensions (mm):
Backplate: 222x50
Projection: 50
Lever Length: 120

Variations:
LF5110 Lock
LF5112 Bathroom







LF5114

BARLEY TWIST ON GOTHIC BACKPLATE
Lever on Latch Backplate

Dimensions (mm):
Backplate: 222x50
Projection: 64
Lever Length: 120

Variations:
LF5113 Lock
LF5115 Bathroom



LUDLOW BLACK ANTIQUE





LF5594

BALL MORTICE KNOB
Half Sprung

Dimensions (mm):
Rose: 60 Dia.
Knob: 45 Dia.
Projection: 67







LF5594R

BALL RIM KNOB

Dimensions (mm):
Rose: 60 Dia.
Knob: 45 Dia.
Projection: 67



LUDLOW BLACK ANTIQUE





LF5595

OVAL MORTICE KNOB
Half Sprung

Dimensions (mm):
Rose: 60 Dia.
Knob: 64x36
Projection: 60

 **BA**





LF5550

OCTAGONAL CENTRE DOOR KNOB

Dimensions (mm):
Rose: 62 Dia.
Knob: 62 Dia.
Projection: 57

 **BA**

LUDLOW BLACK ANTIQUE





LF5533Y

EURO SHIELD ESCUTCHEON

Dimensions (mm):
Overall: 60x38

 **BA**





LF5539U

STANDARD PROFILE ON OVAL SHAPE ESCUTCHEON

Dimensions (mm):
Overall: 51x34

 **BA**





LF5546

STANDARD COVERED ESCUTCHEON

Dimensions (mm):
Diameter: 40

 **BA**

LUDLOW BLACK ANTIQUE



LF5539



EURO ESCUTCHEON
Dimensions (mm):
Diameter: 52

 BA



LF5532



**FLEUR DE LYS
ESCUTCHEON**
Dimensions (mm):
Overall: 83x28

 BA



LF5533



**SHIELD COVERED
ESCUTCHEON**
Dimensions (mm):
Overall: 56x31

 BA

LUDLOW BLACK ANTIQUE



LF5531



FLORAL ESCUTCHEON
Dimensions (mm):
Overall: 48x35

 BA



LF5538



**PLAQUE COVERED
ESCUTCHEON**
Dimensions (mm):
Overall: 45x29

 BA

LUDLOW BLACK ANTIQUE



LF5525

**FLEUR DE LYS
LETTER PLATE**

Dimensions (mm):
Overall: 365x90
Aperture: 195x45
Fixing Centres: 250

BA



LF5524

**TRADITIONAL
LETTERPLATE**

Dimensions (mm):
Overall: 268x91
Aperture: 196x46
Fixing Centres: 233

BA

LUDLOW BLACK ANTIQUE



AA55BA

LETTER TIDY

Dimensions (mm):
Overall: 300x85

BA



LF5543

**FLEUR DE LYS
RIM CYLINDER PULL**

Dimensions (mm):
Overall: 142x64

BA

LUDLOW BLACK ANTIQUE

LUDLOW BLACK ANTIQUE



LF5534



FLEUR DE LYS BELL PUSH
Dimensions (mm):
Overall: 120x30

 BA



LF5536



DOOR CHAIN
Dimensions (mm):
Overall: 132x82

 BA



LF5591



ORNATE DOOR KNOCKER
Dimensions (mm):
Overall: 210x79

 BA



LF5592



DOOR KNOCKER
Dimensions (mm):
Overall: 196x81

 BA

LUDLOW BLACK ANTIQUE

LF55495

NUMERAL Face Fix

Dimensions (mm):
Height: 78

Variations:
LF55490 Numeral 0
LF55491 Numeral 1
LF55492 Numeral 2
LF55493 Numeral 3
LF55494 Numeral 4
LF55495 Numeral 5
LF55496 Numeral 6/9
LF55497 Numeral 7
LF55498 Numeral 8

BA

LF55102

DOOR STUD

Dimensions (mm):
Overall: 15x15

BA

LF55103

DOOR STUD LARGE

Dimensions (mm):
Overall: 23x23

BA

LUDLOW BLACK ANTIQUE

LF5590

RING DOOR KNOCKER

Dimensions (mm):
Ring: 94 Outer Dia.

BA

LF5544A

BULB END CASEMENT STAY

Dimensions (mm):
Length: 203

Variations:
LF5544B 254
LF5544C 305

BA

LF5545

BULB END CASEMENT FASTENER

Dimensions (mm):
Backplate: 60x21

BA

LUDLOW BLACK ANTIQUE





LF1006LH

LOCKING CASEMENT FASTENER
Left Hand

Dimensions (mm):
Backplate: 57x20
Variations:
LF1006RH Right Hand

 BA





LF34LH

LOCKING ESPAGNOLETTE FASTENER
Left Hand

Dimensions (mm):
Backplate: 58x27
Variations:
LF34RH Right Hand

 BA





LF5537

CASEMENT FASTENER

Dimensions (mm):
Backplate: 60x22

 BA

LF1006LH/RH, LF34LH/RH and LF5537 not suitable for weather stripped windows.

LUDLOW BLACK ANTIQUE





LF5540A

CASEMENT STAY

Dimensions (mm):
Length: 203
Variations:
LF5540B 254
LF5540C 305

 BA





LF5542

CURLY TAIL CASEMENT FASTENER

Dimensions (mm):
Overall Length: 125
Width: 80

 BA





LF5541A

CURLY TAIL CASEMENT STAY

Dimensions (mm):
Length: 203
Variations:
LF5541B 254
LF5541C 305

 BA

LF5542 not suitable for weather stripped windows.

LUDLOW BLACK ANTIQUE

LUDLOW BLACK ANTIQUE





LF5101

**BARLEY TWIST PULL
HANDLE ON BACKPLATE**

Dimensions (mm):
Backplate: 310x66
Projection: 82

BA






LF5260LH

**ARMORIAL PULL HANDLE
ON BACKPLATE** Left Hand

Dimensions (mm): 263x46

Variations:
LF5260RH Right Hand

BA





LF5103

**ARMORIAL PULL HANDLE
ON BACKPLATE**

Dimensions (mm):
Backplate: 314x67
Projection: 78
Overall Length: 415

BA





LF5575A

HOTBED HANDLE

Dimensions (mm):
Length: 133

Variations:
LF5575B 153

BA

LUDLOW BLACK ANTIQUE





LF5266
**OFFSET PULL HANDLE
ON ROSE**
Dimensions (mm):
Length: 239

**BA**





LF5574A
PULL HANDLE
Dimensions (mm):
Length: 133
Variations:
LF5574B 178
LF5574C 228

**BA**

LUDLOW BLACK ANTIQUE





LF55101
FINGERPLATE
Dimensions (mm):
Overall: 315x67

**BA**





LF5102
ARMORIAL FINGER PLATE
Dimensions (mm):
Overall: 315x67

**BA**

LUDLOW BLACK ANTIQUE



LF5535

THUMB LATCH SET

Dimensions (mm):
Handle: 194
Latch: 140

BA





LF5526

HAT AND COAT HOOK

Dimensions (mm):
Height: 138
Projection: 92

BA



LUDLOW BLACK ANTIQUE



LF5530A

STRAIGHT DOOR BOLT
c/w staple and plate

Dimensions (mm):
Length: 108

Variations:
LF5530B 152
LF5530C 199

BA





LF5563A

CRANKED DOOR BOLT

Dimensions (mm):
Length: 115

Variations:
LF5563B 157
LF5563C 214

BA





LF5528C

CABIN HOOK

Dimensions (mm):
Length: 203

Variations:
LF5528A 102
LF5528B 152
LF5528D 305

BA



LUDLOW BLACK ANTIQUE

 	AA133BA
	
OVAL THUMBTURN AND RELEASE Rose: 38 Dia. Spindle: 4.9	
 BA	

 	AA33BA
	
OVAL THUMBTURN Spine spindle to operate rack bolt Rose: 40 Dia.	
 BA	

LUDLOW BLACK ANTIQUE

 	LF5130
	
PROJECTION DOOR STOP Dimensions (mm): Height: 75	
 BA	

 	HINFP1PCB
	
HINGE FIXED PIN c/w screws Dimensions (mm): Overall: 76x51 Variations: HINFP4PCB	
 PCB	

 	LF5527
	
SINGLE WARDROBE HOOK Dimensions (mm): 60	
 BA	

LUDLOW BLACK ANTIQUE



LF5515A

TEE HINGE

Dimensions (mm):
Overall: 408x103

Variations:
LF5515 305x103
LF5515B 461x103



BA



LF5121

SWORD HINGE FRONT

Dimensions (mm):
Overall: 306x139

Variations:
LF5122 383x147
LF5123B 463x158



BA



LF5519A

SWORD HINGE

Dimensions (mm):
Length: 348

Variations:
LF5519B 422
LF5519C 503



BA

LUDLOW BLACK ANTIQUE



LF5548

SUFFOLK LATCH

Dimensions (mm):
Length: 234
Latch: 188

Back of handle to end of lever approx 76mm



BA



LF5547

RING HANDLE GATE LATCH

Dimensions (mm):
Overall: 190x114



BA

LUDLOW BEESWAX



BW5501

TUDOR
Lever on Lock Backplate

Dimensions (mm):
Backplate: 266x43
Projection: 66
Lever Length: 140

Variations:
BW5502 Latch
BW5503 Bathroom

 **BW**



BW5504

GOTHIC
Lever on Lock Backplate

Dimensions (mm):
Backplate: 251x43
Projection: 66
Lever Length: 120

Variations:
BW5505 Latch
BW5506 Bathroom

 **BW**



Hand Forged Beeswax Range

LUDLOW BEESWAX

LUDLOW BEESWAX





BW5515A

BEAN T HINGE

Dimensions (mm):
Overall Length: 110 154 304 390 460

Variations:
BW5515B
BW5515C
BW5515D
BW5515E

 BW





BW5520A

ARROW HEAD T HINGE

Dimensions (mm):
Overall Length: 115 166 309 393 460

Variations:
BW5520B
BW5520C
BW5520D
BW5520E

 BW





BW5535

BEAN THUMBBLATCH HANDLE

Dimensions (mm):
Overall: 210x190

 BW





BW5545

GOTHIC THUMBBLATCH HANDLE

Dimensions (mm):
Overall: 217x190

 BW

LUDLOW BEESWAX





BW5574A
BEAN D HANDLE
Dimensions (mm):
Overall Length: 99
Variations:
BW5574B 150
BW5574C 194

 BW





BW5584A
GOTHIC D HANDLE
Dimensions (mm):
Overall Length: 107
Variations:
BW5584B 144
BW5584C 188

 BW

LUDLOW BEESWAX





BW5564A
FISHTAIL STRAIGHT BOLT
Dimensions (mm):
Overall Length: 108
Variations:
BW5564B 170

 BW





BW5565A
FISHTAIL CRANKED BOLT
Dimensions (mm):
Overall Length: 108
Variations:
BW5565B 170

 BW

LUDLOW BEESWAX





BW5530A

**SHEPHERDS CROOK
STRAIGHT BOLT**

Dimensions (mm):
Overall Length: 105

Variations:
BW5530B 175

 BW





BW5563A

**SHEPHERDS CROOK
CRANKED BOLT**

Dimensions (mm):
Overall Length: 105

Variations:
BW5563B 175

 BW

LUDLOW BEESWAX





BW5527

**GOTHIC SINGLE ROBE
HOOK**

Dimensions (mm):
Overall: 128x59

 BW





BW5528

**BEAN SINGLE ROBE
HOOK**

Dimensions (mm):
Overall: 97x54

 BW

LUDLOW BEESWAX





BW5526

HAT AND COAT HOOK
FORGED

Dimensions (mm):
Overall: 149x19



BW





BW5529

ROBE HOOK FORGED

Dimensions (mm):
Overall: 89x20



BW

LUDLOW BEESWAX





BW1078A

BEATEN CUPBOARD
KNOB

Dimensions (mm):
Overall Width: 20

Variations:
BW1078B 30
BW1078C 40



BW





BW34LH

MONKEY TAIL LOCKING
FASTENER Left Hand

Dimensions (mm):
Length: 120

Variations:
BW34RH Right Hand



BW

LUDLOW BEESWAX

LUDLOW BEESWAX





BW5541A

MONKEY TAIL STAY

Dimensions (mm):
Overall Length: 203

Variations:
BW5541B 254
BW5541C 305

 BW





BW1006RH

SHEPHERDS CROOK LOCKING CASEMENT FASTENER Right Hand

Dimensions (mm):
Length: 127

Variations:
BW1006LH Left Hand

 BW





BW5540A

SHEPHERDS CROOK STAY

Dimensions (mm):
Length: 203

Variations:
BW5540B 254
BW5540C 305

 BW





BW5594

HAMMER HEAD MORTICE KNOB

Dimensions (mm):
Knob: 67x32
Rose: 61 Dia.
Projection: 65

 BW





BW55460


ESCUTCHEON Lock
OPEN AND CLOSED

Dimensions (mm): Dia. 40

Variations: BW5546C Dia. 40

 BW

LUDLOW PEWTER




PE5501

TUDOR
Lever on Lock Backplate

Dimensions (mm):
Backplate: 266x43
Projection: 66
Lever Length: 140

Variations:
PE5502 Latch
PE5503 Bathroom

 **PE**



PE5504

GOTHIC
Lever on Lock Backplate

Dimensions (mm):
Backplate: 251x43
Projection: 66
Lever Length: 120

Variations:
PE5505 Latch
PE5506 Bathroom

 **PE**



Hand Forged Pewter Effect Range

LUDLOW PEWTER

LUDLOW PEWTER



PE56NP92

NARROW PLATE
Lever on Lock Backplate Unsprung

Dimensions (mm):
Backplate: 218x30
Projection: 60
Lever Length: 120
Centres: 92



PE



PE5520B


ARROW HEAD T HINGE

Dimensions (mm):
Overall Length: 166

Variations:
PE5520D 393
PE5520E 460



PE



PE5535

GOTHIC THUMBBLATCH

Dimensions (mm):
Overall: 210x190



PE



PE5584A

GOTHIC D HANDLE

Dimensions (mm):
Length: 107

Variations:
PE5584B 144
PE5584C 188



PE

LUDLOW PEWTER



PE5564A

FISHTAIL STRAIGHT BOLT

Dimensions (mm):
Length: 108

Variations:
PE5564B 170

PE



PE5565A

FISHTAIL CRANKED BOLT

Dimensions (mm):
Length: 108

Variations:
PE5565B 170

PE

LUDLOW PEWTER



PE5530A

SHEPHERDS CROOK STRAIGHT BOLT

Dimensions (mm):
Length: 105

Variations:
PE5530B 175

PE



PE5563A

SHEPHERDS CROOK CRANKED BOLT

Dimensions (mm):
Length: 105

Variations:
PE5563B 175

PE

LUDLOW PEWTER





PE1078A

CUPBOARD KNOB

Dimensions (mm):
Overall Width: 20 30 40

Variations:
PE1078B
PE1078C

 PE





PE34LH

MONKEYTAIL LOCKING FASTENER Left Hand

Dimensions (mm):
Length: 120

Variations:
PE34RH
Right Hand

 PE

LUDLOW PEWTER





PE5541A

MONKEY TAIL STAY

Dimensions (mm):
Overall Length: 203

Variations:
PE5541B
PE5541C

 PE





PE1006RH

SHEPHERDS CROOK LOCKING FASTENER Right Hand

Dimensions (mm):
Length: 127

Variations:
PE1006LH
Left Hand

 PE





PE5540A

SHEPHERDS CROOK STAY

Dimensions (mm):
Length: 203

Variations:
PE5540B
PE5540C

 PE

LUDLOW PEWTER

	 	PE5634 TUDOR BELL PUSH Dimensions (mm): Overall: 118x30	
---	---	--	---

	 	PE5654 GOTHIC BELL PUSH Dimensions (mm): Overall: 118x30	
--	---	---	---

LUDLOW PEWTER

	 	PE5524 LETTER PLATE Dimensions (mm): Overall: 280x101	
---	---	--	---

	 	PE55 LETTER TIDY Dimensions (mm): Overall: 295x107	
---	---	---	---

	 	PE55460 ESCUTCHEON Lock OPEN AND CLOSED Dimensions (mm): Variations: PE5546C	
---	---	---	---

LUDLOW PEWTER

LUDLOW PEWTER



PE5574



PULL HANDLE ON PLATE
Dimensions (mm):
Overall: 315x65
Projection: 52





PE55101



PUSH PLATE
Dimensions (mm):
Overall: 315x65





PE5550



CENTRE DOOR KNOB
Dimensions (mm):
Knob: 75 Dia.
Rose: 75 Dia.
Projection: 56






PE56495



NUMERAL Face Fix
Dimensions (mm):
Height: 78
Variations:
PE56490 Numeral 0
PE56491 Numeral 1
PE56492 Numeral 2
PE56493 Numeral 3
PE56494 Numeral 4
PE56495 Numeral 5
PE56496/9 Numeral 6 or 9
PE56497 Numeral 7
PE56498 Numeral 8





PE5590

WEALDEN DOOR KNOCKER

Dimensions (mm):
Overall: 186x141

PE





183876

CONTRACTORS
NARROW PATTERN
BUTT HINGE

Dimensions (mm):
Length: 76
Width: 50
Depth: 1.5

Variations:
1838100 102x70x2

EB SC ZP




HINLP1

LOOSE PIN HINGE

Dimensions (mm):
Length: 76
Width: 50
Depth: 1.6

Variations:
HINLP4 102x67x2

CP EB W



EBH1/20

PLATED STEEL PIANO HINGE

Dimensions (mm):
Length: 1829
Width: 25
Depth: 1

Finish Variations:
EBH2/20 EB 1829x32x1
EBH3/20 EB 1829x38x1
FBH1/20 FB 1829x25x1
FBH2/20 FB 1829x32x1
NPH1/20 NP 1829x25x1
NPH2/20 NP 1829x32x1
NPH3/20 NP 1829x38x1

EB FB NP

HINGES

HINGES



HSD3

SOLID DRAWN BRASS BUTT HINGE

Dimensions (mm):
Length: 70
Width: 40
Depth: 1.5

Variations:
HSD4 102x60x2

 **SB**



HDSW1

DOUBLE STEEL WASHED BRASS BUTT HINGE

Dimensions (mm):
Length: 76
Width: 50
Depth: 2

Variations:
HDSW2 102x67x2.2
HDSW20 76x50x2.5
HDSW3 102x67x2.5
HDSW4 102x67x2.5
HDSW9 127x76x3

 **CP**  **POL/LAC**  **SB**



HDPBW21

DOUBLE PHOSPHOR BRONZE WASHED BUTT HINGE

Dimensions (mm):
Length: 76
Width: 50
Depth: 2.5

Variations:
HDPBW4 102x67x2.5
HDPBW61 102x67x4
HDPBW8 102x76x4
HDPBW10 127x76x3

 **FB**  **POL/LAC**



HDSSW2

DOUBLE STAINLESS STEEL WASHED BRASS BUTT HINGE

Dimensions (mm):
Length: 76
Width: 50
Depth: 2.5

Variations:
HDSSW5 102x67x4

 **CP**  **SC**

HINGES

HINGES



10

10

HDBB1

DOUBLE BALL BEARING HINGE

Dimensions (mm):
Length: 102
Width: 76
Depth: 3

Variations:
HDBB3 76x50x2

POL/LAC



CE

10

10

HDBB4

GRADE 13 DOUBLE BALL BEARING HINGE

Dimensions (mm):
Length: 102
Width: 76
Depth: 3

BEP

EB

FB



10

10

RBH1433

ISING BUTT HINGE

Dimensions (mm):
Length: 102
Width: 75
Depth: 3

Variations:
RBH1433LEF Left Hand
RBH1433RIG Right Hand

SSS



10

10

HIN1322

BALL BEARING HINGE

Dimensions (mm):
Length: 76
Width: 51
Depth: 2

BSS

PVD

SSS



304

305

EUROSPEC

HINGES

HINGES



HIP1332

PLAIN HINGE

Dimensions (mm):
Length: 76
Width: 76
Depth: 2

☐ BSS ☒ SSS



HIP14325

PLAIN HINGE

Dimensions (mm):
Length: 100
Width: 76
Depth: 2.5

☐ BSS ☒ SSS



HIW13215

WASHERED HINGE

Dimensions (mm):
Length: 76
Width: 51
Depth: 1.5

☐ BSS ☒ SSS



HIW14325

WASHERED HINGE

Dimensions (mm):
Length: 102
Width: 76
Depth: 2.5

☐ BSS ☒ SSS

HINGES

ENDURO® HINGES



7273424

PARLIAMENT HINGE

Dimensions (mm):

Length: 102
Width: 102
Depth: 4



PB PC SC

PB PC SC



HIN13225/11R

GRADE 11

BALL BEARING HINGE Radius

Dimensions (mm):

Length:	76
Width:	67
Depth:	2.5
Maximum Loading:	80kg

Variations:

HIN13225/11 Square



BSS **PVD** **SSS**

BSS **PVD** **SSS**



HIP13225/7

GRADE 7
PLAIN BEARING HINGE

Dimensions (mm):

Length:	76
Width:	67
Depth:	2.5
Maximum Loading:	40kg


Variations:
HIP14325/7

HIP14325/7 100x76x2.5



BL	EB	PC
		
BZP	FB	SC
		

BL	EB	PC
		
BZP	FB	SC
		



HIN1433/13

GRADE 13

Dimensions (mm):

Length:	102
Width:	76
Depth:	3
Maximum Loading:	120kg

Variations:
HIN1433/13R
Radius

HIN1433/13R
Radius

Color	Material
	BSS
	EB
	PVD
	SSS
	SZP

Color	Material
	BSS
	EB
	PVD
	SZP
	SSS



ENDURO® HINGES

ENDURO® HINGES

ENDUROMAX® HINGES



HIN1433SEC/13

**GRADE 13 BALL BEARING
SECURITY HINGE**

Dimensions (mm):
Length: 102
Width: 76
Depth: 3
Maximum Loading: 120kg

Variations:
HIN1433SEC/13/R
Radius

555



HIN1433HT/13

**GRADE 13 BALL BEARING
HOSPITAL TIP HINGE**
TS001 November 2005

Dimensions (mm):
Length: 102
Width: 76
Depth: 3
Maximum Loading: 120kg

SSS



H2N1202/11/R

GRADE 11 LIFT OFF
THRUST BEARING HINGE Radius

Dimensions (mm):

Length:	100
Width:	89
Depth:	3
Maximum Loading:	80kg

Variations:
H2N1202/11/R/LEF Left Hand
H2N1202/11/R/RIG Right Hand

BSS
 PVD
 SSS



H2N1503/11/R

**GRADE 11 LIFT OFF
THRUST BEARING HINGE Radius**

Dimensions (mm):	
Length:	98
Width:	83
Depth:	3
Maximum Loading:	80kg

Variations:
H2N1503/11R/LEF Left Hand
H2N1503/11R/RIG Right Hand

BSS **PVD** **SSS**





ENDUROMAX® HINGES



H2N1502/13/R

GRADE 13 LIFT OFF THRUST BEARING HINGE Radius

Dimensions (mm):
Length: 110
Width: 98
Depth: 3.5
Maximum Loading: 120kg

Variations:
H2N1502/13/R/LEF Left Hand
H2N1502/13/R/RIG Right Hand

BSS **PVD** **SSS**





ENDUROMAX® HINGES



H2N1102/13

GRADE 13 THRUST BEARING HINGE Non Removable Pin

Dimensions (mm):
Length: 100
Width: 89
Depth: 3
Maximum Loading: 120kg

Variations:
H2N1102/13/R Radius

BSS **PVD** **SSS**





H2N11015/13

GRADE 13 THRUST BEARING HINGE Non Removable Pin

Dimensions (mm):
Length: 100
Width: 100
Depth: 3
Maximum Loading: 120kg

Variations:
H2N11015/13/R Radius

BSS **PVD** **SSS**





H2N1103/13





GRADE 13 THRUST BEARING HINGE Non Removable Pin

Dimensions (mm):
Length: 100
Width: 76
Depth: 3
Maximum Loading: 120kg

Variations:
H2N1103/13/R Radius

BSS **PVD** **SSS**







H3N1107/13/R

GRADE 13 LIFT OFF JOURNAL
SUPPORT HINGE Radius

Dimensions (mm):
Length: 110
Width: 98
Depth: 3.5
Maximum Loading: 120kg

Variations:
H3N1107/13/R/LEF Left Hand
H3N1107/13/R/RIG Right Hand



H3N1102A/13

GRADE 13 TRIPLE KNUCKLE
PROJECTION HINGE

Dimensions (mm):
Length: 100
Width: 106
Depth: 3
Maximum Loading: 120kg



H3N1102/13

GRADE 13
TRIPLE KNUCKLE HINGE

Dimensions (mm):
Length: 100
Width: 88
Depth: 3
Maximum Loading: 120kg

Variations:
H3N1102/13/R Radius



INT11433

INTUMESCENT HINGE LINER

Dimensions (mm):
Length: 100
Width: 30

Variations:
INT1102 Width 36
INT11443 Width 40

ENDUROMAX® HINGES

CEAM® HINGES





H2N1900

STANDARD THRUST BEARING PIVOT SET

Dimensions (mm):
Length: 130
Width: 25
Maximum Loading: 80kg

Variations:
H2N1900/R

 SSS






H2N1950

EMERGENCY RELEASE DOOR STOP

Dimensions (mm):
Length: 80
Width: 40
Depth: 30

 SSS






CI001129

CONCEALED HINGE

Dimensions (mm):
Length: 100
Width: 22
Depth: 18
Maximum Loading: 40kg







CI001130

CONCEALED HINGE

Dimensions (mm):
Length: 134
Width: 24
Depth: 21
Maximum Loading: 60kg







CI001131

CONCEALED HINGE

Dimensions (mm):
Length: 160
Width: 32
Depth: 29
Maximum Loading: 120kg

 **BR000**

 **OTT00**

 **NIK00**

 **VCH00**



ENDURO® DOOR CONTROLS

ENDURO® DOOR CONTROLS



AA45

CONCEALED CHAIN SPRING DOOR CLOSER

Dimensions (mm):
Plate: 50x25
Depth: 145

Variations:
AA45R    Radius



CDC85/R

ADJUSTABLE JAMB MOUNTED DOOR CLOSER

Dimensions (mm):
Plate: 123x26
Depth: 170
Maximum Door Width: 940
Maximum Weight: 80kg
Angle of Opening: 110°





CDG003

CONTRACT OVERHEAD DOOR CLOSER FIXED POWER SIZE 3

Dimensions (mm):
Overall: 950
Maximum Door Width: 60kg
Maximum Weight: 180°





DCF2003

OVERHEAD DOOR CLOSER FIXED POWER SIZE 3

Dimensions (mm):
Overall: 178x64
Maximum Door Width: 950
Maximum Weight: 60kg
Angle of Opening: 180°

Cover Packs:
DCF2003BSS/FCP BSS
DCF2003EBP/FCP EBP
DCF2003PNP/FCP PNP
DCF2003PVD/FCP PVD
DCF2003SNP/FCP SNP
DCF2003SSS/FCP SSS
DCF2003SV/FCP SV





DCT2024

OVERHEAD DOOR CLOSER
VARIABLE POWER SIZE 2-4

Dimensions (mm):

Overall: 207x55
Maximum Door Width: 1100
Maximum Weight: 80kg
Angle of Opening: 180°

Cover Packs:

DCT2024/BSS/FCP BSS
DCT2024/EBP/FCP EBP
DCT2024/PNP/FCP PNP
DCT2024/PVD/FCP PVD
DCT2024/SNP/FCP SNP
DCT2024/SSS/FCP SSS
DCT2024/SV/FCP SV

Variations:

DCT2024BC Backcheck

Cover Packs:

DCT2024BC/BSS/FCP BSS
DCT2024BC/EBP/FCP EBP
DCT2024BC/PNP/FCP PNP
DCT2024BC/PVD/FCP PVD
DCT2024BC/SNP/FCP SNP
DCT2024BC/SSS/FCP SSS
DCT2024BC/SV/FCP SV



PB SV



DCS2024BC

DDA COMPLIANT
OVERHEAD DOOR CLOSER
VARIABLE POWER SIZE 2-4

Dimensions (mm):

Overall: 236x60
Maximum Door Width: 1100
Maximum Weight: 80kg
Angle of Opening: 180°

Cover Packs:

DCS2024BC/BSS/FCP BSS
DCS2024BC/EBP/FCP EBP
DCS2024BC/PNP/FCP PNP
DCS2024BC/PVD/FCP PVD
DCS2024BC/SNP/FCP SNP
DCS2024BC/SSS/FCP SSS
DCS2024BC/SV/FCP SV



SV



DCS2026BC

**DDA COMPLIANT
OVERHEAD DOOR CLOSER
VARIABLE POWER SIZE 2-6**

Dimensions (mm):

Overall:	275x62
Maximum Door Width:	1400
Maximum Weight:	120kg
Angle of Opening:	180°

Cover Packs:	BSS
DCS2026BC/BSS/FCP	PVD
DCS2026BC/PVD/FCP	SSS
DCS2026BC/SSS/FCP	SV
DCS2026BC/SV/FCP	

DCS2026BCDA/SSS/FCP SSS
DCS2026BCDA/SV/FCP SV



ENDURO® DOOR CONTROLS

ENDURO® DOOR CONTROLS

FULL SET COVER PACKS			
	To Match DCF2003:		
	DCF2003BSS/FCP	BSS	To Match DCS2025BC:
	DCF2003EBP/FCP	EBP	DCS2025BC/EBP/FCP
	DCF2003PNP/FCP	PNP	DCS2025BC/BNP/FCP
	DCF2003PVD/FCP	PVD	DCS2025BC/PVD/FCP
	DCF2003SNP/FCP	SNP	DCS2025BC/SNP/FCP
	DCF2003SSS/FCP	SSS	DCS2025BC/SSS/FCP
	DCF2003SV/FCP	SV	DCS2025BC/SV/FCP
	To Match DCT2024:		
	DCT2024/BSS/FCP	BSS	DCS2025BCDA/BSS/FCP
	DCT2024/EBP/FCP	EBP	DCS2025BCDA/EBP/FCP
	DCT2024/PNP/FCP	PNP	DCT2024BCDA/PNP/FCP
	DCT2024/PVD/FCP	PVD	DCT2024BCDA/PVD/FCP
	DCT2024/SNP/FCP	SNP	DCT2024BCDA/SNP/FCP
	DCT2024/SSS/FCP	SSS	DCT2024BCDA/SSS/FCP
	DCT2024/SV/FCP	SV	DCT2024BCDA/SV/FCP
	To Match DCS2026BC:		
	DCT2024BC/BSS/FCP	BSS	DCS2026BC/BSS/FCP
	DCT2024BC/EBP/FCP	EBP	DCS2026BC/PVD/FCP
	DCT2024BC/PNP/FCP	PNP	DCS2026BC/SSS/FCP
	DCT2024BC/PVD/FCP	PVD	DCS2026BC/SV/FCP
	DCT2024BC/SNP/FCP	SNP	DCS2026BCDA/BSS/FCP
	DCT2024BC/SSS/FCP	SSS	DCS2026BCDA/PVD/FCP
	DCT2024BC/SV/FCP	SV	DCT2026BCDA/SSS/FCP
	To Match DCS2024BC:		
	DCS2024BC/BSS/FCP	BSS	DCS2024BC/EBP/FCP
	DCS2024BC/EBP/FCP	EBP	DCS2024BC/PNP/FCP
	DCS2024BC/PNP/FCP	PNP	DCS2024BC/PVD/FCP
	DCS2024BC/PVD/FCP	PVD	DCS2024BC/SNP/FCP
	DCS2024BC/SNP/FCP	SNP	DCS2024BC/SSS/FCP
	DCS2024BC/SSS/FCP	SSS	DCS2024BC/SV/FCP
	DCS2024BC/SV/FCP	SV	
BSS EB PNP PVD SNP SSS SV			

	DCX2107		
	HOLD OPEN ARM		
	To Match:		
	DCS2024/DCS2024BC		
	DCS2025BC/DCS2025BCDA		
	DCS2026BC/DCS2026BCDA		
	DCX2201/02/03		
	DOOR CLOSER COVER		
	DCX2201 To Match:		
	DCF2003		
	DCX2202 To Match:		
	DCS2024		
	DCT2024/DCT2024BC		
	DCS2025BC/DCS2025BCDA		
	DCX2203 To Match:		
	DCS2026BC		
	DCS2026BCDA		



DCC2024SM

**DDA COMPLIANT
SURFACE MOUNTED SLIM
H.E DOOR CLOSER
VARIABLE POWER SIZE 2-4**

Dimensions (mm):

Overall:	215x54
Maximum Door Width:	1100
Maximum Weight:	80kg
Angle of Opening:	120°

Cover Packs:	BSS
DCP3000/BSS	EBP
DCP3000/EBP	PNP
DCP3000/PNP	PVD
DCP3000/PVD	SNP
DCP3000/SNP	SSS
DCP3000/SSS	SV
DCP3000/SV	



SV



DCC2003SM

**DDA COMPLIANT
SURFACE MOUNTED SLIM
DOOR CLOSER
FIXED POWER SIZE 3**

Dimensions (mm):

Overall:	236x59
Maximum Door Width:	950
Maximum Weight:	60kg
Angle of Opening:	120°

Cover Packs:	BSS	EBP	PNP	PVD	SNP	SSS	SV
DCP3202/BSS							
DCP3202/EBP							
DCP3202/PNP							
DCP3202/PVD							
DCP3202/SNP							
DCP3202/SSS							
DCP3202/SV							



SV

ENDUROMAX® DOOR CONTROLS

ENDUROMAX® DOOR CONTROLS



DCC2024SM/36

DDA COMPLIANT
SURFACE MOUNTED SLIM
H.E DOOR CLOSER
VARIABLE POWER SIZE 2-4

Dimensions (mm):
Overall: 236x59
Maximum Door Width: 1100
Maximum Weight: 80kg
Angle of Opening: 120°

Cover Packs:
DCP3202/36/BSB
DCP3202/36/EBP
DCP3202/36/PNP
DCP3202/36/PVD
DCP3202/36/SNP
DCP3202/36/SSS
DCP3202/36/SV





SV

DCC2024SM/36 for matching cover packs see P338.
DCC2024SM/36 DDA Compliant.



DCC2024CF

DDA COMPLIANT
CONCEALED SLIM
DOOR CLOSER
VARIABLE POWER SIZE 2-4

Dimensions (mm):
Overall: 285x54
Maximum Door Width: 1100
Maximum Weight: 80kg
Angle of Opening: 120°





EB PNP SNP

DCC2024CF DDA Compliant.



ENDUROMAX® DOOR CONTROLS



ENDUROMAX® DOOR CONTROLS

DCC2003CF

DDA COMPLIANT
CONCEALED SLIM
DOOR CLOSER
FIXED POWER SIZE 3

Dimensions (mm):
Overall: 305x63
Maximum Door Width: 950
Maximum Weight: 60kg
Angle of Opening: 120°

EB

PNP

SNP

DCC2024CF/36

DDA COMPLIANT
CONCEALED SLIM
H.E DOOR CLOSER
VARIABLE POWER SIZE 2-4

Dimensions (mm):
Overall: 305x59
Maximum Door Width: 1100
Maximum Weight: 80kg
Angle of Opening: 120°

EB

PNP

SNP

ENDUROMAX® DOOR CONTROLS

ENDUROMAX® DOOR CONTROLS



COVER PACKS

To Match DCC2024SM:

- DCP3000/BSS
- DCP3000/EBP
- DCP3000/PNP
- DCP3000/PVD
- DCP3000/SNP
- DCP3000/SSS
- DCP3000/SV

To Match DCC2003SM:

- DCP3202/BSS
- DCP3202/EBP
- DCP3202/PNP
- DCP3202/PVD
- DCP3202/SNP
- DCP3202/SSS
- DCP3202/SV

To Match DCC2024SM:

- DCP3202/36/BSS
- DCP3202/36/EBP
- DCP3202/36/PNP
- DCP3202/36/PVD
- DCP3202/36/SNP
- DCP3202/36/SSS
- DCP3202/36/SV

BSS

EB

PNP

PVD

SNP

SSS

SV

- BSS
- EBP
- PNP
- PVD
- SNP
- SSS
- SV

- BSS
- EBP
- PNP
- PVD
- SNP
- SSS
- SV

- BSS
- EBP
- PNP
- PVD
- SNP
- SSS
- SV



DCX2002

PLATED ARM

To Match:
DCC2024SM/DCC2024SM/36
DCC2003SM
DCC2024CF/DCC2024/CF/36

EB

PNP

SNP



DCX3202/DCX3202/36

DOOR CLOSER COVER

DCX3202 To Match:
DCC2024SM

DCX3202/36 To Match:
DCC2024SM/36
DCC2003SM/36

EBP


SNP

PNP

SV

ENDUROMAX® DOOR CONTROLS

ENDUROMAX® DOOR CONTROLS



DCX2003

CHANNEL FOREND

To Match:
DCC2024SM/DCC2024SM/36
DCC2003SM
DCC2024CF/DCC2024/CF/36

BSSPVDSSS



DCFS150/EN3

DOUBLE ACTION FLOOR SPRING

Dimensions (mm):
Overall: 325x130x40
Maximum Door Width: 950
Maximum Weight: 105kg
Angle of Opening: 120°

BSSPVDSSS





DCFS250/EN4

DOUBLE ACTION FLOOR SPRING

Dimensions (mm):
Overall: 325x130x40
Maximum Door Width: 1100
Maximum Weight: 150kg
Angle of Opening: 120°

BSSPVDSSS





DCTS100EN3/150EN4

CONCEALED NHO TRANSOM CLOSER POWER SIZE 3/4 WITH SIDE LOAD ACCESSORIES

DCTS100/EN3:
Overall: 293x91x38
Maximum Door Width: 950
Maximum Weight: 105kg
Angle of Opening: 130°

DCTS150/EN4:
Overall: 293x91x38
Maximum Door Width: 1100
Maximum Weight: 150kg
Angle of Opening: 130°

SV





DCCM3024

ELECTROMAGNETIC
HO/FS DOOR CLOSER
VARIABLE POWER SIZE 2-4

Dimensions (mm):
Overall: 228x51
Maximum Door Width: 1100
Maximum Weight: 80kg
Angle of Opening: 120°



BSS SS SV



DCEM2004

ELECTROMAGNETIC
HO/FS DOOR CLOSER
FIXED POWER SIZE 4

Dimensions (mm):
Overall: 275x47
Maximum Door Width: 1100
Maximum Weight: 80kg
Angle of Opening: 170°



EB SS
PC SV



DCEM2003

ELECTROMAGNETIC
HO/FS DOOR CLOSER
FIXED POWER SIZE 3

Dimensions (mm):
Overall: 275x47
Maximum Door Width: 950
Maximum Weight: 60kg
Angle of Opening: 170°



EB SS
PC SV



DEFB100

FLOOR MOUNTING BRACKET

Dimensions (mm):
Overall:

SV

ENDUROMAX® DOOR CONTROLS

ENDUROMAX® DOOR CONTROLS



DEM100F

FLUSH MOUNTED
WALL MAGNET

Dimensions (mm):
Overall: 86x86x14

SS

SV



DEM100S

SURFACE MOUNTED
WALL MAGNET

Dimensions (mm):
Overall: 86x86x52

SS

SV



PANIC HARDWARE



XDB5760

PUSHBAR PANIC BOLT
c/w Vertical Rods

Dimensions (mm):
Overall Width: 760mm

Variations:
XDL5760
760mm Pushbar Panic Latch with
dogging function c/w strike

XDD5760
760mm Rebated Double Pushbar
Panic Bolt with dogging function
c/w vertical rods

XIA5014
Metal Door Strike Pack to suit
XDB5760 Panic Bolt

XIA5017
8mm Follower to Rim Tail Converter



For doors greater than 900mm a longer crossbar is available.
Please contact our sales office on 01228 611030 for details.

PANIC HARDWARE

PANIC HARDWARE

[illegible][illegible]



PANIC HARDWARE



XIA5004

PHOTO LUMINESCENT
"PUSH BAR TO OPEN" SIGN
TO SUIT TOUCHBAR

Dimensions (mm):
Length: 603
Width: 35

PB

SC

PC

SV



XIA5002

PUSHPAD LATCH

Dimensions (mm):
Length: 125
Width: 90

PB

SC

PC

SV



XIA5003

EXTERNAL LOCKING
ATTACHMENT
c/w Cylinder

Dimensions (mm):
Length: 125
Width: 90

PB

SC

PC

SV



INTUMESCENT FIRE PROTECTION AND ACOUSTIC SEALING SYSTEMS



Dimensions (mm):	CB140	25 Pack 2100x10x4 Fire Door Seal	White				
	CB100	25 Pack 2100x10x4 Fire Door Seal	Brown				
	CB145	25 Pack 2100x10x4 Fire and Smoke Door Seal	White				
	CB125	25 Pack 2100x10x4 Fire and Smoke Door Seal	Brown				
	CB120	25 Pack 2100x15x4 Fire Door Seal	White				
	CB110	25 Pack 2100x15x4 Fire Door Seal	Brown				
	CB150	25 Pack 2100x15x4 Fire Door Seal	Silver				
	CB115	25 Pack 2100x15x4 Fire and Smoke Door Seal	White				
	CB130	25 Pack 2100x15x4 Fire and Smoke Door Seal	Brown				
	CB155	25 Pack 2100x15x4 Fire and Smoke Door Seal	Silver				
	CB165	25 Pack 2100x20x4 Fire Door Seal	Brown				
	CB170	25 Pack 2100x20x4 Fire and Smoke Door Seal	White				
	CB175	25 Pack 2100x20x4 Fire and Smoke Door Seal	Brown				
	ES1400	2100 35 dB Acoustic Twin Blade Perimeter Seal	White				
	ES1401	2100 35 dB Acoustic Twin Blade Perimeter Seal	Brown				
	ES1403	2100 39 dB Acoustic Perimeter Corner Seal	White				
	ES1404	2100 39 dB Acoustic Perimeter Corner Seal	Brown				
	ES1405	2100 39 dB Acoustic Perimeter Corner Seal	Black				
	ES1238	2100 Single Action Acoustic Meeting Stile Seal	SAA				
	ES1240	2500 Single Action Acoustic Meeting Stile Seal	SAA				
	ES1239	2100 Double Action Acoustic Meeting Stile Seal	SAA				
	ES1241	2500 Double Action Acoustic Meeting Stile Seal	SAA				



Dimensions (mm):

ES1200	330	Top 37 dB Drop Down Seal	SAA
ES1201	430	Top 37 dB Drop Down Seal	SAA
ES1202	530	Top 37 dB Drop Down Seal	SAA
ES1203	630	Top 37 dB Drop Down Seal	SAA
ES1204	730	Top 37 dB Drop Down Seal	SAA
ES1205	830	Top 37 dB Drop Down Seal	SAA
ES1206	930	Top 37 dB Drop Down Seal	SAA
ES1207	1030	Top 37 dB Drop Down Seal	SAA
ES1208	1130	Top 37 dB Drop Down Seal	SAA
ES1228	330	Surface 37 dB Drop Down Seal	SAA
ES1229	430	Surface 37 dB Drop Down Seal	SAA
ES1230	530	Surface 37 dB Drop Down Seal	SAA
ES1231	630	Surface 37 dB Drop Down Seal	SAA
ES1232	730	Surface 37 dB Drop Down Seal	SAA
ES1233	830	Surface 37 dB Drop Down Seal	SAA
ES1234	930	Surface 37 dB Drop Down Seal	SAA
ES1235	1030	Surface 37 dB Drop Down Seal	SAA
ES1236	1130	Surface 37 dB Drop Down Seal	SAA
ES1218	330	Plus 51 dB (Mortice) Drop Down Seal	SAA
ES1219	430	Plus 51 dB (Mortice) Drop Down Seal	SAA
ES1220	530	Plus 51 dB (Mortice) Drop Down Seal	SAA
ES1221	630	Plus 51 dB (Mortice) Drop Down Seal	SAA
ES1222	730	Plus 51 dB (Mortice) Drop Down Seal	SAA
ES1223	830	Plus 51 dB (Mortice) Drop Down Seal	SAA
ES1224	930	Plus 51 dB (Mortice) Drop Down Seal	SAA
ES1225	1030	Plus 51 dB (Mortice) Drop Down Seal	SAA
ES1226	1130	Plus 51 dB (Mortice) Drop Down Seal	SAA
ES1227	1230	Plus 51 dB (Mortice) Drop Down Seal	SAA



Intumescent Ancilliary Products:								
INT1050	Intumescent to suit SWE1050 Sleeved Letterplate							
INT1102	Intumescent Hinge Liner 100x36mm to suit pair of hinges	4 Pack						
INT1433	Intumescent Hinge Liner 100x30mm to suit pair of hinges	4 Pack						
INT1443	Intumescent Hinge Liner 100x40mm to suit pair of hinges	4 Pack						
ES600	Intumescent Acrylic Sealant White	310CL						
ES601	Intumescent Acrylic Sealant Brown	310CL						
ES804	Intumescent Lock Pack to suit Architectural Din Lock							
INT1008	Intumescent Kit to suit Lever Action Flush Bolt							
INT2024	Intumescent Kit to suit DCC2024CF Door Closer							
INT2024/36	Intumescent Kit to suit DCC2024CF/36 Door Closer							
INT2500	Intumescent Kit to suit DCF5150 Double Action Floor Spring							



INTUMESCENT FIRE PROTECTION AND ACOUSTIC SEALING SYSTEMS



ES800-803

FINGER PROTECTOR 1950mm

Finish Variations: **BROWN**

ES802 Opening Side 120°

ES803 Hinge Knuckle Side 105°

WHITE

ES800 Opening Side 120°

ES801 Hinge Knuckle Side 105°



BROWN



WHITE





INTUMESCENT FIRE PROTECTION AND ACOUSTIC SEALING SYSTEMS



ES901-903

COMMERCIAL FINGER PROTECTOR 2000mm

Variations:

ES901 Opening Side 120°

ES902 Opening Side 180°

ES903 Hinge Knuckle Side 180°



SAA





ES805-808

HEAVY DUTY FINGER PROTECTOR 1950mm

Finish Variations: **BROWN**

ES807 Opening Side 180°

ES808 Hinge Knuckle Side 105°

WHITE

ES805 Opening Side 180°

ES806 Hinge Knuckle Side 105°



BROWN



WHITE





ES300-309

INTUMESCENT LETTERBOX

Finish Variations:

ES301 **CP** 254

ES305 305

GOLD

ES302 254

ES306 305

PB

ES300 254

ES304 305

SAA

ES303 254

ES307 305

ES308 254

ES309 305



CP



PB



GOLD



SAA



SSS

