




**CARLISLE BRASS**

**TRANSFORMING ARCHITECTURAL IRONMONGERY**





EN 1165



Certificate No. 7287

Carlisle Brass is an ISO 14001:2004 and ISO 9001:2008 accredited company.

In 2014 we sold £37 million of hardware including more than 2,100,000 door knobs and handles!

Since 1986 we have designed, sourced and distributed our own brands to architectural ironmongers, builders merchants and new build developers.

We are one of the few UK companies that still produce hinges, locks and emergency exit hardware in our own CE, BSI and Certifire approved factory. Our in house cylinder shop provides rapid turnaround of master key, keyed alike and specialist locking options.

We are specified as standard by all top 10 new home developers in the UK, and with 39 of the top 50!



 **CARLISLE BRASS**  
TRANSFORMING ARCHITECTURAL IRONMONGERY

Carlisle Brass is the UK's largest specialised developer of door and window hardware for residential and commercial properties.

Tel: 01228 511030

Web: [www.carlislebrass.com](http://www.carlislebrass.com)

 **EUROSPEC**

Eurospec is the brand used for all our technical products mainly used in commercial applications.

Accredited products in this range are stringently tested to ensure they comply to the latest regulations.



# SEROZZETTA

CARLISLE BRASS

Influenced by European styles this broad range of door and window furniture has been designed in the UK to suit the modern domestic home.

# DELAMAIN

CARLISLE BRASS

Traditional mortice knobs and accessories influenced by the French regency period. Constructed using high quality brass and luxury materials including crystal and porcelain.



# LUDLOW

CARLISLE BRASS

Our period range of traditionally crafted hand-made black antique, pewter and beeswax finishes that are the perfect way to create an aged look in your property.

# DE L'EAU

CARLISLE BRASS

Beautifully crafted bathroom range that features a number of designs to suit most domestic applications where a chrome or stainless steel finish is required.



# FINGERTIP

CARLISLE BRASS

Contemporary and traditional ranges of cabinet hardware in a wide variety of finishes that utilise materials such as crystal, pewter and porcelain in their designs.





Door Furniture including  
Aluminium Range  
and Ludlow Ranges  
5



Cylinders  
357



Hinges  
299



Locks and Latches  
383



Door Controls  
323



Window Fittings  
407



Panic Hardware  
346



Bathroom Fittings  
423



Intumescent Fire  
Protection and Acoustic  
Sealing Systems  
351



Cabinet Hardware  
445






**SZC010**

**UNO**  
Lever on Round Rose  
Concealed Fix Press-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 8  
Rose Thickness: 67  
Projection: 109  
Lever Length: 109



**SZC040**

**CUATRO**  
Lever on Round Rose  
Concealed Fix Press-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 8  
Rose Thickness: 67  
Projection: 110  
Lever Length: 110



**SZC020**

**DOS**  
Lever on Round Rose  
Concealed Fix Press-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 8  
Rose Thickness: 73  
Projection: 111  
Lever Length: 111



**SZC030**

**TRES**  
Lever on Round Rose  
Concealed Fix Press-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 8  
Rose Thickness: 67  
Projection: 114  
Lever Length: 114




Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTL's on P389, and Eurospec locks. For matching escutcheons SZC001-3 see P8. For matching bathroom turn SZC004 see P8.



**SZC050**

**CINCO**  
Lever on Round Rose  
Concealed Fix Press-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 8  
Rose Thickness: 67  
Projection: 110  
Lever Length: 110



**SZC330**

**TREINTA**  
Lever on Round Rose  
Concealed Fix Press-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 8  
Rose Thickness: 61  
Projection: 117  
Lever Length: 117



Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTL's on P389, and Eurospec locks. For matching escutcheons SZC001-3 see P8. For matching bathroom turn SZC004 see P8.





**SZC340**

**CUARENTA**  
Lever on Round Rose  
Concealed Fix Press-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia.  
Rose Thickness: 8  
Projection: 63  
Lever Length: 123

CP  SC



**SZC001/2/3**

**ESCUTCHEON**  
Concealed Fix  
Press-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia.  
Rose Thickness: 10

**SZC001** Euro  
**SZC002** Oval  
**SZC003** Lock

CP  SC



**SZC004**


**THUMBTURN AND RELEASE**  
Concealed Fix  
Press-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia.  
Rose Thickness: 10

CP  SC








**SZM014**

**VALIANT**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 60  
Projection: 128  
Lever Length: 18 Dia., 126

CP  CPSN




**SZM025**

**BREEZE**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 74  
Projection: 126

CP




**SZM026**

**VOGUE**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 66  
Projection: 135

CP  CPSN

Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTL's on P389, and Eurospec locks. For matching escutcheons SZM001-3 see P15. For matching bathroom turn SZM004 see P16.



**SZM100**

**LUNA**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 57  
Projection: 122

CP  SC




**SZM110**

**AZUL**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 65  
Projection: 139  
Lever Length: 20 Dia., 139

SSCP




**SZM130**

**STYLE**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 63  
Projection: 110

CP  SC

Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTL's on P389, and Eurospec locks. For matching escutcheons SZM001-3 see P15. For matching bathroom turn SZM004 see P16.





**SZM160**

**TREND**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 65  
Projection: 130  
Lever Length: 20 Dia., 20 Dia.

BN  CPSN





**SZM200**

**URBAN**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 67  
Projection: 125  
Lever Length: 125

CP  SC





**SZM210**

**EDGE**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 62  
Projection: 119  
Lever Length: 119

CP  SC



Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTL's on P389, and Eurospec locks. For matching escutcheons SZM001-3 see P15. For matching bathroom turn SZM004 see P16.




**SZM210SQ**

**CONCEPT**  
Lever on Square Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51x51  
Rose Thickness: 10  
Projection: 62  
Lever Length: 119

CP






**SZM220**

**CONCEPT**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 56  
Projection: 56  
Lever Length: 125

CP  SC





**SZM230**

**CITY**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 69  
Projection: 69  
Lever Length: 130

CP  SC



Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTL's on P389, and Eurospec locks. For matching escutcheons SZM001-3 see P15. For matching bathroom turn SZM004 see P16. For matching square escutcheons SZM001-3SQ see P16. For matching square bathroom turn SZM004SQ see P17.



**SZM250**

**IMAGE**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 65  
Projection: 133  
Lever Length: 20 Dia.,  
Bar:



**SZM380**

**DESIGN**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 72  
Projection: 119  
Lever Length:



**SZM320**

**CUBE**  
Concealed Fix Lever on Square Rose  
Grub Screw Fixing on Rose

**Dimensions (mm):**  
Rose: 51,5x51,5  
Rose Thickness: 10  
Projection: 67  
Lever Length: 130



**SZM370**

**EQUI**  
Concealed Fix Lever on Square Rose  
Grub Screw Fixing on Rose

**Dimensions (mm):**  
Rose: 51,5x51,5  
Rose Thickness: 10  
Projection: 66  
Lever Length: 125



**SZ500**

**DDA COMPLIANT LEVER**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 68  
Projection: 154  
Lever Length: 19 Dia.,  
Bar:



**SZM001/2/3**

**ESCUTCHEON**  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: Euro  
Oval  
Lock



Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTLs on P389, and Eurospec locks. For matching escutcheons SZM001-3 see P15. For matching bathroom turn SZM004 see P16. For matching square escutcheons SZM001-3SQ see P16. For matching square bathroom turn SZM004SQ see P17.

Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTLs on P389, and Eurospec locks. SZM002 not available in BN finish.






**SZM004**

**THUMBTURN AND RELEASE**  
 Concealed Fix  
 2 Part Screw-on-Rose  
**Dimensions (mm):** 51 Dia. 10  
 Rose:  
 Rose Thickness:


BN
  CP
  SC



**SZM004SQ**

**SQUARE THUMBTURN AND RELEASE**  
 Concealed Fix  
 2 Part Screw-on-Rose  
**Dimensions (mm):** 51x51  
 Rose:  
 Rose Thickness:

BN
  CP
  SC



**SZ5004**

**DDA COMPLIANT THUMBTURN AND RELEASE**  
 Concealed Fix  
 2 Part Screw-on-Rose  
**Dimensions (mm):** 51 Dia. 10  
 Rose:  
 Rose Thickness:

CP
  PVD
  SC



**SZM001/2/3SQ**

**SQUARE ESCUTCHEON**  
 Concealed Fix  
 2 Part Screw-on-Rose  
**Dimensions (mm):** 51x51  
 Rose:  
 Rose Thickness: 10  
**SZM001SQ** Euro Oval  
**SZM002SQ** Oval Look  
**SZM003SQ** Look

BN
  CP
  SC

**SZM001/2/3SQ**

**SQUARE ESCUTCHEON**  
 Concealed Fix  
 2 Part Screw-on-Rose  
**Dimensions (mm):** 51x51  
 Rose:  
 Rose Thickness: 10  
**SZM001SQ** Euro Oval  
**SZM002SQ** Oval Look  
**SZM003SQ** Look

BN
  CP
  SC

**SZM001/2/3SQ**

**SQUARE ESCUTCHEON**  
 Concealed Fix  
 2 Part Screw-on-Rose  
**Dimensions (mm):** 51x51  
 Rose:  
 Rose Thickness: 10  
**SZM001SQ** Euro Oval  
**SZM002SQ** Oval Look  
**SZM003SQ** Look

BN
  CP
  SC



**ZIN3003**

**NOXIA**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 51 Dia.  
Rose Thickness: 10  
Projection: 59  
Lever Length: 123  
Bar: 18 Dia.



**ZIN3004**

**TROY**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 51 Dia.  
Rose Thickness: 10  
Projection: 59  
Lever Length: 123  
Bar: 18 Dia.



**ZIN3111**

**NELSON**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose


**Dimensions (mm):**

Rose: 51 Dia.  
Rose Thickness: 10  
Projection: 57  
Lever Length: 128



Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTL's on P389 and Eurospec locks. For matching escutcheons ZEE/ZEP/ZEU3005 see P25. For matching bathroom turn ZEI3005 see P25.






**ZIN3112**

**OLIVIER**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia.  
Rose Thickness: 10  
Projection: 60  
Lever Length: 125

PC  SC




**ZIN3115**

**CAROLINA**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia.  
Rose Thickness: 10  
Projection: 59  
Lever Length: 126  
Bar: 17 Dia.

PC  SC




**ZIN3113**

**TEMPEST**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia.  
Rose Thickness: 10  
Projection: 59  
Lever Length: 116

PC  SC



**ZIN3116**

**ATALAYA**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia.  
Rose Thickness: 10  
Projection: 57  
Lever Length: 128  
Bar: 16 Dia.

PC  SC



**ZIN3114**

**TITAN**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia.  
Rose Thickness: 10  
Projection: 57  
Lever Length: 121

PC  SC




**ZIN3117**

**CLASSIC**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia.  
Rose Thickness: 10  
Projection: 67  
Lever Length: 114

PC  SC






**ZIN3118**

**SHORE**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 67  
Projection: 120  
Lever Length: 19 Dia., 120  
Bar:

PC  SC  SC






**ZIN3121**

**PHILADELPHIA**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 60  
Projection: 124  
Lever Length: 16 Dia., 124  
Bar:

PC  SC  SC






**ZIN3127**

**VENICE**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 72  
Projection: 123 Dia., 72  
Bar:

PC  SC  SC



Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTL's on P389, and Eurospec locks. For matching escutcheons ZEE/ZEP/ZEU3005 see P25. For matching bathroom turn ZE13005 see P25.




**ZIN3129**

**CUMULUS**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 60  
Projection: 129  
Lever Length:

PC  SC  SC






**ZIN3130**

**VERDUN**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 65  
Projection: 122  
Lever Length:

PC  SC  SC






**ZIN3131**


**SHARK**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 66  
Projection: 121  
Lever Length:

PC  SC  SC



Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTL's on P389, and Eurospec locks. For matching escutcheons ZEE/ZEP/ZEU3005 see P25. For matching bathroom turn ZE13005 see P25.




**ZIN3138**

**MAISON**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 59  
Projection: 130  
Lever Length: 20 Dia., 130  
Bar: 20 Dia., 130

PC  PCSC  PNSN




**ZIN3139**

**IRWIN**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 63  
Projection: 123  
Lever Length: 19 Dia., 123  
Bar: 19 Dia., 123

PCSC



**ZIN3140**

**MARISSA**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 69  
Projection: 129  
Lever Length: 129

PC  SC

Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTL's on P389, and Eurospec locks. For matching escutcheons ZEE/ZEP/ZEU3005 see P25. For matching bathroom turn ZET3005 see P25.




**ZIN3144**

**MANON**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 73  
Projection: 142  
Lever Length: 142

PC  SC



**ZEE/ZEP/ZEU3005**

**ESCUTCHEON**  
Concealed Fix  
2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: Euro Lock Oval

PC  SC




**ZET3005**

**THUMBTURN AND RELEASE**  
Concealed Fix  
2 Part Screw-on-Rose


**Dimensions (mm):**  
Rose: 51 Dia., 10  
Rose Thickness: 10

PC  SC

Serozzetta levers are supplied with bolt through fixings and should be used in conjunction with BTL's on P389, and Eurospec locks.



**PH110**  
**AZUL PULL HANDLE**  
 Dimensions (mm):  
 Bar: 20 Dia., 225c/c, 305c/c  
 CP CPSC




**PH160**  
**TREND PULL HANDLE**  
 Dimensions (mm):  
 Bar: 20 Dia., 225c/c, 305c/c  
 CP CPSC SC




**PH500**  
**DDA COMPLIANT PULL HANDLE**  
 Dimensions (mm):  
 Bar: 22 Dia., 225c/c, 305c/c, 450c/c  
 CP PVD SC


PH110 AND PH160 back to back fixing pack BBF1019 and PH500 back to back fixing pack BBF1022 available in all finishes. Rose kit PH52 available in all finishes. For matching escutcheons SZM001-3 see P15. For matching bathroom turn SZM004 see P16. PH110 For matching lever SZM110 see P21. PH160 for matching lever SZM160 see P22. PH500 for matching lever SZ500 see P15.



**PH3115**  
**PULL HANDLE**  
 Dimensions (mm):  
 Rose: 51 Dia., 17 Dia., 225  
 Bar: 225  
 Centres:  
 PC



**PH3121**  
**PULL HANDLE**  
 Dimensions (mm):  
 Rose: 51 Dia., 17 Dia., 225  
 Bar: 225  
 Centres:  
 PC SC



**PH52**  
**ROSE KIT**  
 Dimensions (mm):  
 Rose: 51 Dia., 10  
 Rose Thickness:  
 CP CPSC CPSCN PVD

For matching escutcheons SZM001-3 see P15. For matching bathroom turn SZM004 see P16. PH3115 for matching lever ZIN3115 see P21. PH3121 for matching lever ZIN3121 see P22.






**SZC011Y**


**UNO**  
Lever on Euro Backplate  
47.5c/c

**Dimensions (mm):**  
Backplate: 170x42  
Projection: 76  
Lever Length: 122  
Plate Thickness: 10

**Variations:**  
SZC011 Lock  
SZC012 Latch  
SZC013 Bathroom

CP
  SC





**SZC023**

**D05**  
Lever on Bathroom Backplate

**Dimensions (mm):**  
Backplate: 170x42  
Projection: 67  
Lever Length: 110  
Plate Thickness: 10

**Variations:**  
SZC021 Lock  
SZC021Y Euro 47.5c/c  
SZC022 Latch

CP
  SC







**SZC031**

**TRES**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 170x42  
Projection: 70  
Lever Length: 113  
Plate Thickness: 10

**Variations:**  
**SZC031Y** Euro 47.5c/c  
**SZC032** Latch  
**SZC033** Bathroom



**SZC053**

**CINCO**  
Lever on Bathroom Backplate

**Dimensions (mm):**  
Backplate: 170x42  
Projection: 67  
Lever Length: 110  
Plate Thickness: 10

**Variations:**  
**SZC051** Lock  
**SZC051Y** Euro 47.5c/c  
**SZC052** Latch



**SZC042**

**CUATRO**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 170x42  
Projection: 71  
Lever Length: 110  
Plate Thickness: 10

**Variations:**  
**SZC041** Lock  
**SZC041Y** Euro 47.5c/c  
**SZC043** Bathroom





Designer Levers on Backplate



**SZM035**

**ZONE**  
Lever on Latch Backplate

**Dimensions (mm):**

Backplate: 180x40  
Projection: 65  
Lever Length: 120  
Plate Thickness: 10

**Variations:**

**SZM034** Lock  
**SZM034Y** Euro 47.5c/c  
**SZM036** Bathroom



**SZM045**

**SCOPE**  
Lever on Latch Backplate

**Dimensions (mm):**


Backplate: 180x40  
Projection: 65  
Lever Length: 130  
Bar: 20 Dia.  
Plate Thickness: 10

**Variations:**

**SZM044** Lock  
**SZM046** Bathroom  
**SZM044Y** Euro 47.5c/c



SZM044Y not available in CPSN finish.



**SZM056**

**SHAPE**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 180x40  
Projection: 61  
Lever Length: 117  
Plate Thickness: 10

**Variations:**  
**SZM055** Lock  
**SZM055Y** Euro 47.5c/c  
**SZM057** Bathroom

CP




**SZM243**

**STRATUS**  
Lever on Bathroom Backplate

**Dimensions (mm):**  
Backplate: 180x40  
Projection: 69  
Lever Length: 129  
Plate Thickness: 10

**Variations:**  
**SZM242** Latch  
**SZM241** Lock  
**SZM241Y** Euro 47.5c/c

CP




**SZM067**

**SYSTEM**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 180x40  
Projection: 63  
Lever Length: 114  
Bar: 17 Dia.  
Plate Thickness: 10

**Variations:**  
**SZM066** Lock  
**SZM066Y** Euro 47.5 c/c  
**SZM068** Bathroom

CP



**SZM371**

**EQUI**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 180x40  
Projection: 65  
Lever Length: 125  
Plate Thickness: 10

**Variations:**  
**SZM372** Latch  
**SZM371Y** Euro 47.5c/c  
**SZM373** Bathroom

CP  SC






**SZS060**

**MORADO**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 10  
Projection: 66  
Lever Length: 128

CP  SC








**SZS070**

**GRIS**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 10  
Projection: 66  
Lever Length: 115

CP  SC






**SZS080**


**MORENO**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 10  
Projection: 65  
Lever Length: 116

CP  SC








**SZS130**

**BLANCO**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 10  
Projection: 63  
Lever Length: 115

CP  PB  SC







**AA12**


**THUMBTURN AND RELEASE**  
Concealed Fix  
2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 10

**Variations:**  
AA12L Long Spindle

CP  PB  SC








**SZS350**

**TOPO**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 10  
Projection: 67  
Lever Length: 124

CPSC





**AQ12**

**THUMBTURN AND RELEASE**  
Concealed Fix  
2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 10

CP  PB  SC



**AA1/2/3**


**ESCUTCHEON**  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 10

Rose Thickness:  
AA1 Euro  
AA2 Oval  
AA3 Lock

BN  PB  SC  
 CP







**AQ11**

**THUMBTURN AND RELEASE WITH INDICATOR**  
Concealed Fix  
2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 10

CP  PB  SC



EUROPEAN DESIGN

**CEB010Q**

**MONO**  
Lever on Square Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52x52  
Rose Thickness: 10  
Projection: 57  
Lever Length: 149

CP  SC

**CEB020Q**

**SEA**  
Lever on Square Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52x52  
Rose Thickness: 10  
Projection: 56  
Lever Length: 132

CP  SC

**CEB030Q**


**S CHI**  
Lever on Square Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52x52  
Rose Thickness: 10  
Projection: 60  
Lever Length: 135

CP  SC







**CEB001/3Q**

**ESCUTCHEON**

Concealed Fix 2 Part Screw-on-Rose


**Dimensions (mm):**

Rose: 52x52

Rose Thickness: 10

Euro Lock

Lock



**CEB004Q**

**THUMBTURN AND RELEASE**

Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 52x52

Rose Thickness: 10



**DND010**

**GRIP**

Lever on Round Rose

Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50

Rose Thickness: 8

Projection: 67

Lever Length: 125



**DND020**

**LINK**

Lever on Round Rose

Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50

Rose Thickness: 8

Projection: 58

Lever Length: 128



**DND030**

**QUATTRO 02**

Lever on Square Rose

Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50x50

Rose Thickness: 8

Projection: 52

Lever Length: 129





**DND001/3 + DND001/3Q**

**ESCUTCHEON**

Concealed Fix 2 Part Screw-on-Rose

**Round Dimensions (mm):**

Rose: 50 Dia.

**DND001** Euro Lock

**DND003** Square Lock

**Square Dimensions (mm):**

Square: 50x50

**DND001Q** Euro Lock

**DND003Q** Square Lock



**AQ1**

**STELLA**

Lever on Round Rose

Concealed Fix 2 Part Screw-on-Rose


**Dimensions (mm):**

Rose: 50 Dia.

Rose Thickness: 10

Projection: 74

Lever Length: 110



**DND001/3 + DND001/3Q**

**ESCUTCHEON**

Concealed Fix 2 Part Screw-on-Rose

**Round Dimensions (mm):**

Rose: 50 Dia.

**DND001** Euro Lock

**DND003** Square Lock

**Square Dimensions (mm):**

Square: 50x50

**DND001Q** Euro Lock

**DND003Q** Square Lock



**DND004**

**THUMBTURN AND RELEASE**

Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia.



**AQ2**

**STUDIO H**

Lever on Round Rose

Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia.

Rose Thickness: 10

Projection: 65

Lever Length: 120

Bar: 17 Dia.



**AQ3**

**APOLLO**

Lever on Round Rose

Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia.

Rose Thickness: 10

Projection: 65

Lever Length: 118





**AQ4**

**CALLA**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia.  
Rose Thickness: 10  
Projection: 63  
Lever Length: 114  
Bar: 17 Dia.




**DA5**

**DALI**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia.  
Rose Thickness: 10  
Projection: 65  
Lever Length: 123




**AQ5**

**VERONICA**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia.  
Rose Thickness: 10  
Projection: 61  
Lever Length: 120



**DR5F**

**DERBY**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia.  
Rose Thickness: 10  
Projection: 63  
Lever Length: 135



**AQ8**

**SQUIGGLE**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia.  
Rose Thickness: 10  
Projection: 63  
Lever Length: 128  
Bar: 18 Dia.



**EL5**

**ELIS**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia.  
Rose Thickness: 10  
Projection: 62  
Lever Length: 144





**FH5**

**FLASH**

Lever on Square Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 51x51  
Rose: 10  
Rose Thickness: 54  
Projection: 54  
Lever Length: 128



**FR5F**

**FRANCY**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 51 Dia.  
Rose: 10  
Rose Thickness: 70  
Projection: 70  
Lever Length: 121



**GI5**

**GIAVA**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 50 Dia.  
Rose: 10  
Rose Thickness: 66  
Projection: 66  
Lever Length: 131



**LM5**

**LE MANS**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 50 Dia.  
Rose: 10  
Rose Thickness: 55  
Projection: 55  
Lever Length: 138



**NI5**

**NIRVANA**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 50 Dia.  
Rose: 10  
Rose Thickness: 63  
Projection: 63  
Lever Length: 129



**PE5**

**PETRA**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 50 Dia.  
Rose: 10  
Rose Thickness: 55  
Projection: 55  
Lever Length: 123







**TC5**

**TECHNA**

Lever on Square Rose  
Concealed Fix Press-on-Rose

**Dimensions (mm):** 51x51  
Rose: 10  
Rose Thickness: 54  
Projection: 54  
Lever Length: 129

■ **BLK** ■ **SC**  
■ **CP** ■ **WHT**



**AA1/2/3**

**ESCUTHEON**

Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia. 10  
Rose Thickness: 10  
**AA1** Euro  
**AA2** Oval  
**AA3** Lock

■ **BN** ■ **PB**  
■ **CP** ■ **SC**



**U05**

**UOVO**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 50 Dia.  
Rose: 10  
Rose Thickness: 79  
Projection: 79  
Lever Length: 78

■ **CP**



**AA12**

**THUMBTURN AND RELEASE**

Concealed Fix  
2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia. 10  
Rose Thickness: 10  
**Variations:**  
**AA12L** Long Spindle

■ **CP** ■ **PB** ■ **SC**



**WD5**

**WIND**

Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 50 Dia.  
Rose: 10  
Rose Thickness: 66  
Projection: 66  
Lever Length: 128

■ **CP** ■ **PB** ■ **SC**



**AQ12**

**THUMBTURN AND RELEASE**

Concealed Fix  
2 Part Screw-on-Rose

**Dimensions (mm):**

Rose: 50 Dia. 10  
Rose Thickness: 10

■ **CP** ■ **PB** ■ **SC**





**AQ11**

**THUMBTURN AND RELEASE WITH INDICATOR**  
Concealed Fix  
2 Part Screw-On-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 10



**AA16A-C**

**STUDIO H**  
Concealed Fix  
Pull Handle on Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Bar: 20 Dia.  
AA16A 150c/c  
AA16B 229c/c  
AA16C 305c/c



**AA14A-B**

**CALLA**  
Concealed Fix  
Pull Handle on Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Bar: 17 Dia.  
AA14A 200c/c  
AA14B 300c/c





**AA19**

**VERONICA**  
Concealed Fix  
Pull Handle on Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
AA19 170c/c








**ART55B**


**SLIDING DOOR SET**  
Sliding Door Set with WC Turn,  
Flush Pull and Lock

**Dimensions (mm):**  
Turn: 57 Dia.  
Flush Pull: 29 Dia.

**Variations:**  
**ART55BQ** Square Rose

CP
  SC
  SN







**ART85B**

**OTTO SLIDING DOOR SET**  
Sliding Door Set with WC Turn,  
Flush Pull and Lock

**Dimensions (mm):**  
Flush Pull: 88x55

CP
  SC
  SN







**ART56**

**SMALL FLUSH PULL**

**Dimensions (mm):**  
Flush Pull: 29 Dia.

CP
  SC
  SN





**ART84**

**OTTO SLIDING DOOR  
FLUSH PULL**

**Dimensions (mm):**  
Flush Pull: 88x55

CP
  SC
  SN



**ARTFT**

**FLAT SLIDING DOOR SET**  
Sliding Door Set with WC Turn  
and Lock

**Dimensions (mm):** 38-45x210  
Plate:



**ARTFTS**

**FLAT SMALL SLIDING  
DOOR SET**

**Dimensions (mm):** 38-45x100  
Plate:







**CSL1192**

**MITRED LEVER ON SPRUNG ROSE**  
Concealed Fix  
Press-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 8  
Rose Thickness: 66  
Projection: 128  
Lever Length: 137  
Round Bar: 19 Dia.

BSS    SSS

**CSL1195**

**MITRED LEVER ON SPRUNG ROSE**  
Concealed Fix  
Press-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 8  
Rose Thickness: 66  
Projection: 128  
Lever Length: 137  
Oval Bar: 19 Dia.

BSS    SSS

**CSL1193**

**CURVED LEVER ON SPRUNG ROSE**  
Concealed Fix  
Press-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 8  
Rose Thickness: 66  
Projection: 137  
Lever Length: 137  
Bar: 19 Dia.

BSS    SSS

**CSE/CSP/CSU1005**

**ESCUTCHEON**  
Concealed Fix Press-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 8  
Rose Thickness: 66  
**CSE1005** Euro  
**CSP1005** Lock  
**CSU1005** Oval

BSS    SSS

**CSL1194**

**STRAIGHT LEVER ON SPRUNG ROSE**  
Concealed Fix  
Press-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 8  
Rose Thickness: 66  
Projection: 137  
Lever Length: 137  
Bar: 19 Dia.

BSS    SSS

**CST1015**

**THUMBTURN AND RELEASE**  
Concealed Fix  
Press-on-Rose


**Dimensions (mm):**  
Rose: 52 Dia., 8  
Rose Thickness: 66

BSS    SSS


	<p><b>CST1025</b></p>
	<p><b>DISABLED THUMBTURN AND RELEASE</b> Concealed Fix Press-on-Rose</p> <p><b>Dimensions (mm):</b> Rose Dia. 52 Rose Thickness: 8</p> <p><b>Variations:</b> <b>CST1025K</b> 5mm Allen Key Release</p> <p><input type="checkbox"/> BSS <input type="checkbox"/> SSS</p>

Grade 304 Stainless Steel Levers on Square Press on Rose











**SSL1401**

**MITRED LEVER ON SPRUNG ROSE**  
Concealed Fix  
Square Press-on-Rose

**Dimensions (mm):**  
Rose: 52x52  
Rose Thickness: 8  
Projection: 66  
Lever Length: 128  
Lever Length: 128  
Bar: 19x19

**SSS**










**SSL1402**

**FLAT LEVER ON SPRUNG ROSE**  
Concealed Fix  
Square Press-on-Rose

**Dimensions (mm):**  
Rose: 52x52  
Rose Thickness: 8  
Projection: 66  
Lever Length: 135  
Lever Length: 10x20

**SSS**






**SSL1403**

**RECTANGULAR LEVER ON SPRUNG ROSE**  
Concealed Fix  
Square Press-on-Rose

**Dimensions (mm):**  
Rose: 52x52  
Rose Thickness: 8  
Projection: 66  
Lever Length: 135  
Lever Length: 24x12

**SSS**









**SSL1404**

**SHAPED LEVER ON SPRUNG ROSE**  
Concealed Fix  
Square Press-on-Rose

**Dimensions (mm):**  
Rose: 52x52  
Rose Thickness: 8  
Projection: 72  
Lever Length: 133

**SSS**















**SSL1405**

**SQUARE LEVER ON SPRUNG ROSE**  
Concealed Fix  
Square Press-on-Rose

**Dimensions (mm):**  
Rose: 52x52  
Rose Thickness: 8  
Projection: 64  
Lever Length: 135  
Lever Length: 16x16

**BSS/SSS**



**SSL1406**

**SQUARE MITRED LEVER ON SPRUNG ROSE**  
Concealed Fix  
Square Press-on-Rose

**Dimensions (mm):**  
Rose: 52x52  
Rose Thickness: 8  
Projection: 70  
Lever Length: 129  
Lever Length: 22 Dia.

**BSS/SSS**



**SSL1407**

**SQUARE ELLIPSE LEVER ON SPRUNG ROSE**  
 Concealed Fix  
 Square Press-on-Rose

**Dimensions (mm):** 54x54  
 Rose Thickness: 8  
 Projection: 73  
 Lever Length: 135

BSS  SSS

**SSE/SSP/SSU1405/DUO**

**ESCUTCHEON**  
 Concealed Fix Square Press-on-Rose

**Dimensions (mm):** 52x52  
 Rose Thickness: 8

**SSE1404/DUO** Euro Lock  
**SSP1405/DUO** Oval

BSS/SSS  SSS

**SST1415/DUO**


**THUMBTURN AND RELEASE**  
 Concealed Fix Square Press-on-Rose

**Dimensions (mm):** 52x52  
 Rose Thickness: 8

**Variations:**  
**SST1415I/DUO** With Indicator

BSS/SSS  SSS






**SWL 1006DUO**

**ASTORIA**  
Solid Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 62  
Projection: 135  
Lever Length: 135  
Bar: 19 Dia.

**BSS/SSS**




**SWL 1008DUO**

**VALIANT**  
Solid Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 54  
Projection: 134  
Lever Length: 134  
Bar: 19 Dia.

**BSS/SSS**




**SWL 1009DUO**

**LUCERNA**  
Solid Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 60  
Projection: 133  
Lever Length: 133  
Bar: 19 Dia.

**BSS/SSS**



**SWL 1010DUO**

**BERNA**  
Solid Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 62  
Projection: 136  
Lever Length: 136  
Bar: 19 Dia.

**BSS/SSS**




**SWL 1121**

**BREEZE**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 64  
Projection: 127  
Lever Length: 127

**SSS**




**SWL 1122**

**BREMA**  
Solid Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 64  
Projection: 135  
Lever Length: 135



**SSS**



**SWL 1126**

**MUNICH**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose



**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 65  
Projection: 133  
Lever Length: 19 Dia.  
Bar:  BSS  SSS

**SWL 1127**

**PENINSULA**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose



**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 62  
Projection: 124  
Lever Length:  SSS

**SWL 1131**

**TIROLO**  
Solid Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose


**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 57  
Projection: 120  
Lever Length:  SSS

**SWL 1132**

**BERLINO DDA COMPLIANT**  
Solid Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose



**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 59  
Projection: 127  
Lever Length:  SSS




**SWL 1133**

**ZURIGO DDA COMPLIANT**  
Solid Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose


**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 57  
Projection: 125  
Lever Length:  SSS











**SWL 1134**

**CARLTON**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 60  
Projection: 128  
Lever Length:  SSS





**SWL1135**

**LUENZA DDA COMPLIANT**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 65  
Projection: 133  
Lever Length:

BSS  SSS









**SWL1160**

**PLAZA**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 71  
Projection: 133  
Lever Length:

BSS  SSS















**SWL1161**

**LUBECCA**  
Solid Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 66  
Projection: 128  
Lever Length:

BSS  SSS















**SWL1162**

**LONDRA**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 58  
Projection: 135  
Lever Length:

BSS  SSS







**SWL1164**

**CUTLASS DDA COMPLIANT**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 62  
Projection: 134  
Lever Length:

BSS  SSS





**SWL1165**


**SCIMITAR DDA COMPLIANT**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 67  
Projection: 135  
Lever Length:

BSS  SSS









**SWL 1166**

**CERVINO**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 68  
Projection: 127  
Lever Length: 127

BSS  SSS







**SWL 1167DUO**

**SHORE**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 65  
Projection: 140  
Lever Length: 19 Dia.

BSS  SSS







**SWL 1168**

**PARIGI**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 62  
Projection: 127  
Lever Length: 127

SSS







**SWL 1190**

**NERA DDA COMPLIANT**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 65  
Projection: 140  
Lever Length: 140  
Bar: 19 Dia.

BSS  SSS







**SWL 1191**

**SPIRA**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 66  
Rose Thickness: 133  
Lever Length: 19 Dia.

BSS  SSS






**SWL 1192**

**TREVIRI**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 7  
Rose Thickness: 65  
Projection: 128  
Lever Length: 19 Dia.

BSS  SSS




**SWL 1194**

**PHILADELPHIA**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 52 Dia., 7  
Rose Thickness: 65  
Projection: 137  
Lever Length: 19 Dia.

BSS/ SSS




**SWL 1196**

**DRESDA**  
Lever on Round Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 52 Dia., 7  
Rose Thickness: 65  
Projection: 128  
Lever Length:

SSS




**SWL 102/103**

**ESCUTCHEON**  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 52 Dia., 7  
Rose Thickness: Euro Lock

**SWL 102**  BSS  SSS  
**SWL 103**  BSS/ SSS




**SWT1016**

**THUMBTURN AND RELEASE**  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):** 52 Dia., 7  
Rose Thickness:

**Variations:** With Indicator

**SST1016i**  BSS  SSS  
 BSS/ SSS




**SWT1025i**

**DDA COMPLIANT**  
**THUMBTURN AND RELEASE**  
Concealed Fix  
2 Part Screw-on-Rose

**Dimensions (mm):** 52 Dia., 7  
Rose Thickness:

BSS  SSS  
 BSS/ SSS



**SWR1 137**


**SQUARE ROSE PACK**  
Supplied in Pairs  
Grub Screw Fixing

**Dimensions (mm):** 52 Dia., 7  
Rose Thickness:


BSS  SSS










**SW13**







**MITRED**  
Lever on Round Bearing Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 6  
Projection: 66  
Lever Length: 135  
Bar: 19 Dia.

**Variations:**  
**SW125** Sprung - Bar 19 Dia.

BSS
  SSS




**SW14**







**CURVED**  
Lever on Round Bearing Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 6  
Projection: 67  
Lever Length: 135  
Bar: 19 Dia.

**Variations:**  
**SW126** Sprung - Bar 19 Dia.

BSS
  SSS









**SW16**

**DESIGNER**  
Lever on Round Bearing Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 6  
Projection: 70  
Lever Length: 115

SSS




**SW18**

**CARBON FIBRE**  
Lever on Round Bearing Rose - Solid  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 6  
Projection: 65  
Lever Length: 124  
Bar: 19 Dia.

SSS





**SW19**

**DESIGNER**  
Lever on Round Bearing Rose - Solid  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 6  
Projection: 64  
Lever Length: 135

SSS




**SW120**

**DESIGNER**  
Lever on Round Bearing Rose - Solid  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 6  
Projection: 72  
Lever Length: 124

SSS




**SW140**

**DESIGN LEVER**  
**DDA COMPLIANT**  
Lever on Round Bearing Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 6  
Projection: 71  
Lever Length: 147

SSS



**SW141**

**DESIGN LEVER**  
**DDA COMPLIANT**  
Lever on Round Bearing Rose  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia.  
Rose Thickness: 6  
Projection: 67  
Lever Length: 144

SSS




**SW102/3/4**

**ESCUTCHEON**  
Concealed Fix  
2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia., 6  
Rose Thickness: Euro Lock Oval

**SW102**  **BSS**  **SSS**  
**SW103**   
**SW104**





**SW105**

**DDA COMPLIANT THUMBTURN AND RELEASE**  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia., 6  
Rose Thickness: Variations: With Indicator

**SW105i**  **BSS**  **SSS**





**SW107**

**DESIGNER THUMBTURN AND RELEASE**  
Concealed Fix 2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 50 Dia., 6  
Rose Thickness: Variations: With Indicator



**SW106i**  **BSS**  **SSS**

**SW4123X**

**GRADE 4 SAFETY LEVER**  
**DDA COMPLIANT**  
Lever on Round Bearing Rose  
Concealed Fix 2 Part Screw-on-Rose


**Dimensions (mm):**  
Rose: 53 Dia., 8  
Rose Thickness: 67  
Projection: 140  
Lever Length:  **SSS**

**ESE1005**

**ESCUTCHEON**  
Concealed Fix  
2 Part Screw-on-Rose

**Dimensions (mm):**  
Rose: 53 Dia., 8  
Rose Thickness:  **SSS**



**STEELWORX® 304 STAINLESS STEEL**



**CSD**

**D PULL HANDLE**

**Dimensions (mm):**

**CSD1150** 150c/c - Bar 19 Dia.  
**CSD1225** 225c/c - Bar 19 Dia.  
**CSD1300** 300c/c - Bar 19 Dia.  
**CSD1425** 425c/c - Bar 19 Dia.  
**CSD1450** 450c/c - Bar 19 Dia.  
**CSD1600** 600c/c - Bar 19 Dia.  
**CFD1150** 150c/c - Bar 22 Dia.  
**CFD1225** 225c/c - Bar 22 Dia.  
**CFD1450** 450c/c - Bar 22 Dia.  
**CFD1600** 600c/c - Bar 22 Dia.

BSS  SSS

**SWP1134**

**CARLTON PULL HANDLE**

**Dimensions (mm):**

**SWP1134/225** 225c/c  
**SWP1134/300** 300c/c  
**SWP1134/450** 450c/c  
**SWP1134/600** 600c/c

BSS  SSS

CFD1450 and CFD1600 are not available in BSS finish. CSD1450 and CSD1600 are DDJA Compliant. Back to back fixing packs BBF1019/22 available. Bolt cap fixing packs SBF1019/22 available - ideal for glass and aluminium doors. Extension bolt BBF100BOLT available. Rose kit CSF1005 available.

**SSD**

**SQUARE T PULL HANDLE**

Variations:  
 SSD1415 150c/c  
 SSD1422 225c/c  
 SSD1430 300c/c  
 SSD1445 450c/c  
 SSD1460 600c/c

**SSM**

**SQUARE MITRED PULL HANDLE**

Variations:  
 SSM1415 150c/c  
 SSM1422 225c/c  
 SSM1430 300c/c  
 SSM1445 450c/c  
 SSM1460 600c/c

**SSF**

**FLAT T PULL HANDLE**

Variations:  
 SSF1415 150c/c  
 SSF1422 225c/c  
 SSF1430 300c/c  
 SSF1445 450c/c  
 SSF1460 600c/c

**SSR1405SSS/DUO**

**ROSE KIT**

Dimensions (mm):  
 Rose: 52x52  
 Rose Thickness: 8



# STEELWORX® 316 STAINLESS STEEL



## PAC/PFC/PBC/PCC

### CRANKED PULL HANDLE

Variations:

- PAC1225 225c/c - Bar 19 Dia.
- PAC1300 300c/c - Bar 19 Dia.
- PAC1600 600c/c - Bar 19 Dia.
- PFC1300 300c/c - Bar 22 Dia.
- PBC1300 300c/c - Bar 25 Dia.
- PCC1450 450c/c - Bar 30 Dia.
- PCC1600 600c/c - Bar 30 Dia.



## PAD/PFD/PBD/PCD

### D PULL HANDLE

Variations:

- PAD1150 150c/c - Bar 19 Dia.
- PAD1225 225c/c - Bar 19 Dia.
- PAD1300 300c/c - Bar 19 Dia.
- PAD1450 450c/c - Bar 19 Dia.
- PAD1600 600c/c - Bar 19 Dia.
- PFD1225 225c/c - Bar 22 Dia.
- PFD1300 300c/c - Bar 22 Dia.
- PBD1225 225c/c - Bar 25 Dia.
- PBD1300 300c/c - Bar 25 Dia.
- PBD1450 450c/c - Bar 25 Dia.
- PBD1600 600c/c - Bar 25 Dia.
- PCD1450 450c/c - Bar 30 Dia.
- PCD1600 600c/c - Bar 30 Dia.
- PCD11800 1800c/c - Bar 30 Dia.



PAC1225, PAC1600, PFC1300, PBC1300, PCC1450 AND PCC1600 not available in BSS finish.  
 PAD1450, PAD1600, PFD1225, PFD1600 and PCD11800 not available in BSS finish.  
 PAC1600, PCC1450, PCC1600, PAD1600, PBD1600, PCD1450 and PCD1600 are DDA compliant.  
 Back to back fixing packs BBF1019/22/25/30 available. Bolt cap fixing packs SBF1019/22/25/30 available - ideal for glass and aluminium doors. Extension bolt BBF100BOLT available. Rose kit SW154 available in all finishes.

**PAT/PBT/PCT/PFT**

**T PULL HANDLE**

Variations:

**PAT1225** 225c/c - Bar 19 Dia.  
**PAT1300** 300c/c - Bar 19 Dia.  
**PFT1225** 225c/c - Bar 22 Dia.  
**PFT1300** 300c/c - Bar 22 Dia.  
**PBT1225** 225c/c - Bar 25 Dia.  
**PBT1300** 300c/c - Bar 25 Dia.  
**PCT1450** 450c/c - Bar 30 Dia.  
**PCT1600** 600c/c - Bar 30 Dia.  
**PCT1900** 900c/c - Bar 30 Dia.  
**PCT11200** 1000c/c - Bar 30 Dia.  
**PCT11800** 1630c/c - Bar 30 Dia.

BSS  SSS

**PBG**

**SEMI CIRCULAR PULL HANDLE**

Dimensions (mm):  
**PBG1250** 250c/c - Bar 25 Dia.  
**PBG1350** 350c/c - Bar 30 Dia.

SSS

**PAM**

**MITRED PULL HANDLE**

Variations:

**PAM1300** 300c/c - Bar 19 Dia.  
**PCM1450** 450c/c - Bar 30 Dia.  
**PCM1600** 600c/c - Bar 30 Dia.

SSS

**SWP18**


**CARBON FIBRE PULL HANDLE**






Solid

Variations:  
**SWP18/300** 300c/c  
**SWP18/600** 600c/c

SSS






**SWP19**






**DESIGNER PULL HANDLE**  
Solid

**Dimensions:**  
Rose: 50 Dia.

**Variations:**  
SWP19/300  
SWP19/600

SSS



**SW134**

**ROSE KIT**

**Dimensions (mm):**  
Rose: 50  
Rose Thickness: 6

BSS    SSS







STEELWORX® 201 STAINLESS STEEL



CSLP1162B

**MITRED**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 172x42  
Projection: 62  
Lever Length: 120  
Bar: 16 Dia.  
Plate Thickness: 8

**Variations:**  
CSLP1162E Euro 47.5c/c  
CSLP1162P Lock  
CSLP1162T Bathroom




CSLP1163EDUO






**CURVED**  
Lever on Euro Backplate

**Dimensions (mm):**  
Backplate: 172x42  
Projection: 62  
Lever Length: 119  
Bar: 16 Dia.  
Plate Thickness: 8

**Variations:**  
CSLP1163B Latch  
CSLP1163P Lock  
CSLP1163T Bathroom






**CSLP1164P**






**T-BAR**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 172x42  
Projection: 62  
Lever Length: 120  
Bar: 16 Dia.  
Plate Thickness: 8

**Variations:**  
CSLP1164B Latch  
CSLP1164E Euro 47.5c/c  
CSLP1164T Bathroom

BSS
  SSS



**CSLP1167T**

**ARCHED**  
Lever on Bathroom Backplate

**Dimensions (mm):**  
Backplate: 172x42  
Projection: 62  
Lever Length: 122  
Bar: 16 Dia.  
Plate Thickness: 8

**Variations:**  
CSLP1167B Latch  
CSLP1167E Euro 47.5c/c  
CSLP1167P Lock

BSS
  SSS



SWLP123 + SWOB

**SWLP123**

**SAFETY LEVER  
ON INNER PLATE**

**Dimensions (mm):**  
 Backplate: 180x45  
 Projection: 62  
 Lever Length: 138  
 Bar: 19 Dia.  
 Plate Thickness: 6

SSS

CODE	DESCRIPTION
SWOB	Radius Latch Plate
SWOE	Radius Euro Plate - 47,5 c/c
SWOT	Radius Bathroom Plate - UK 57 c/c + Small Indicator + Turn
SWOP	Radius Lock Plate
SWOU	Radius UK Oval Plate - 48,5 c/c
SWOE/72	Radius Euro Plate - Din 72 c/c
SWOT/78	Radius Bathroom Plate - Din 78 c/c + Large Indicator + Turn











**FPP1300**

**PLAIN FINGER PLATE**


Dimensions (mm): 300x75


Plate:

Variations:  
 FPP1350  
 FPP1500  
 FPP1650

BSS
  SSS






**FPP1302**

**PUSH FINGER PLATE**

Dimensions (mm): 300x75

Plate:

Variations:  
 FPP1352

BSS
  SSS









**FPP1301**


**PULL FINGER PLATE**






Dimensions (mm): 300x75

Plate:

Variations:  
 FPP1351

BSS
  SSS



**CSK1058**


**MORTICE KNOB**  
 On Sprung Rose

Dimensions (mm): 55 Dia.

Rose:

BSS
  SSS








**SSK1062**

**MORTICE KNOB**  
On Sprung Rose

**Dimensions (mm):**  
Rose: 52x52  
Knob: 62x62  
Projection: 68

SSS 









**SWKNR1058**

**MORTICE KNOB GRADE 316**  
Unsprung

**Dimensions (mm):**  
Rose: 50 Dia.  
Knob: 55 Dia.  
Projection: 80

BSS  SSS 







**SWNP11**

**DDA COMPLIANT SAFETY LEVER**  
NARROW PLATE

**Dimensions (mm):**  
Backplate: 220x32  
Projection: 66  
Lever Length: 140  
Bar: 19  
Centres: 92  
Plate Thickness: 6

SSS 





**SWNP120**

**SAFETY LEVER**  
NARROW PLATE

**Dimensions (mm):**  
Backplate: 220x32  
Projection: 72  
Lever Length: 124  
Centres: 92  
Plate Thickness: 6

SSS 






**SWNP40**

**DDA COMPLIANT  
NARROW PLATE**

**Dimensions (mm):**  
 Backplate: 220x32  
 Projection: 71  
 Lever Length: 147  
 Centres: 92  
 Plate Thickness: 6


SSS 



**SWNP41**

**DDA COMPLIANT SAFETY LEVER  
NARROW PLATE**

**Dimensions (mm):**  
 Backplate: 220x32  
 Projection: 67  
 Lever Length: 144  
 Centres: 92  
 Plate Thickness: 6

SSS 




	<p><b>SWE1000</b></p> <p><b>DOOR VIEWER</b> Suits doors 35-55mm thick</p> <p><b>Dimensions (mm):</b> Lens: 14 Dia., 180° Angle of Vision:</p> <p> <input type="checkbox"/> BSS             <input type="checkbox"/> SSS             <input checked="" type="checkbox"/> PVD           </p>

	<p><b>SWE1010</b></p> <p><b>DOOR VIEWER GRADE 316</b> Suits doors 35-60mm SWE1011 extension sleeve suits doors up to 100mm</p> <p><b>Dimensions (mm):</b> Lens: 22 Dia., 200° Angle of Vision:</p> <p> <input type="checkbox"/> BSS             <input type="checkbox"/> SSS             <input checked="" type="checkbox"/> PVD           </p>

	<p><b>SWE1030</b></p> <p><b>BELL PUSH GRADE 316</b></p> <p><b>Dimensions (mm):</b> Plate: 64x30 Plate Thickness: 8</p> <p> <input type="checkbox"/> BSS             <input type="checkbox"/> SSS             <input checked="" type="checkbox"/> PVD           </p>

	<p><b>SWE1020</b></p> <p><b>DOOR KNOCKER GRADE 316</b></p> <p><b>Dimensions (mm):</b> Plate: 167x40 Plate Thickness: 8</p> <p> <input type="checkbox"/> BSS             <input type="checkbox"/> SSS             <input checked="" type="checkbox"/> PVD           </p>

	<p><b>SWE1040</b></p> <p><b>CENTRE DOOR KNOB GRADE 316</b></p> <p><b>Dimensions (mm):</b> Rose: 70 Dia. Knob: 70 Dia. Projection: 70</p> <p> <input type="checkbox"/> BSS             <input type="checkbox"/> SSS             <input checked="" type="checkbox"/> PVD           </p>




**SWE1050**

**SLEEVED LETTER PLATE**  
Suits doors up to 70mm

**Dimensions (mm):** 300x70  
Letterplate: 180°  
Outwards Opening: 260x47  
Aperture Hole Required: 272  
Fixing Bolt Centres: 272

BSS
  SSS




**SWE1062**

**SQUARE CENTRE DOOR KNOB**

**Dimensions (mm):** 62x62  
Rose: 61x61  
Knob: 65  
Projection: 65

SSS



**KPP**

**KICKPLATE**

**Dimensions (mm):** 590x150  
Plate Thickness: 1,2

**Variations:**

KPP1590 590x150  
KPP1615 615x150  
KPP1650 650x150  
KPP1675 675x150  
KPP1690 690x150  
KPP1715 715x150  
KPP1725 725x150  
KPP1750 750x150  
KPP1790 790x150  
KPP1805 805x150  
KPP1815 815x150  
KPP1830 830x150  
KPP1855 855x150  
KPP1880 880x150  
KPP1890 890x150  
KPP1905 905x150  
KPP1915 915x150


BSS
  SSS
  PVD


SWE1050 non fire rated as standard. FD30 version available on request.  
Flap cycle tested to 50 000 operations. Corrosion tested to BS EN 1670 Grade 5 480Hrs.  
Sleeve inner provided with gasket on outside flap and brush strip in inner flap for secure weather proofing.

Kickplates are individually packed with matching pozi screws and corner protectors.










**BCP1000**


BLANK CYLINDER PULL

Dimensions (mm): 78x44

Overall:

BSS  SSS






**ECP1000**


EURO CYLINDER PULL

Dimensions (mm): 78x44

Overall:

BSS  SSS  PVD






**OCP1000**


OVAL CYLINDER PULL

Dimensions (mm): 78x44

Overall:

BSS  SSS






**PCP1000**


LOCK CYLINDER PULL

Dimensions (mm): 78x44

Overall:

BSS  SSS





**RCP1000**

RIM CYLINDER PULL

Dimensions (mm): 78x44

Overall:

BSS  SSS



**DL56**



**VICTORIAN SCROLL**  
Lever on Round Rose  
Face Fix

**Dimensions (mm):**

Rose: 58 Dia.  
Rose Thickness: 10  
Projection: 55  
Lever Length: 95



**DL66**



**WING**  
Lever on Round Rose  
Face Fix

**Dimensions (mm):**

Rose: 58 Dia.  
Rose Thickness: 10  
Projection: 55  
Lever Length: 116



**M32**



**VICTORIAN**  
Lever on Round Rose  
Face Fix

**Dimensions (mm):**

Rose: 58 Dia.  
Rose Thickness: 10  
Projection: 52  
Lever Length: 105



For matching escutcheons AA124/345 see P120. For matching bathroom turn B12 see P121.



**PLW**

**PORCELAIN**  
Lever on Round Rose  
Face Fix

**Dimensions (mm):**  
Rose: 58 Dia.  
Rose Thickness: 10  
Projection: 65  
Lever Length: 130

**PLW**

**PLWCP**

**PORCELAIN**  
Lever on Round Rose  
Face Fix

**Dimensions (mm):**  
Rose: 58 Dia.  
Rose Thickness: 10  
Projection: 65  
Lever Length: 130

**PLWCP**

**AA145/345**

**ESCUTCHEON**  
Face Fix

**Dimensions (mm):**  
Rose: 45 Dia.  
Euro Lock

**AA145**  
**AA345**

**DB** **PB** **SN**  
**CP** **SC**

**B12**

**THUMBTURN AND RELEASE**  
Face Fix


**Dimensions (mm):**  
Rose: 45 Dia.

**DB** **PB** **SN**  
**CP** **SC**





**DL18**



**ASHTEAD**

Lever on Latch Backplate

**Dimensions (mm):**

Backplate: 168x47  
 Projection: 57  
 Lever Length: 95  
 Plate Thickness: 12

**Variations:**

**DL17** Lock  
**DL17Y** Euro 47.5c/c  
**DL17U** Oval 48.5c/c  
**DL18WC** Bathroom

**Short Plate:**

**DL16** 112x47 Latch



**DL30**



**VICTORIAN ASCOT**

Lever on Lock Backplate - Heavy

**Dimensions (mm):**

Backplate: 150x43  
 Projection: 52  
 Lever Length: 105  
 Plate Thickness: 10

**Variations:**


**DL30WC** Bathroom  
**DL30Y** Euro 47.5c/c  
**DL30U** Oval 48.5c/c

**Short Plate:**

**DL31** 118x43 Latch  
**DL31WC** Privacy



DL16 and DL17 not available in PVD finish. DL17U not available in PVD or CP finish.  
 DL16/17/18 for matching letterplate DL19 see P164. DL16/17/18 for matching fingerplate DL20 see P146.  
 DL30U not available in CP or SC finish. DL30/31 for matching letterplates see P166.



**DL54**


**VICTORIAN SCROLL**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 150x43  
Projection: 55  
Lever Length: 95  
Plate Thickness: 10


**Variations:**  
**DL54WC** Bathroom  
**DL54Y** Euro 47.5c/c  
**DL54U** Oval 48.5c/c

**Short Plate:**  
**DL55** 118x43  
**DL55WC** Latch  
Privacy

CP  PB  SC



FEDERAL



**DL64**


**WING**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 150x43  
Projection: 55  
Lever Length: 116  
Plate Thickness: 10


**Variations:**  
**DL64WC** Bathroom  
**DL64Y** Euro 47.5c/c

**Short Plate:**  
**DL65** 118x43  
**DL65WC** Latch  
Privacy

CP  PB  SC



FEDERAL




**DL68**

**BIRKDALE**  
Lever on Lock Backplate


**Dimensions (mm):**  
Backplate: 170x45  
Projection: 55  
Lever Length: 95  
Plate Thickness: 10

**Variations:**  
**DL67** Latch  
**DL68WC** Bathroom  
**DL68U** Oval 48.5c/c

CP  PB  PVD



FEDERAL



**DL75**


**VICTORIAN CONTEMPORARY**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 150x43  
Projection: 58  
Lever Length: 108  
Plate Thickness: 10


**Variations:**  
**DL75WC** Bathroom  
**DL75Y** Euro 47.5c/c

**Short Plate:**  
**DL76** 118x43  
**DL76WC** Latch  
Privacy

CP  PB  SC



FEDERAL



**DL167**

**OAKLEY**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 170x42  
Projection: 55  
Lever Length: 95  
Plate Thickness: 10

**Variations:**  
DL167WC Privacy Lock  
DL168 Bathroom  
DL168WC Oval 48.5c/c  
DL168U Euro 47.5c/c  
DL168Y

**Short Plate:**  
DL166 115x42 Latch

CP    PB    PVD  
 SC



**M30**


**VICTORIAN**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 150x43  
Projection: 52  
Lever Length: 105  
Plate Thickness: 10

**Variations:**  
M30U Oval 48.5c/c  
M30Y Euro 47.5c/c Bathroom  
M30WC

**Short Plate:**  
M31 118x43 Latch  
M31WC Privacy

CP    PB    SC



**DL301**

**GARRICK**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 175x50  
Projection: 55  
Lever Length: 95  
Plate Thickness: 10

**Variations:**  
DL300 Latch  
DL302 Bathroom

PB



**M63**


**VICTORIAN M SERIES**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 150x43  
Projection: 61  
Lever Length: 106  
Plate Thickness: 10

**Variations:**  
M63Y Euro 47.5c/c Bathroom  
M63WC

**Short Plate:**  
M64 118x43 Latch  
M64WC Privacy

CP    PB    SC




**M68**


**VICTORIAN SHAPED SCROLL**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 205x49  
Projection: 53  
Lever Length: 95  
Plate Thickness: 8

**Variations:**  
**M68WC** Bathroom  
**M67** Latch  
**M68Y** Euro 47.5c/c  
**M68U** Oval 48.5c/c

CP  PB  SC





**DL271**

**CHESHAM**  
Lever on Lock Backplate


**Dimensions (mm):**  
Backplate: 249x50  
Projection: 51  
Lever Length: 109  
Plate Thickness: 8


**Variations:**  
**DL270** Latch  
**DL272** Bathroom  
**DL271Y** Euro 47.5c/c

**Short Plate:**  
**DL265** Latch  
**DL266** Lock  
**DL266Y** Euro 47.5c/c  
**DL267** Bathroom

**Mini Plate:**  
**DL263** 110x50 Latch

PB






**DL100**


**ST JAMES**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 155x51  
Projection: 54  
Lever Length: 109  
Plate Thickness: 11

**Variations:**  
**DL102** Latch  
**DL100WC** Bathroom

PB





**FG1**


**GEORGIAN**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 150x48  
Projection: 62  
Lever Length: 102  
Plate Thickness: 10


**Variations:**  
**FG1Y** Euro 47.5c/c  
**FG1WC** Bathroom

**Short Plate:**  
**FG2** 112x48 Latch  
**FG2WC** Privacy

PB








**FG27**

**GEORGIAN SHAPED**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 205x49  
Projection: 61  
Lever Length: 102  
Plate Thickness: 9

**Variations:**  
FG26L Latch  
FG27Y Euro 47.5c/c  
FG27WC Bathroom

CP PB



**DL181**


**ANDROS**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 180x40  
Projection: 58  
Lever Length: 115  
Plate Thickness: 10

**Variations:**  
DL180 Lock  
DL180Y Euro 47.5c/c  
DL182 Bathroom  
DL182Y Euro 47.5c/c

**Long Plate:**  
DL380 Lock  
DL381 Latch  
DL382 Bathroom  
DL380Y Euro 47.5c/c

CP PB SC



**DL161**


**SAVANNAH**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 172x40  
Projection: 54  
Lever Length: 94  
Plate Thickness: 10

**Variations:**  
DL160 Lock  
DL160Y Euro 47.5c/c  
DL162 Bathroom

**Long Plate:**  
DL460 238x35  
DL461 Lock  
DL462 Latch  
DL462 Bathroom

CP PB



**DL191**


**MADRID**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 180x45  
Projection: 57  
Lever Length: 112  
Plate Thickness: 10

**Variations:**  
DL190 Lock  
DL192 Bathroom  
DL192Y Euro 47.5c/c

**Long Plate:**  
DL290 Lock  
DL291 Latch  
DL292 Bathroom  
DL290Y85 Euro 85c/c

CP PB SC  
FB PVD



**DL341**


**WENTWORTH**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 180x48  
Projection: 60  
Lever Length: 109  
Plate Thickness: 10

**Variations:**  
DL340 Lock Bathroom  
DL342 Bathroom  
**Long Plate:** 270x48  
DL344 Lock  
DL345 Latch  
DL346 Bathroom

CP PB  
SC PVD

FB PB




**DL350**

**ST GEORGE**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 180x48  
Projection: 66  
Lever Length: 110  
Plate Thickness: 10

**Variations:**  
DL351 Latch Bathroom  
DL352 Bathroom

PB




**DL411**

**EDEN**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 180x42  
Projection: 72  
Lever Length: 108  
Plate Thickness: 11

**Variations:**  
DL410 Lock Bathroom  
DL412 Bathroom

CP PB  
SC PVD




**DL451**

**LYTHAM**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 180x48  
Projection: 65  
Lever Length: 120  
Plate Thickness: 10

**Variations:**  
DL450 Lock Bathroom  
DL452 Bathroom

FB SBPB SCP




**EL 12**

**IBRA**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 185x40  
Projection: 69  
Lever Length: 119  
Plate Thickness: 11

**Variations:**  
EL11 Lock  
EL11U Oval 48.5c/c  
EL11Y Euro 47.5c/c  
EL13 Bathroom

CP  PB  SC




**EL 32**

**LILLA**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 185x40  
Projection: 64  
Lever Length: 118  
Plate Thickness: 11

**Variations:**  
EL31 Lock  
EL31Y Euro 47.5c/c  
EL33 Bathroom

CP  PB  SC




**EL 22**

**ASTRO**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 185x40  
Projection: 71  
Lever Length: 108  
Plate Thickness: 11

**Variations:**  
EL21 Lock  
EL23 Bathroom  
EL21Y Euro 47.5c/c

CP  PB  SC



**EL 42**

**IRIS**  
Lever on Latch Backplate

**Dimensions (mm):**  
Backplate: 185x40  
Projection: 62  
Lever Length: 119  
Plate Thickness: 11

**Variations:**  
EL41 Lock  
EL41Y Euro 47.5c/c  
EL43 Bathroom

CP  PB  SC



**EL60**

**WING**  
Lever on Lock Backplate

**Dimensions (mm):**  
Backplate: 185x40  
Projection: 55  
Lever Length: 116  
Plate Thickness: 11


**Variations:**  
**EL60Y** Euro 47.5c/c  
**EL61** Latch  
**EL62** Bathroom

CP

PB

SC






**AA15**

**STELLA**  
Concealed Fix  
Pull Handle on Rose

**Dimensions (mm):**  
Rose: 51 Dia.  
Centres: 193c/c

CP PB




**AA36**

**BOW HANDLE**

Variations:  
AA36 152c/c  
AA36L 178c/c

CP PB SC




**AA19**

**VERONICA**  
Concealed Fix  
Pull Handle on Rose

**Dimensions (mm):**  
Rose: 51 Dia.  
Centres: 170c/c

CP




**AA90**

**CRANKED PULL HANDLE**

Variations:  
AA90 227c/c  
AA91 306c/c

CP PB




**AA92**

**PUB STYLE**  
Face Fix  
Pull Handle on Rose

**Variations:**  
AA92 Length 249  
AA93 Length 300

CP  PB  SC




**DL611**

**CHESHAM PULL HANDLE**

**Dimensions (mm):**  
DL611 298x57

PB




**AA95**

**CAST PULL HANDLE**

**Dimensions (mm):**  
AA95 294x59

CP




**PF108**

**REEDED GRIP**  
Bolt Through  
Pull Handle on Rose

**Dimensions (mm):**  
Overall Length: 494  
Centres: 354c/c

PB




**PF100R/L**

**LARGE PULL HANDLE**

Variations:  
 PF100R Right Hand 457x76  
 PF101L Left Hand 457x76

**PB**




**PF103ER/L**

**ENGRAVED LARGE PULL HANDLE**  
 Right Hand

Variations:  
 PF103ER 457x76  
 PF104EL Left Hand 457x76

**PB**




**PF102**

**LARGE PUSH PLATE**

Dimensions (mm):  
 PF102 457x76

**PB**




**PF105E**

**ENGRAVED LARGE PUSH PLATE**

Dimensions (mm):  
 PF105E 457x76

**PB**




PF106

ORNATE PULL HANDLE  
Dimensions (mm):  
PF106 380x65

CP PB

Icons: 10, 10, 10




PF109AR/L

LAURIN PULL HANDLE  
Right Hand  
Variations:  
PF109AR Right Hand 376x42  
PF109AL Left Hand 376x42

PB

Icons: 10, 10, 10




PF107

FINGER PLATE  
Dimensions (mm):  
PF107 380x65

CP PB

Icons: 10, 10, 10



PF110

LAURIN FINGER PLATE  
Dimensions (mm):  
PF110 369x64

PB


Icons: 10, 10, 10



**DL20**

**SHAPED END FINGER PLATE**  
 Dimensions (mm):  
 DL20 300x64

**DL20**




CP PB SC

10 10 10

**M39**

**FINGER PLATE**  
 Dimensions (mm):  
 M39 298x73

**M39**




CP PB SC

10 10 10

**FG10**

**FINGER PLATE**  
 Dimensions (mm):  
 FG10 304x73

**FG10**




PB

10 10 10

**M39F**






**FLAT SHEET FINGER PLATE**  
 Dimensions (mm):  
 M39F 305x77

**M39F**



PB

10 10 10

	  	<b>M1002</b>
<b>QUEEN ANNE FINGER PLATE</b>		
Dimensions (mm): M1002 305x70		
		 PB



**AC050**

**LARGE MORTICE KNOB**  
Unsprung

**Dimensions (mm):**  
Rose: 65 Dia., 69 Dia.  
Knob: 77  
Projection: 77

CP PB  
FB SC







**AQ35**

**MUSHROOM MORTICE KNOB**  
Solid Unsprung

**Dimensions (mm):**  
Rose: 62 Dia., 52 Dia.  
Knob: 73  
Projection: 73

CP PB







**AQ34**

**OVAL MORTICE KNOB**  
Solid Unsprung

**Dimensions (mm):**  
Rose: 62 Dia., 62x40  
Knob: 80  
Projection: 80

CP PB











**FG4**

**GEORGIAN MORTICE KNOB**  
Half Sprung

**Dimensions (mm):**  
Rose: 60 Dia., 53 Dia.  
Knob: 66  
Projection: 66

PB



**M34**

**OVAL MORTICE KNOB**  
Half Sprung

**Dimensions (mm):**  
Rose: 61 Dia.  
Knob: 55x38  
Projection: 72

CP PB SN  
DB SC




100%  
10  
FEDERAL

**M48**

**BALL MORTICE KNOB**  
Solid Half Sprung

**Dimensions (mm):**  
Rose: 61 Dia.  
Knob: 45 Dia.  
Projection: 86

CP PB SN  
DB SC



100%  
10  
FEDERAL



For matching escutcheons AA145/345 see P120. For matching bathroom turn B12 see P121.  
M48 for matching escutcheons AA145/345 see P120. M48 for matching bathroom turn B12 see P121.


**M1001**

**QUEEN ANNE MORTICE KNOB**  
Unsprung

**Dimensions (mm):**  
Rose: 61 Dia.  
Knob: 52 Dia.  
Projection: 74

**Rim Knob Variations:**  
M1001R

CP PB  
DB SC




100%  
10  
FEDERAL

**M35**

**MUSHROOM MORTICE KNOB**  
Half Sprung

**Dimensions (mm):**  
Rose: 61 Dia.  
Knob: 52 Dia.  
Projection: 71

CP PB SN  
DB SC



100%  
10  
FEDERAL

M1001 for matching escutcheon M1000 see P156. M1001 for matching bathroom turn AQ133 see P156.  
M1001 for matching fingerplate M1002 see P148. M1001 for matching cupboard knobs M1003-5 see P469.






**M35C**

**MUSHROOM MORTICE KNOB**  
Concealed Fix Unsprung

**Dimensions (mm):**  
Rose: 65 Dia., 58 Dia.  
Knob: 71

**Variations:**

CP PB  
DB SC




**M35RS**

**MUSHROOM RIM KNOB**  
Unsprung

**Dimensions (mm):**  
Rose: 56 Dia., 53 Dia.  
Knob: 69

**Variations:**  
M35RB  
Rose: 65 Dia., 53 Dia.  
Knob: 66

CP PB SC



**M35US**

**MUSHROOM MORTICE KNOB**  
Unsprung

**Dimensions (mm):**  
Rose: 56 Dia., 53 Dia.  
Knob: 69

**Variations:**  
M35USB  
Rose: 65 Dia., 53 Dia.  
Knob: 66

CP PB  
DB SC




**AA145/345**

**ESCUTCHEON**  
Face Fix

**Dimensions (mm):**  
Rose: 45 Dia., 8  
Rose Thickness: Euro Lock

AA145 AA345  
CP PB SN  
DB SC



**AQ41**

**ESCUTCHEON**  
Face Fix

**Dimensions (mm):**  
Rose: 42 Dia., 4  
Rose Thickness:

CP PB SC  
FB PVD

**DK1/3**

**ESCUTCHEON**  
Face Fix

**Dimensions (mm):**  
Rose: 55 Dia.  
Rose Thickness: 10

**DK1** Euro Lock

**DK3**

CP PB SN  
FB SC

**B12**

**THUMBTURN AND RELEASE**  
Face Fix

**Dimensions (mm):**  
Rose: 45 Dia.  
Rose Thickness: 8

CP PB SN  
DB SC

**M1000**

**QUEEN ANNE COVERED ESCUTCHEON**

**Dimensions (mm):**  
Rose: 31 Dia.  
Rose Thickness: 7

CP PB  
FB SC

**DK12**

**LARGE THUMBTURN AND RELEASE**  
Face Fix

**Dimensions (mm):**  
Rose: 55 Dia.  
Rose Thickness: 10

CP PB  
FB SC

**AQ133**

**OVAL THUMBTURN AND RELEASE**  
Face Fix

**Dimensions (mm):**  
Rose: 42 Dia.  
Rose Thickness: 5

CP PB

**DK13**

**SMALL THUMBTURN AND RELEASE**  
Face Fix

**Dimensions (mm):**  
Rose: 42 Dia.  
Rose Thickness: 4

CP PB  
FB SC



AQ1NP

STELLA NARROW PLATE

Dimensions (mm):

Backplate: 208x26  
 Projection: 74  
 Lever Length: 110  
 Lock Centres: 70  
 Fixing Centres: 180  
 Plate Thickness: 10

Variations:

AQ1NP92 Lock 92c/c  
 Fixing 124c/c



AQ2NP

STUDIO H NARROW PLATE

Dimensions (mm):


Backplate: 208x26  
 Projection: 65  
 Lever Length: 120  
 Lock Centres: 70  
 Fixing Centres: 180  
 Plate Thickness: 10

Variations:

AQ2NP92 Lock 92c/c  
 Fixing 124c/c



AQ1NP for matching lever AQ1 see P45.  
 AQ2NP for matching lever AQ2 see P45.







**M86NP92**

**STRAIGHT NARROW PLATE**

**Dimensions (mm):**  
 Backplate: 208x26  
 Projection: 61  
 Lever Length: 118  
 Lock Centres: 92  
 Fixing Centres: 124  
 Plate Thickness: 10

**Variations:**  
 M86NP Lock 70c/c  
 Fixing 180c/c




 CP
 PB
 SC




**SZS01NP92**

**ROSA NARROW PLATE**

**Dimensions (mm):**  
 Backplate: 220x26  
 Projection: 73  
 Lever Length: 112  
 Lock Centres: 92  
 Fixing Centres: 124  
 Plate Thickness: 10

 CP
 PVD
 SC








**M140NP92RH**

**SCROLL NARROW PLATE**

**Dimensions (mm):**  
 Backplate: 208x26  
 Projection: 69  
 Lever Length: 123  
 Lock Centres: 92  
 Fixing Centres: 124  
 Plate Thickness: 10

**Variations:**  
 M140NP92LLH Left Hand  
 M140NPRH Right Hand  
 Lock 70c/c Fixing 180c/c  
 M140NPLH Left Hand  
 Lock 70c/c Fixing 180c/c

 BL
 PB
 CP
 SC






**SZS03NP92RH**

**VERDE NARROW PLATE**

**Dimensions (mm):**  
 Backplate: 220x26  
 Projection: 69  
 Lever Length: 113  
 Lock Centres: 92  
 Fixing Centres: 124  
 Plate Thickness: 10

**Variations:**  
 SZS03NP92LLH Left Hand  
 Lock 92c/c  
 Fixing 124c/c

 CP
 PVD
 SC







**SZ512NP92RH**

**AMARILLO NARROW PLATE**

**Dimensions (mm):**  
 Backplate: 220x26  
 Projection: 55  
 Lever Length: 117  
 Lock Centres: 92  
 Fixing Centres: 124  
 Plate Thickness: 10

**Variations:** Left Hand  
**SZ512NP92LH**

CP

SC





**ML050121-27**

**PRO SECURE NARROW PLATE**

**Dimensions (mm):**  
 Backplate: 220x35  
 Projection: 72  
 Lever Length: 126  
 Lock Centres: 92  
 Fixing Centres: 122  
 Plate Thickness: 16

**Long Plate Variations:** 240x35  
**ML050201-208**

**Lever Pad Variations:** 240x35  
**ML050231**

PC

PG

PCB

SC



M86NP not available in CP finish.  
 M140NPLH and M140NPRH not available in CP finish.  
 ML050121-231 Pro Secure Narrow Plate contact our sales office on 01228 511030 for product finish details.


**AA52**

**LETTER TIDY**  
Curved Pattern

**Variations:**

AA52	301 x96
AA53	281 x79
AA54	Foam Lined 281 x79
AA56	355x126

FB    SC    SSCP  
 PB    SS



**10** **10**

**FG7**


**GEORGIAN LETTER PLATE**

**Variations:**

**FG7B**  
Outer Frame: 279x89  
Aperture: 204x47  
Fixing Centres: 233

**FG7S**  
Outer Frame: 254x76  
Aperture: 191x44  
Fixing Centres: 226

PB




**10** **10**

**DL19**

**ASHTHEAD LETTER PLATE**  
Gravity Flap

**Dimensions (mm):**  
Outer Frame: 279x77  
Aperture: 215x42  
Fixing Centres: 252

PB




**10** **10**

**M36G**

**PLAIN LETTER PLATE**  
Gravity Flap

**Dimensions (mm):**  
Outer Frame: 270x72  
Aperture: 202x46  
Fixing Centres: 252

CP    PB    SC



**10** **10**


**M36S**

**PLAIN LETTER PLATE**

**Variations:**

<b>M36A (Contract)</b>	254x78
Outer Frame:	194x41
Aperture:	224
Fixing Centres:	
<b>M36B</b>	278x96
Outer Frame:	210x53
Aperture:	242
Fixing Centres:	
<b>M36D</b>	306x104
Outer Frame:	249x61
Aperture:	275
Fixing Centres:	
<b>M36E</b>	359x113
Outer Frame:	284x63
Aperture:	327
Fixing Centres:	
<b>M36F</b>	401x124
Outer Frame:	319x71
Aperture:	361
Fixing Centres:	
<b>M36H</b>	282x80
Outer Frame:	229x51
Aperture:	259
Fixing Centres:	
<b>M36S</b>	257x81
Outer Frame:	185x40
Aperture:	220
Fixing Centres:	

CP PB SC  
FB PVD



**M78**

**POSTAL KNOCKER**

**Dimensions (mm):**  
Outer Frame: 256x80  
Aperture: 195x45  
Fixing Centres: 226

CP PB



**ML110921/22/24/28**

**PRO STYLE LETTERBOX**  
To suit doors 40-80mm thick

**Dimensions (mm):**  
Overall: 309x76  
Aperture: 258x41

CP PG W




**SL2**

**SLEEVE LETTER PLATE**  
To suit doors 35-65mm thick

**Dimensions (mm):**  
Overall: 300x69  
Aperture: 252x36

**Finishes:**  
SL1 SAA  
SL2 GAA  
SL3 PCW

GAA PCW SAA



10


10

**DL219**

**CENTRE DOOR KNOB**

**Dimensions (mm):**  
Rose: 79  
Knob: 69  
Projection: 75

PVD



10


10

**AC055**

**LARGE CENTRE DOOR KNOB**

**Dimensions (mm):**  
Rose: 90 Dia.  
Knob: 100 Dia.  
Projection: 95

CP PB  
FB SC



10


10

**FG15**

**GEORGIAN CENTRE DOOR KNOB**

**Dimensions (mm):**  
Rose: 75 Dia.  
Knob: 62 Dia.  
Projection: 79

PB



10

10




**M51**

**CENTRE DOOR KNOB**

**Dimensions (mm):**  
 Rose: 86 Dia.  
 Knob: 70 Dia.  
 Projection: 75

CP PB SC



**M61**

**ROUND CENTRE DOOR KNOB**

**Dimensions (mm):**  
 Rose: 86  
 Knob: 71  
 Projection: 79

CP PB  
 FB SC




**M60**

**ROUND CENTRE DOOR KNOB**

**Dimensions (mm):**  
 Rose: 81 Dia.  
 Knob: 68 Dia.  
 Projection: 80

CP PB SC




**M219**

**OCTAGONAL CENTRE DOOR KNOB**

**Dimensions (mm):**  
 Rose: 79 Dia.  
 Knob: 64 Dia.  
 Projection: 75

CP PVD



**M220**

**EASY CENTRE DOOR KNOB**

Rose: 55 Dia.  
 Knob: 70 Dia.  
 Projection: 80

**Dimensions (mm):**

CP PB SC




**FG8XL**

**LARGE LION HEAD DOOR KNOCKER**

Backplate: 216x198  
 Knocker: 229x210  
 Centres: 190

**Dimensions (mm):**

PB




**FG8C**

**LION HEAD DOOR KNOCKER**  
Complete with strike plate

Overall: 222x138  
 Centres: 141

**Dimensions (mm):**

PB




**FG11B**

**GEORGIAN URN DOOR KNOCKER**

Overall: 196x99  
 Centres: 124

**Dimensions (mm):**

PB




**M37**

**RING DOOR KNOCKER**

**Dimensions (mm):**  
 Ring: 127 Dia.  
 Fixing Plate: 79 Dia.  
 Strike Plate: 35 Dia.

CP PB SC



10


10

**M43**

**DOOR KNOCKER ON ROSE**

**Dimensions (mm):**  
 Overall Length: 137  
 Centres: 95  
 Rose: 42 Dia.

CP PB SC



10


10

**M38**

**VICTORIAN URN DOOR KNOCKER**

**Variations:**  
**M38B** Overall: 196x99 Centres: 126  
**M38S** Overall: 160x77 Centres: 95

CP PVD PB SC



10


10

**M45**

**DOCTOR KNOCKER**

**Dimensions (mm):**  
 Overall: 187x33  
 Centres: 121  
 Rose: 55 Dia.

CP PVD PB SC



10


10

**M46**

**DOOR KNOCKER ON BACKPLATE**

**Dimensions (mm):** 136x40  
Overall: 95  
Centres:

CP PB  
FB SC



**N3**


**NUMERAL 3**

**Dimensions (mm):** 75  
Height:

**Variations:**

N0 Numeral 0  
N1 Numeral 1  
N2 Numeral 2  
N3 Numeral 3  
N4 Numeral 4  
N5 Numeral 5  
N6/9 Numeral 6/9  
N7 Numeral 7  
N8 Numeral 8

CP PB SC  
FB PVD




**MB10**

**LION HEAD NO. 10 DOOR KNOCKER**  
Complete with strike plate

**Dimensions (mm):** 232x119  
Overall: 125  
Centres:

PB



**NA**


**LETTER A**

**Dimensions (mm):** 53  
Height:

**Variations:**

NB Letter B  
NC Letter C  
ND Letter D

CP PB SC






**AA30**

**GEORGIAN BELL PUSH**  
 Dimensions (mm): 75x37  
 Overall:

CP  PB  SC



10

10


**AA76**

**DOOR VIEWER**  
 Suits doors 34-54mm  
 Plastic Lens

**Dimensions (mm):** 13.7 Dia.  
 Lens: 180°  
 Angle of Vision:

**Variations:**  
 AA77 Glass Lens - FD30

CP  PB  SC




10

10

**AA31**

**BELL PUSH**  
 Dimensions (mm): 79x30  
 Overall:

CP  PB  SC




10

10

**AQ31**

**BELL PUSH**  
 Dimensions (mm): 74x35  
 Overall:

CP  PB  SC  
 FB  PVD



10


10

**AA75**

**HEAVY DOOR CHAIN**  
 Breaking strain 180 newtons

**Dimensions (mm):** 61x15  
 Chain Retainer: 203  
 Chain Overall: 45x38x32  
 Angle Plate:

CP  PB  SC




10

10

**AQ40**

**ARCHITECTURAL QUALITY CYLINDER PULL**  
 Dimensions (mm): 76x47  
 Overall:

CP  PVD  
 PB  SC



10

10



**AQ41**

**ESCUTCHEON**  
Face Fix

**Dimensions (mm):**

Rose Dia: 42

Thickness: 4

Lock

**AQ41**



CP



PB



FB



PVD



SC



**M40**

**CYLINDER LATCH PULL**

**Dimensions (mm):**

Overall: 72x48



CP



PB



SC



**FG9**

**GEORGIAN CYLINDER LATCH PULL**


**Dimensions (mm):**


Overall: 76x48



PB









**AC010**

**CLEAR CRYSTAL KNOB**  
Unsprung

**Dimensions (mm):**  
Rose: 65 Dia.  
Knob: 54 Dia.  
Projection: 86

CP  PB  SC






**AC011**


**FROSTED CRYSTAL KNOB**  
Unsprung

**Dimensions (mm):**  
Rose: 65 Dia.  
Knob: 54 Dia.  
Projection: 86

SC

AC010 for matching escutcheons DK1/3 see P156. AC010 for matching bathroom turns DK12/13 see P157. Unsprung knobs should be used in conjunction with a heavy duty latch.







**AC013**

**BUBBLE CRYSTAL KNOB**  
Unsprung

**Dimensions (mm):**  
Rose: 65 Dia.  
Knob: 54 Dia.  
Projection: 87

CP  SC






**AC020**

**FACETTED CRYSTAL KNOB**  
Unsprung

**Dimensions (mm):**  
Rose: 65 Dia.  
Knob: 54 Dia.  
Projection: 83

CP  PB  SC

AC010 for matching escutcheons DK1/3 see P156. AC010 for matching bathroom turns DK12/13 see P157. Unsprung knobs should be used in conjunction with a heavy duty latch.





**AC033**

**FROSTED GLASS KNOB**  
Unsprung

**Dimensions (mm):**  
Rose: 65 Dia.  
Knob: 65 Dia.  
Projection: 82

CP  SC






**DK32WWPB**

**WOODEN KNOB**  
Face Fix Unsprung

**Dimensions (mm):**  
Rose: 70 Dia.  
Knob: 60 Dia.  
Projection: 71

WWPB







**DK32WOSC**

**WOODEN KNOB**  
Face Fix Unsprung

**Dimensions (mm):**  
Rose: 70 Dia.  
Knob: 60 Dia.  
Projection: 71

WOSC






**DK34ICFB**

**PORCELAIN KNOB**  
Face Fix Unsprung

**Dimensions (mm):**  
Rose: 70 Dia.  
Knob: 60 Dia.  
Projection: 71

ICFB



**DK34MCCP**

**PORCELAIN KNOB**  
Face Fix Unsprung

**Dimensions (mm):**  
Rose: 70 Dia.  
Knob: 60 Dia.  
Projection: 71

**MCCP**

**DK34PWSC**

**PORCELAIN KNOB**  
Face Fix Unsprung

**Dimensions (mm):**  
Rose: 70 Dia.  
Knob: 60 Dia.  
Projection: 71

**PWSC**

**DK34PBKCP**

**PORCELAIN KNOB**  
Face Fix Unsprung

**Dimensions (mm):**  
Rose: 70 Dia.  
Knob: 60 Dia.  
Projection: 71

**PBKCP**

**DK35**

**PLAIN KNOB**  
Face Fix Unsprung

**Dimensions (mm):**  
Rose: 70 Dia.  
Knob: 55 Dia.  
Projection: 65

For matching escutcheons DK1/3 and AQ41 see P155-156. For matching bathroom turns DK12/13 see P157. Unsprung knobs should be used in conjunction with a heavy duty latch.

For matching escutcheons DK1/3 and AQ41 see P155-156. For matching bathroom turns DK12/13 see P157. Unsprung knobs should be used in conjunction with a heavy duty latch. DK35 for matching cupboard knob DK47 see P488.





**DK35C**

**PLAIN KNOB**  
Concealed Fix Unsprung

**Dimensions (mm):**  
Rose: 70 Dia.  
Knob: 55 Dia.  
Projection: 67

CP PB SN  
FB SC




**DK37C**

**REEDED KNOB**  
Concealed Fix Unsprung

**Dimensions (mm):**  
Rose: 70 Dia.  
Knob: 50 Dia.  
Projection: 81

CP PB SN  
FB SC




**DK36C**

**FLOWER KNOB**  
Concealed Fix Unsprung

**Dimensions (mm):**  
Rose: 70 Dia.  
Knob: 55 Dia.  
Projection: 75

CP PB SN  
FB SC




**DK39C**

**RINGED KNOB**  
Concealed Fix Unsprung

**Dimensions (mm):**  
Rose: 70 Dia.  
Knob: 55 Dia.  
Projection: 64

CP PB SN  
FB SC




**DL250B**

**BEADED KNOB**  
Face Fix Unsprung

**Dimensions (mm):**  
Rose: 61 Dia.  
Knob: 51 Dia.  
Projection: 66

CP PB SC  
FB PVD

**PB**



**DL261B**


**BEADED**  
Knob on Latch Backplate

**Dimensions (mm):**  
Backplate: 172x50  
Projection: 65  
Knob: 51 Dia.  
Plate Thickness: 10

**Variations:**  
DL260B Lock  
DL262B Bathroom

**Long Plate:**  
DL255B Lock  
DL256B Latch  
DL257B Bathroom

**PB**




**AQ41**

**ESCUTCHEON**  
Face Fix

**Dimensions (mm):**  
Rose: 42 Dia.  
Rose Thickness: 4

**AQ41**  
Lock

CP PB SC  
FB PVD



**DK1/3**


**ESCUTCHEON**  
Face Fix

**Dimensions (mm):**  
Rose: 55 Dia.  
Rose Thickness: 9

**DK1**  
Euro Lock

**DK3**  
Lock

CP PB SN  
FB SC
















**DL1000B**

**BEADED ESCUTCHEON**

**Dimensions (mm):**  
Rose: 32 Dia.  
Rose Thickness: 6

**PB**

 	<p><b>DK12</b></p> <p><b>LARGE THUMBTURN AND RELEASE</b> Face Fix</p> <p><b>Dimensions (mm):</b> Rose: 55 Dia. Rose Thickness: 10</p> <p>  <b>CP</b>  <b>PB</b>   <b>FB</b>  <b>SC</b> </p>
	

 	<p><b>DK13</b></p> <p><b>SMALL THUMBTURN AND RELEASE</b> Face Fix</p> <p><b>Dimensions (mm):</b> Rose: 42 Dia. Rose Thickness: 4</p> <p>  <b>CP</b>  <b>PB</b>   <b>FB</b>  <b>SC</b> </p>
	




**LRS4000**

**SAFETY LEVER ON SPRUNG ROSE DDA COMPLIANT**  
Concealed Fix  
Press-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 8  
Rose Thickness: 66  
Projection: 144  
Lever Length: 22 Dia.,  
Bar: 19 Dia.,  
**Variations:**  
**LRS4001** Bar 19 Dia.,  
Lever Length 137

SAA




**LRS4003**

**CURVED LEVER ON SPRUNG ROSE**  
Concealed Fix  
Press-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 8  
Rose Thickness: 66  
Projection: 139  
Lever Length: 19 Dia.,  
Bar:

SAA



**LRS4002**

**STRAIGHT LEVER ON SPRUNG ROSE**  
Concealed Fix  
Press-on-Rose

**Dimensions (mm):**  
Rose: 52 Dia., 8  
Rose Thickness: 66  
Projection: 139  
Lever Length: 19 Dia.,  
Bar:

SAA



**PAD**

**D PULL HANDLE**

**Variations:**  
**PAD4150** 150 - Bar 19 Dia.,  
**PAD4225** 225 - Bar 19 Dia.,  
**PAD4300** 300 - Bar 19 Dia.,  
**PAD4450** 450 - Bar 19 Dia.,  
**PAD4600** 600 - Bar 19 Dia.,  
**PFD4225** 225 - Bar 22 Dia.,  
**PFD4300** 300 - Bar 22 Dia.

SAA

