

ENVIRO DEGREASER

General Purpose Cleaner



Description

Enviro Degreaser is a formulated combination of wetting agents, emulsifiers and performance fluids, designed to give an effective, environmentally safe degreasing system. Fast break emulsifiers make this product ideal for industrial situations where a grease trap is employed and effluent must be controlled.

Chemical & Physical Properties

Appearance: Orange Clear Liquid

Specific Gravity: 1.06

Flammability: Non Flammable

Solubility in Water: SolublepH: 100%: 9

Application & Method Of Use

Application:

- Automotive, motorcycle and all mechanical degreasing, industrial equipment degreasing, removal of heavy grease and oil, contaminated concrete floors, a solvent in ultrasonic cleaning machines, etc.
- The product can be used either for spray, brush on application or in a tank for soak cleaning.

Method of Use:

Spray or Brush On

Enviro Degreaser is applied liberally to parts to be cleaned and allowed to stand for about five (5) minutes. The article is then hosed down with a strong jet of water.

Tank Application

The article is allowed to soak for at least fifteen (15) minutes (overnight can be an advantage). It is then removed, drained and hosed off with a jet of water. Avoid adding water to the soak tank from the hose and cover with a rain-proof lid if the tank is sited in the open. Some water intake is tolerated but too much will spoil the product's cleaning characteristics.

Concrete Cleaning

- Apply to concrete allow two (2) to three (3) minutes to soak in.
- Scrub with a yard broom or other stiff brush.
- Hose down with water.

Ph: (09) 820 3888

Fax: (09) 820 3979

Orders: nzsales@chemetall.com



ENVIRO DEGREASER

General Purpose Cleaner

Dilution Ratio

Applications:	Dilutions:
Removing grease and oil from - Bitumen	1:10
Removing grease and oil from - Concrete	1:5
Applications:	Dilutions:
Removing grease and oil from Bitumen or Concrete in extreme cases	1:2
Carpet cleaning – spots	1:20
Carpet cleaning through machine	1:30
Car washing - external through pressure spray	1:60
Chrome and steel	1:20
Floors - daily	1:60
Glass cleaner - spray and wipe	1:100
Kitchen equipment – loose items soak	1:20
Kitchen equipment – wipe on, wipe off	1:40
Kitchen equipment – baked and burnt pans - soak	1:1
Marine – hulls and decks	1:10
Marine – bilges – oil and grease	1:5
Metal degreasing – Heavy	1:4
Metal degreasing – Light	1:20
Roofs/pathways	1:20
Showers and baths – spray and wipe	1:20
Upholstery – spot cleaning	1:10
Upholstery – general	1:30
Walls – Ingrained dirt	1:10
Walls – light dirt	1:40
Walls – fire smoke	1:10
Walls – cigarette smoke	1:30
Walls - Extreme cases – quality paint only	1:5
Water blasting/steam cleaning	1:60

Precautions

Refer to Hazard Identification as per Safety Data Sheet.

Product Profile



ENVIRO DEGREASER

General Purpose Cleaner

Safety, Transport & Storage Information

Please refer to Safety Data Sheet.

Packaging

Available in 5L, 20L & 200L containers. Containers non-returnable.

IMPORTANT: FOR DETAILED INFORMATION ABOUT THIS PRODUCT PLEASE REFER TO SAFETY DATA SHEET.

The product information contained in this document is to the best of our knowledge and non-binding. Our statements relating to possible uses of the product do not constitute a guarantee that such uses are appropriate in a particular user's case or that such uses do not infringe the patents or proprietary rights of any third party. We assume no risk or liability whatever in connection with any particular use, if not expressly confirmed by us in writing. Therefore Chemetall grants no warranty and does not accept any liability in connection with this product information or its use. Except where noted otherwise, all registered trademarks are owned by Chemetall or its affiliated companies. The reproduction of any or all of the information contained in this document is expressly forbidden without Chemetall's prior written consent.

Issue Date: 01.02.2015

Orders: nzsales@chemetall.com