


METAL BRITE

Metal Pretreatment



Description

Metal Brite is a phosphoric acid-based cleaner containing solvents, detergents and a corrosion inhibitor.

Chemical & Physical Properties

Appearance: Clear Colourless Liquid

Specific Gravity: 1.4

• Flammability: Not Flammable or Combustible

Solubility in Water: Soluble

• pH: 100%: Approx 1.0

Application & Method Of Use

Application:

- Rust and stain removal from metal, wood, tiles, and painted surfaces.
- Leaves steel passivated with a stable chemical layer that acts as bond for paint.
- An effective treatment for "bleeding" rust marks on upper deck paintwork.
- Metal Brite may be used as an aluminium brightener on floor plates.
- NOT suitable for zinc, tin or galvanized surfaces.

Method of Use:

- After removing any grease, oil, loose rust or dirt, apply to the surface with a brush or swab.
- May be used undiluted for heavily corroded surfaces and diluted up to 1 part Metal Brite to five parts water depending on severity of soil.
- Scrub surfaces as required. Rinse with water after 10 to 15 minutes contact time. With aluminium rinse off within 5 minutes of application.

Dilution Ratio

See Application & Method of Use above.

Precautions

Refer to Hazard Identification as per Safety Data Sheet.

Issue Date: 01.02.2015

Chemetall (New Zealand) Limited

www.chemetall.co.nz

Product Profile



METAL BRITE

Metal Pretreatment

Safety, Transport & Storage Information

Please refer to Safety Data Sheet.

Packaging

Available in 20L container. Containers non-returnable.

IMPORTANT: FOR DETAILED INFORMATION ABOUT THIS PRODUCT PLEASE REFER TO SAFETY DATA SHEET.

The product information contained in this document is to the best of our knowledge and non-binding. Our statements relating to possible uses of the product do not constitute a guarantee that such uses are appropriate in a particular user's case or that such uses do not infringe the patents or proprietary rights of any third party. We assume no risk or liability whatever in connection with any particular use, if not expressly confirmed by us in writing. Therefore Chemetall grants no warranty and does not accept any liability in connection with this product information or its use. Except where noted otherwise, all registered trademarks are owned by Chemetall or its affiliated companies. The reproduction of any or all of the information contained in this document is expressly forbidden without Chemetall's prior written consent.

Issue Date: 01.02.2015

Ph: (09) 820 3888

Fax: (09) 820 3979

Orders: nzsales@chemetall.com