

# Truckital NO CORD FOR EASY CLEANING, WHEREVER THE JOB TAKES YOU



With 100+ years experience in advanced motor design, Makita® is the innovation leader in power tools, commercial cleaning and outdoor power garden

equipment - Makita's vision is to constantly strive for innovation in our products and our technology. Providing the New Zealand market with a comprehensive range of products for maintenance workers and commercial cleaning.

Makita® strives to continue to improve the compatibility of tools.

Makita® boasts the world's largest range of products used on one battery platform.

# WHAT'S INSIDE

BACKPACK VACUUM CLEANER

Pages 4-5

ROBOTIC CLEANER

Page 6

PORTABLE VACUUM

Page 7

STICK VACUUM

Pages 8-9

18V X2 (36V) VACUUM

Page 10-11





Padded shoulder straps and waist

belt with multiple adjustments



#### SKIN AND COMBO KIT SPECIFICATIONS



LXT BRUSHLESS

Brushless technology enables motor to run more efficiently for longer life

Push down lever Cleaning mechanism for dust bag









#### STANDARD ACCESSORIES:







**DVC660G4X1** (4 x 6.0Ah) / **DVC660G2X1** (2 x 6.0Ah)

DVC660ZX1 (Skin only)

18V X2 (36V) LXT® 32mm/1.M Brushless Backpack HEPA Vacuum

32MM PIPE -1.0M HOSE		
Max. air volume (m³/min)	2.2 m³/min	
Max. air volume (L/s)	36 Litres per second	
Dust Capacity	6.0 Litres	
Run Time (w/ 5.0Ah Batteries)	Up to 140 Minutes	
Weight (w/ 5.0Ah Batteries)	With Batteries 6.8Kg / Skin weight 5.9Kg	
Available As	DVC660G4X1 / DVC660G2X1 / DVC660ZX1	

Model	Description	Comes with
<b>DVC660G4X1</b> 4 x 6.0 Ah Kit	18V X2 (36V) LXT® 32mm/1.M Brushless Backpack HEPA Vacuum (6.0Ah) Kit	Hose 1.0M 32mm (199453-9), Bent Pipe ø32mm (458184-2), Joint Pipe-Upper (140K01-3), Joint Pipe-Lower (327324-2), Flat Nozzle (127082-8) and Dust bag (191C30-1) & 4 x 6.0Ah Batteries and Dual Rapid Charger (DC18RD)
<b>DVC660G2X1</b> 2 x 6.0Ah Kit	18V X2 (36V) LXT® 32mm/1.M Brushless Backpack HEPA Vacuum (6.0Ah) Kit	Hose 1.0M 32mm (199453-9), Bent Pipe ø32mm (458184-2), Joint Pipe-Upper (140K01-3), Joint Pipe-Lower (327324-2), Flat Nozzle (127082-8) and Dust bag (191C30-1) & 2 x 6.0Ah Batteries and Dual Rapid Charger (DC18RD)
DVC660ZX1 Skin tool	18V X2 (36V) LXT® 32mm/1.M Brushless Backpack HEPA Vacuum (Skin only)	Hose 1.0M 32mm (199453-9), Bent Pipe ø32mm (458184-2), Joint Pipe-Upper (140K01-3), Joint Pipe-Lower (327324-2), Flat Nozzle (127082-8) and Dust bag (191C30-1)

#### **OPTIONAL ACCESSORIES:** TELESCOPIC ASSEMBLY



Filter bag 10 pc (191026-2)



Telescopic Pipe (140G19-0)



Bent Pipe for Telescopic (140G26-3)



Flat nozzle for Telescopic (127082-8)



(198525-7)

Nozzle (For Carpet)



Seat Nozzle (199037-3)



Corner Nozzle (198918-8)



Hose band (166116-2)







#### **DVC261GX19 / DVC261GX12** and DVC261ZX12

18V X2 (36V) LXT® 32mm/1.M Brushless Backpack HEPA Vacuum





and DVC261ZX13 18V X2 (36V) LXT® 32mm/ 1M Brushless Backpack HEPA Vacuum



LXT BRUSHLESS

#### **DLX2302PG2 / DVC261ZX8**

18V X2 (36V) LXT® 38mm / 1.5M Brushless Backpack HEPA Vacuum

	32MM PIPE -1.0M HOSE	32MM PIPE -1.0M HOSE	38MM PIPE -1.5M HOSE	
Max. air volume (m³/min)	Max. air volume (m³/min) 2.2 m³/min 2.2 m³/min		2.3 m³/min	
Max. air volume (L/s)	36 Litres per second	36 Litres per second 36 Litres per second		
Dust Capacity	2.0 Litres	2.0 Litres	2.0 Litres	
Run Time (w/ 5.0Ah Batteries)	Up to 140 Minutes	Up to 140 Minutes Up to 140 Minutes		
Weight (w/ 5.0Ah Batteries)	With Batteries 4.5 Kg / Skin weight 3.9Kg	With Batteries 4.5 Kg / Skin weight 3.9Kg	With Batteries 4.5 Kg / Skin weight 3.9Kg	
Available As	DVC261GX19, DVC261GX12 & DVC261ZX12	DVC261GX21, DVC261GX13 & DVC261ZX13	DLX2302PG2, DVC261ZX8	

Ava	liable As	DVC261GX19, DVC261GX12 & DVC	261ZX12 DVC261GX21, DVC261GX13 & DVC261ZX13 DLX2302PG2, DVC261ZX8
Model	Descrip	tion	Comes with
<b>DVC261GX19</b> 4 x 6.0Ah Kit		SV) LXT® 32mm/1.M Brushless HEPA Vacuum (6.0Ah) Kit	18V X2 (36V) LXT® 32mm/1.M Brushless Backpack HEPA Vacuum (DVC261ZX12), Hose 1.0M 32mm (199453-9), Bent Pipe ID:32mm (458184-2), Joint Pipe (Upper) ID:29mm 0D:31mm (140K01-3), Joint Pipe (Lower) ID: 31mm (327324-2), Flat Nozzle ID:32mm 0D:38mm (VAC-285) and Re-useable Bag (197898-5), 4 x 6.0Ah Batteries and Dual Rapid Charger
<b>DVC261GX12</b> 2 x 6.0 Ah Kit		SV) LXT® 32mm/1.M Brushless HEPA Vacuum (6.0Ah) Kit	18V X2 (36V) LXT® 32mm/1.M Brushless Backpack HEPA Vacuum (DVC261ZX12), Hose 1.0M 32mm (199453-9), Bent Pipe ID:32mm (458184-2), Joint Pipe (Upper) ID:29mm 0D:31mm (140K01-3), Joint Pipe (Lower) ID: 31mm (327324-2), Flat Nozzle ID:32mm 0D:38mm (VAC-285) and Re-useable Bag (197898-5), 2 x 6.0Ah Batteries and Dual Rapid Charger
DVC261ZX12 Skin tool		oV) LXT® 32mm/1.M Brushless HEPA Vacuum (Skin only)	18V X2 (36V) LXT® 32mm/1.M Brushless Backpack HEPA Vacuum (DVC261ZX12), Hose 1.0M 32mm (199453-9), Bent Pipe ID:32mm (458184-2), Joint Pipe (Upper) ID:29mm 0D:31mm (140K01-3), Joint Pipe (Lower) ID: 31mm (327324-2), Flat Nozzle ID:32mm 0D:38mm (VAC-285) and Re-useable Bag (197898-5)
<b>DVC261GX21</b> 4 x 6.0Ah Ki	,	6V) LXT® 32mm/1.M Brushless HEPA Vacuum (6.0Ah) Kit	18V X2 (36V) LXT® 32mm/1.M Brushless Backpack HEPA Vacuum (DVC261ZX13), (198525-7) Nozzle (same as DCL180), (197898-5) Re-usable Bag ,(199453-9) Hose 32mm - 1 meter long & (140G19-0) Telescope Pipe 28/35mm, Flat Nozzle (127082-8), Cyclone Attachment Set 199491-1 and 4 x 6.0Ah Batteries and Dual Rapid Charger
<b>DVC261GX13</b> 2 x 6.0Ah Ki		6V) LXT® 32mm/1.M Brushless HEPA Vacuum (6.0Ah) Kit	18V X2 (36V) LXT® 32mm/1.M Brushless Backpack HEPA Vacuum (DVC261ZX13), (198525-7) Nozzle (same as DCL180), (197898-5) Re-usable Bag ,(199453-9) Hose 32mm - 1 meter long & (140G19-0) Telescope Pipe 28/35mm, Flat Nozzle (127082-8), Cyclone Attachment Set 199491-1 and 2 x 6.0Ah Batteries and Dual Rapid Charger
DVC261ZX13 Skin tool	,	SV) LXT® 32mm/1.M Brushless HEPA Vacuum (Skin only)	18V X2 (36V) LXT® 32mm/1.M Brushless Backpack HEPA Vacuum (DVC261ZX13), (198525-7) Nozzle (same as DCL180), (197898-5) Re-usable Bag ,(199453-9) Hose 32mm - 1 meter long & (140G19-0) Telescope Pipe 28/35mm
<b>DLX2302PG2</b> 6.0 Ah Kit	,	6V) LXT® 38mm/1.5M Brushless HEPA Vacuum (6.0Ah) Kit	18V X2 (36V) LXT® 38mm/1.5M Brushless Backpack HEPA Vacuum (DVC261ZX8), (410306-2) Corner nozzle, (192563-1) Straight Steel Pipe, (192562-3) Bent Pipe, (199455-5)38mm Flat Nozzle, (198757-6) Hose Dia.38mm 1.5 meter, (197898-5) Re-usable bag, 18V Cordless Cleaner (DCL181FZWX), 199491-1 Cyclone Attachment Set and (3) x 18v LXT Li-ion (BL1860B)* (1) Rapid Optimum Dual Charger (DC18RD)
DVC261ZX8 Skin tool		V) LXT® 38mm/1.5M Brushless HEPA Vacuum (Skin only)	18V X2 (36V) LXT® 38mm/1.5M Brushless Backpack HEPA Vacuum (DVC261ZX8), (410306-2) Corner nozzle, (192563-1) Straight Steel Pipe, (192562-3) Bent Pipe,(199455-5)38mm Flat Nozzle, (198757-6) Hose Dia.38mm 1.5 meter, (197898-5) Re-usable bag







#### DRC200Z

#### **18V LXT BRUSHLESS ROBOTIC CLEANER**

- Capable of cleaning up to 600m2 with a 2.5L dust capacity
- Powered by either single 18V or dual 18V LXT batteries
- Delayed start, boundary sensor, cliff sensor and alert tones
- Automatic cleaning to collect dust and debris
- Remote control with locator button

#### **CLEANS APPROX.**

# 500 SQ.M **OF HARD FLOOR SURFACES**

(ABOUT 2 1/2 TENNIS COURTS)

#### **RUNTIME**

\*On hard floors in "Main Brush plus Vacuum" mode using two 18V LXT® 5.0Ah batteries



#### **CRUISE MODES**


The Robotic Vacuum offers two navigation options called Cruise Modes. Cruise Mode functionality combined with multiple detection sensors allow the Robotic Vacuum to efficiently navigate and perform complete coverage of floor space.



#### PATTERN MODE

Use Pattern Mode for cleaning wide spaces with fewer obstacles, like warehouses, or long corridors.





#### RANDOM MODE

Use Random Mode for cleaning spaces with many obstacles, like office spaces, gyms etc..

#### **OPTIONAL ACCESSORIES**



Boundary line tape (15m roll) (SH00000240)



Power Brush (SH00000063)



Side Brushes (SH00000065)



Filter (SH00000213)



## **LXT** BRUSHLESS

#### **DVC750LZX1 NEW** 18V LXT® Brushless 7.5 L Dust Class **HEPA Portable 2-Speed Vacuum Cleaner (Skin tool)**

Capacity	Dust 7.5L
Runtime	60mins using 1 x 5.0Ah
Max Air Flow	High 1.6 m³/min
Max Sealed Suction	6.7 kPa
Suction Power	50 w
Weight	4.3kg
Dimensions	418x251x278 mm













#### **STANDARD ACCESSORIES**

Hose (140G04-3), Crevice Nozzle (458891-7), Flat Nozzle (458919-1), Shoulder Strap (199486-4) and HEPA Filter (162518-0)

#### **FEATURES**

- L.E.D. battery indicator shows charge level for 18V LXT®Lithium-lon battery
- The BL<sup>™</sup>Brushless Motor eliminates carbon brushes, enabling the BL<sup>™</sup> Motor to run cooler and more efficiently for longer life
- Compact and portable design with shoulder strap; weighs only 4.6 kg with 18V LXT® 5.0Ah battery (shoulder strap not included)
- Two tools in one; quickly converts from vacuum to blower for increased versatility
- Two speed push button power selection (high/low) for a variety of applications
- Battery compartment keeps the battery protected from harmful debris on the jobsite
- Integrated tethering hooks for increased portability with optional shoulder strap
- Carrying top handle stores out of the way and provides increased comfort during transport
- · Quick-release latch for easy removal and disposal of debris from canister



# Compact, portable and easy-to-use

(DRY ONLY) Large dust bag capacity 7.5L







Accessories page 12









#### EXT BRUSHLESS HEPA





#### DCL280FZB 18V LXT® Li-Ion Brushless HEPA Cordless Lock-on Trigger Vacuum Cleaner Black (Skin tool only)

Capsule Capacity	800 mL
Continuous Use (min.)	Up to 40 Minutes using 1 x 6.0Ah (BL1860B)
Max Air Flow	1.5 m³/min
Max Sealed Suction	6.0 kPa
Suction Power	45 W
Overall length	1,018 mm
Net weight	1.2kg

**DCL281RTWX** 18V LXT® Li-Ion Brushless HEPA Cordless On-Off button 3- Speed Vacuum Cleaner (5.0Ah) Kit

**DCL281FZWX** 18V LXT® Li-Ion Brushless HEPA Cordless On-Off button 3- Speed Vacuum Cleaner (Skin tool only)

Capsule Capacity	800 mL
Continuous Use (min.)	$^{\mbox{\tiny Up to}}$ 100 Min /Low and 50min/ High settings on 1 x 6.0Ah
Max Air Flow	1.5 m³/min
Max Sealed Suction	7.0 kPa
Suction Power	60 W
Overall length	1,018 mm
Net weight	1.2kg















#### **KEY FEATURES**



illuminates the work area



Eay to use lock-on trigger for continuous use



Quick dust disposal / Cloth filtration system by removing capsule

Standard Accessories: Black Nozzle (123539-7), Sash Nozzle Holder, Pipe, HEPA Filter set (199989-8), Pre filter (451208-3) and Hand Strap

Optional Accessories: Carpet nozzle (198526-5), Wall Bracket Holder (458571-5)

#### **KEY FEATURES**



illuminates the work area



One touch On-Off button with 3 speed for continu-



Quick dust disposal / Cloth filtration system by removing capsule

Standard Accessories: White Nozzle (123486-2), Sash Nozzle Holder, Pipe, HEPA Filter set (199989-8), Pre filter (451208-3) and Hand Strap

**Optional Accessories:** Carpet nozzle (198525-7), Wall Bracket Holder (458571-5)



#### LXT; [LITHIUM#]ON

#### **DCL181FWX6** 18V LXT<sup>®</sup> Li-lon Cordless 2-Speed Cleaner with LED Light kit (3.0Ah)



Capacity	650 mL
Continuous Use (min.)	70 Minutes using 1 x 6.0Ah
Max Air Flow	1.4 m³/min
Max Sealed Suction	5.3 kPa
Suction Power	High: 30 W Low: 11 W
Dimensions	999x114x152 mm
Net weight	1.2kg



#### **ALSO AVAILABLE AS SKIN TOOL**

DCL181FZWX: 18V LXT® Li-lon Cordless Cleaner (Skin only)







#### **FEATURES**

- Push button switch with air volume selection (High Low) for reduced fatigue in continuous use
- High performance 5.3 kPa\* sealed suction
- Compact and ergonomic design at only 999 mm long
- 650ml transparent dust container with high performance filter
- Built-in LED light illuminates the work area

**Standard Accessories:** Nozzle assembly Floor T-nozzle (123486-2), Sash nozzle (451240-7), 465mm Pipe (451241-5), Sash nozzle holder (451242-3) and High performance filter (198752-6)

# HIGHER-EFFICIENCY CLEANUP

BOOST PERFORMANCE OF A MAKITA® COMPACT VACUUM WITH THE MAKITA® CYCLONIC VACUUM ATTACHMENT

The Makita® Cyclonic Vacuum Attachment is engineered for easy disposal of debris and reduces the amount of dust that enters the vacuum's dust bag. The efficient cyclonic action captures up to 90% of dust particles and increases productivity by reducing the need to empty the main canister/filter.







ONE-TOUCH RELEASE FOR EASY DISPOSAL OF DEBRIS



PREVENTS SUCTION FORCE FROM WEAKENING BY REDUCING THE AMOUNT OF DUST THAT ENTERS THE VACUUM



191D73-9 (NEW)
Cyclone Attachment Set
Compatible with DCL280



199553-5 Cyclone Attachment Set Compatible with DCL181



191D71-3
Cyclone Attachment Set



199491-1 Cyclone Attachment Set Compatible with DCL181



#### **LXT X2 18v+18v+36**v

#### DVC860LZ 36V (18V X2) LXT Li-lon Cordless 8 L Dust Class Vacuum Cleaner (Wet & Dry)

- Powered by AC and two 18V Li-lon batteries in series
- Powerful 1,050W motor generates 3.6 m³/min of Max air flow / 24 kPa of Max sealed suction / 320W of Suction power
- Two 18V LXT batteries generate 2.1 m³/min of Max air flow / 9 kPa of Max sealed suction / 70W of Suction power
- Approved for dust class L of EC regulation
- · For both wet and dry vacuum cleaning
- 8L Large dust bag capacity enables continuous cleaning work







122512-4















#### **FAST CHARGING**

A built-in fan circulates air between the charger and battery to cool the battery for faster chareg time



#### **MAX SEALED SUCTION**

Powerful 1,050W motor generates 3.6 m³/min of Max air flow / 24 kPa of Max sealed suction / 320W of Suction power



#### **LOWER NOISE**

Sound Pressure Level 75 dB(A) and Noise K Factor 3.0 dB(A)

# **VERSATILE FOR A VARIETY OF APPLICATIONS (WET OR DRY)**









**WET / DRY** 

Clean up dry dust, dirt and debris or use the vacuum to tackle wet cleanups



# LXT BRUSHLESS

#### DVC152LZ WWW 36V (18V X2) LXT Brushless 15L Dust Class Vacuum Cleaner (Wet & Dry)

- Two 18V LXT Li-lon batteries & BL motor deliver the power and performance for corded demands without leaving the 18V LXT platform
- Powerful 1,050W motor generates 3.6 m³/min of Max air flow / 24 kPa of Max sealed suction / 320W of Suction power
- Two 18V LXT batteries generate 2.1 m<sup>3</sup>/min of Max air flow / 9 kPa of Max sealed suction / 70W of Suction power
- For both wet and dry vacuum cleaning
- 15L Large dust bag capacity enables continuous cleaning work







USING (2) 6.0AH BATTERIES

**CHARGE TIME** 











#### **DVC863LZX** 36V (18V X2) LXT Brushless Cordless **8L Dust Class HEPA Vacuum Cleaner (Skin only)**

- Two 18V LXT Li-lon batteries & BL motor deliver the power and performance for corded demands without leaving the 18V LXT platform
- Two 18V LXT batteries & BL motor generate 2.1 m³/min of Max air flow / 9.8 kPa of Max sealed suction / 90 W of Suction power
- HEPA Filter is used to capture very fine particles effectively
- Features Extreme Protection Technology (XPT) which is engineered to provide increased dust and water resistance in harsh job site conditions
- Delivers up to 40 min of run time using BL1850B

#### Standard Accessories









Filters and Accessories see page 17-19







#### 36V (18V X2) LXT Li-lon Cordless 2-Speed Blower

#### **DUB362Z**

Max Air Velocity	54 m/s
No Load Speed (RPM)	21,500
Max Air Volume	13.4 m³/min
Sound Power Level	79.1 dB(A)
Dimensions (L x W x H)	930x205x295 mm
Net weight (Skin)	2.8 kg





#### **18V LXT Brushless Cordless Variable Speed Blower**

#### **DUB184Z**

Max Air Velocity	52.1 m/s
No Load Speed (RPM)	18,000
Max Air Volume	13.0 m³/min
Sound Power Level	86.6 dB(A)
Dimensions (L x W x H)	825x160x285 mm
Net weight (Skin)	2.15 kg



#### **Optional Accessories**

Long Nozzle (TP00000199) Dust bag (122321-1) Anchor Nozzle (192236-6)



#### 18V LXT Li-lon Cordless Variable 3-Speed Blower

#### **DUB183Z**

Air volume	2.6 m³/min
Air speed	52 m/s
No Load Speed (RPM)	0-18,000
Sound Power Level	95 dB(A)
Dimensions (L x W x H)	845x155x212 mm
Net weight	2.0 kg

#### 18V LXT Li-lon Cordless Variable 3-Speed Blower

#### **DUB182Z**

Air volume Air speed No Load Speed (RPM)

Air Pressure

Dimensions (L x W x H)

Net weight

#### DVC750LZX1

#### **Hose Complete**

28-2.0m with Front cuffs 38 (Standard equipment)







Part No. 418500-0

Plastic Telescopic pipe assembly Pipe length is variably adjustable from 500 to

Part No. 198559-0





Part No. 199455-5

Wide Nozzle Sash Nozzle (Standard equipment) (Standard equipment)



Round brush



Joint 22-38 Part No. 195548-6 Tapered nozzle set Part No. 192236-6

F/C switching

Part No. 198184-7

T-nozzle 38



Seat nozzle 28

Part No. 199037-3

Part No. 198877-6



Part No. 198183-9

Corner nozzle 330-28

Part No. 198918-8 Shelf brush


Floor/carpet T-nozzle







Part No. 198872-6





#### For Cordless Cleaner DVC261ZX12, DCL181,DCL180 **Straight pipe**



Description	Color	Part No.
Aluminum Telescopic pipe assembly Pipe length is variably adjustable from 590 to 942mm.	Aluminum	140G19-0
Telescopic pipe assembly 28 Pipe length is variably adjustable from 500 to 850mm.	White	198559-0
	White	451241-5
Plastic straight pipe 28	Blue	451244-9
	Black	456587-4

#### Nozzle assembly DVC261ZX12, DCL181, DCL180

Floor/carpet t-nozzle For rug / carpet cleaning



Description	Color	Part No.
Floor/carpet t -nozzle For rug / carpet	White	198525-7
cleaning	Black	198526-5

#### Flexible hose set28 DVC261ZX12, DCL181, DCL180



Description	Color	Part No.
Flexible hose set28	White	198867-9
Superior in flexibility and for the	Blue	198541-9
cleaning of the small place in the car	Black	198543-5

#### Nozzle assembly DVC261ZX12, DCL181, DCL180

Floor t-nozzle 28



Description	Color	Part No.
	White	123486-2
Floor t nozzle 28	Blue	123488-8
	Black	123539-7

# **Nozzle assembly** DVC261ZX12, DCL181, DCL180 Flat type F/C switching t-nozzle 28

Description	Color	Part No.
Flat type	Black	199454-7
F/C switching t-nozzle 28 Flooring & carpet	White	198183-9

#### Nozzle assembly DVC261ZX12, DCL181, DCL180

Seat nozzle 28



Description	Color	Part No.
	White	199037-3
Seat nozzle 28 For car seat	Black	198921-9



#### **Round brush 28** DVC261ZX12, DCL181, DCL180



Color	Part No.
White	198877-6
Blue	198549-3
Black	198551-6

#### **Corner nozzle 330-28 DVC261ZX12, DCL181, DCL180**



Size	Color	Part No.
330-28mm	White	198918-8

#### Sash nozzle 28 and Long Sash nozzle 415 DVC261ZX13, DCL181, DCL180



Long Sash nozzle 415

Description	Color	Part No.
	White	451240-7
Sash nozzle 28	Blue	451243-1

#### Shelf brush set 28 DVC261ZX12, DCL181, DCL180

(For gentle cleaning by soft-tipped brush)



Color	Part No.
White	198872-6
Blue	198534-6
Black	198536-2

#### Flexible rubber nozzle DVC261ZX12, DCL181,DCL180





#### **Tapered nozzle set** DVC261ZX12, DCL181, DCL180

Use with Front cutts 22 or Flexible rubber nozzle



Color	Part No.
gray	192236-6

#### **Cordless Cleaner for Capsule type**

For Model: CL100D, DCL181F, DCL180, CL108FD



Description	Per pkg.	Part No.
Pre filter	1	198750-0
Easy shake off dust filter	1	198752-6



#### For DVC261ZX8 and DVC261ZX12

Re-useable Bag





Description	Per pkg.	Part No.
Re-Useable Bag	1	197898-5
Filter Dust Bag	10	197902-0

#### 28mm-32mm DVC261ZX8, DVC261ZX12 38mm DVC261ZX8, DVC860L,DVC862L and DVC863L




Description	Size	Part No.
without front sleeve	28mm-1m	143787-2
with front sleeve	32mm-1.1m	199453-9
with Front cuffs 38, Hose connection 38mm	38mm-1.5m	198757-6

#### **Hose connection 28mm DVC261ZX12**

#### Hose

Note:



\* for cleaning (Use with Bending pipe assembly)

Size	Length (m)	with Front cuffs	Part No.	
28mm	1.0	-	*143787-2	
28mm	1.5	22, 38	A-34235	
28mm	2.5	22, 24, 38	195437-5	
28mm	3.5	22, 24, 38	195433-3	
28mm	5	22, 24, 38	195436-7	

#### **Hose connection 32mm**

#### Hose 32mm

for cleaning

Use with 28-B Bending pipe assembly



Size	Length (m)	with Front cuffs	Part No.
32mm	1.0	Sleeve	199453-9

#### For DVC261ZX12

\*with Hose 28 sleeve



Description	Part No.
For Aluminum (Part No. 140G19-0) Telescopic pipe assembly with lock	140G26-3
For plastic straight pipe 28 and Telescopic pipe assembly 28	126756-8



#### For DRC200

Boundary line tape (15m roll)

SH00000240

Side brushes

SH00000065

Power brush

SH0000063

Filter SH00000213







#### 38 -DVC261ZX8, DVC860L, DVC862L & DVC863L

**Hose connection 38mm** 

for cleaning

\*Use with 28-B Bending pipe assembly



Size	Length (m) with Front cuffs		Part No.
		-	
38mm	1.5	38	198757-6
38mm	2.5	38	195434-1
38mm	5	38	195435-9

#### **Cleaning set**

Includes one each of:

- -Hose complete 38-2.5 -Straight pipe
- -Bending pipe -Nozzle assembly
- -Corner nozzle



195439-1

#### 38 -DVC261ZX8, DVC860L, DVC862L & DVC863L **Nozzle assembly**

Flat type





Flooring & carpet





Universal Type





Description	Dry/ Wet	Part No.
Flat type	Dry	199455-5
Flooring & carpet	Dry	198184-7
Universal Type	Dry/ Wet	122512-4

#### 38 - DVC261ZX8, DVC860L, DVC862L & DVC863L

**Bending pipe** 



Description	Part No.
Aluminum	192562-3

#### 38 - DVC261ZX8 **Round brush**





Туре	Color	Part No.
38mm	Black	191657-9

#### 38 - DVC261ZX8, DVC860L, DVC862L & DVC863L

Straight pipe



Description	Part No.
Aluminum	192563-1

#### 38 -DVC261ZX8, DVC860L, DVC862L & DVC863L

**Corner nozzle** 



Туре	Color	Part No.
38mm	Yellow gray	410306-2

# NO CORDS FOR EASY CLEANING, WHEREVER THE JOB TAKES





# Tnakita.

# THE ZXT ADVANTAGE

Today, LXT® is the preferred cordless tool system on commercial and residential job sites, boasting one of the industry's largest collection of 18V tools and accessories. Makita® continues to set the bar when it comes to premium power and run-time, ensuring that the LXT® system delivers durable, dependable, high performance tools needed to complete any job.



LXT® Lithium-Ion Batteries

#### 197951-7

#### **18V LXT® Battery & Charger Starter Pack** (3.0Ah)

Includes: 18V LXT® Lithium-Ion Standard Charger (DC18SD) and 18V LXT® Lithium-Ion 3.0Ah Battery (BL1830B)



3.0<sub>Ah</sub>

### LXT

LXT



Includes: 18V LXT® Lithium-Ion Rapid Optimum Charger (DC18RC) and 18V LXT® Lithium-lon 4.0Ah Battery (BL1840B)





#### RI 1860R-I 6.0<sub>Ah</sub> 55 Minute Charge Time BL1850B-L 5.0<sub>Ah</sub> 45 Minute BL1840B-L 4\_0ah 36 Minutes BL1830B-L 3.Oah 22 Minutes Charge Time BI 1815N-I 1.5<sub>Ah</sub> 15 Minute Charge Time

LXT

## **18V LXT® Lithium-Ion Rapid Optimum Charger**



#### 199179-3

197988-4

#### 18V LXT® Battery & **Charger Starter Pack** (5.0Ah)

Includes: 18V LXT® Lithium-Ion Rapid Optimum Charger (DC18RC) and (2) 18V LXT Lithium-lon 5.0Ah Batteries (BL1850B)



#### 196847-9

**18V Lithium-Ion 4 Port Multi Charger** 



#### 198928-5

#### 18V LXT® Battery & **Dual Port Charger** Starter Pack (5.0Ah)

Includes: 18V LXT® Lithium-Ion Dual Port Charger (DC18RD) and (2) 18V LXT Lithium-Ion 5.0Ah Batteries (BL1850B)



#### **18V LXT® Lithium-Ion Dual Port Rapid Optimum Charger**

Charges 2 Batteries Simultaneously








FILTERS AND DISPOSABLE BAGS	NEW DVC152L DVC860L (Wet & Dry)	<b>DVC863L</b> (Dry)	NEW DVC660	DVC261	DVC750	DCL281 DCL280	DCL181 DCL180	DRC200
Dry only  *HEPA filter	*197166-6	*197166-6	191D12-9	123636-9	162518-0	199989-8		SH00000213
Pre-filter set	195553-3	195553-3	191030-1	197898-5		451208-3	198750-0	
High Performance Cloth filter	140248-3					198752-6	198752-6	
Damper set	195552-5	195552-5						
Filter for water set Water only	195555-9							
Filter bag set 15L (5pcs) for dry dust	195557-5	195557-5						
Filter bag (10pcs) for dry dust	195440-6	195440-6	191026-2	197902-0				
Poly bag set (5pcs)	195432-5	195432-5						



#### **CORDLESS FEATURES**

- · Designed, engineered, by the cordless innovation leader
- Fully compatible with Makita's 18V LXT® cordless system
- · Less hassle with no petrol, oil mixing, or pull starts with minimised maintenance and reduced costs
- · Reduced sound levels and zero emissions
- · Improved ergonomic design with less weight
- 3-year limited lithium-ion tool warranty







#### **3-YEAR TRADE WARRANTY**

Makita Lithium-ion Cordless power tools



#### **2-YEAR TRADE WARRANTY**

Makita Lithium-ion batteries and Chargers

Makita power tool are thoroughly inspected and tested before leaving the factory. In addition to any statutory rights and remedies you may have, Makita warrants all of its products against defective workmanship and faulty materials and undertakes, at its option, to repair or replace, free of charge, each product or part thereof on condition that: OPE tools warranty apply to all users, including trade and hire.

However you will need to keep your proof of purchase and we recommend you register your power tools online in our MyMakita toolbox for added security and ease. www.makita.co.nz/mymakita/register/



# **GET MORE DONE** WITH FOUR LXT® BATTERIES







CONVENIENCE batteries to provide longer run time for LXT® and LXT® X2 tools



**COMPATIBILITY** Connector cord compatible with 18V adapter or 18V X2 (36V) adapter



**RUN TIME** Provides up to 2X run time with XT® X2 (36V)products and 4X run



DESIGN L.E.D. battery charge indicator allows monitoring of charge on all four batteries individually

#### **SPECIFICATIONS**

Voltage	18V
	18V LX T® and 18V LXT® X2 (36V)
Net Weight (with battery)	1.7 kg
Dimensions	400 x 195 x132 mm
Power Type	Cordless

#### **PDC01 INCLUDES**

- 4 x 18V LXT® 5.0Ah Batteries (BL1850B)
- 1 x 18V LXT® Dual Rapid Charger (DC18RD)
- 18V LXT® Adapter (191A53-7)
- 18V LXT® X2 (36V) Adapter (191A52-9)
- Adjustable Harness
- Adapter Pouch





PDC01 (5.0Ah Kit) PDC01Z (Skin tool) NEW

#### LXT® and LXT® X2 (36V) Portable Backpack Power Supply

The Makita® 18V LXT® and LXT® X2 Portable Backpack Power Supply is a portable power supply unit. The backpack utilises four lithium-ion batteries to provide 4x the run time when used with Makita® 18V LXT® Cordless Products and double the run time when used with Makita® 18V X2 LXT® Cordless Products. The battery box can be detached from the harness for use as a stationary power supply. The backpack is connector cord compatible with the 18V LXT® Adapter or 18V X2 LXT® Adapter (191A53-7 and 191A52-9)

# CORDLESS PORTABLE BACKPACK POWER SUPPLY PROVIDES UP TO **4X THE RUN TIME** WHEN USED WITH MAKITA® 18V LXT® PRODUCTS LONG LASTING **POWER** INCREASES PRODUCTIVITY & PROFITABILITY

PDC01 18V /36V LXT® Portable Backpack Power Supply Backpack with the Capacity for 4 Lithium-lon Batteries for Longer Run Time LXT SYSTEM
270+PRODUCTS
ENDLESS POSSIBILITIES





#### **DLM431PT2** (5.0Ah Kit)

DLM431Z (Skin tool)

#### 18V X2 (36V) LXT® 17" Cordless Lawn Mower

Blade Type Bar Blade 430 mm (17") **Cutting Width Cutting Height** 20 - 75 mm 50 Litre Grass box Capacity No Load Speed (RPM) 3.600 Overall length: 1,450mm

(2) x 18V LXT 5.0Ah batteries, Rapid Dual charger Kit Includes:

#### STANDARD ACCESSORIES

Safety key, Blade and Socket Wrench (782210-8)

#### **OPTIONAL ACCESSORIES**

197761-2 (Bar Blade Set)





#### LXT BRUSHLESS

#### DLM460Z (Skin tool)

#### 18V X2 (36V) LXT® Brushless 460mm (18") Metal deck Lawn Mower

Blade Type Bar Blade 460 mm (18") **Cutting Width Cutting Height** 20-75 mm (10 Stage)

Grass box Capacity 60 Litre No Load Speed (RPM) 3,300 Overall length: 1.518mm

#### STANDARD ACCESSORIES

Box Wrench 17, Grass Catcher, Start Key, Mower Blade Set and Mulching Plug

#### **OPTIONAL ACCESSORIES**

199367-2 (Bar Blade Set)





#### LXT BRUSHLESS

#### **DLM461PT2** (5.0Ah Kit) DLM461Z (Skin tool)

#### 18V X2 (36V) LXT® Brushless 460mm (18") Metal deck Lawn Mower

Bar Blade Blade Type **Cutting Width** 460 mm (18") **Cutting Height** 20-75 mm (10 Stage)

Grass box Capacity 60 Litre No Load Speed (RPM) 3,300 Overall length: 1,518mm

Kit Includes: (2) x 18V LXT 5.0Ah batteries, Rapid Dual charger

#### STANDARD ACCESSORIES

Box Wrench 17, Grass Catcher, Start Key, Mower Blade Set and Mulching Plug

#### **OPTIONAL ACCESSORIES**













2 X 5.0AH



#800 M2\* **MOWING AREA** 



<sup>\*</sup>Runtime figures are indicative only and will vary depending on the job





#### **DLM462PT2** (5.0Ah Kit) **DLM462Z** (Skin tool)

#### 18V X2 LXT® Brushless Cordless 460mm (18") Metal deck Self-Propelled Lawn Mower

Bar Blade Blade Type **Cutting Width** 460 mm (18") **Cutting Height** 20-100 mm (10 Stage) Propelling speed 2.5 - 5.0 km/h

Grass box Capacity 60 Litre with Grass level indicator

No Load Speed (RPM) 2,500-3,300

Dimensions (L/W/H):  $1,610 \times 535 \times 1,095$ mm

Kit Includes: (2) x 18V LXT 5.0Ah batteries, Rapid Dual charger

#### STANDARD ACCESSORIES

Bar Blade (191D51-9), Mulching Plug, Box

Wrench 17

#### **OPTIONAL ACCESSORIES**

191D49-6 (Base plate and 4 blades) 191D47-0 (4 blades only)





#### **DLM531PT2** (5.0Ah Kit)

DLM531Z (Skin tool)

#### 18V X2 LXT® Brushless Cordless 530mm (21") Metal deck Lawn Mower

Blade Type Bar Blade 530 mm (21") Cutting Width Cutting Height 20-100 mm (10 Stage) Propelling speed 2.5 - 5.0 km/h

Grass box Capacity 70 Litre with Grass level indicator

No Load Speed (RPM) 2,300-2,800

1,630 × 590 × 1,095mm Dimensions (L/W/H):

Kit Includes: (2) x 18V LXT 5.0Ah batteries, Rapid Dual charger

#### STANDARD ACCESSORIES

Bar Blade (191D52-7), Mulching Plug, Box Wrench 17 and Side Discharge chute

#### **OPTIONAL ACCESSORIES**

191D50-1 (Base plate and 4 blades) 191D48-8 (4 blades only)



# LXT BRUSHLESS NEW

#### **DLM532PT2** (5.0Ah Kit) **DLM532Z** (Skin tool)

#### 18V X2 LXT® Brushless Cordless 530mm (21") Metal deck Self-Propelled Lawn Mower

Blade Type Bar Blade **Cutting Width** 530 mm (21") Cutting Height 20-100 mm (10 Stage)

Propelling speed Self Propelled 2.5 - Without 5.0 km/h Grass box Capacity 70 Litre with Grass level indicator

No Load Speed (RPM) 2,300-2,800

Dimensions (L/W/H): 1.630 × 590 × 1.095mm

(2) x 18V LXT 5.0Ah batteries, Rapid Dual charger Kit Includes:


#### STANDARD ACCESSORIES

Bar Blade (191D52-7), Mulching Plug, Box Wrench 17 and Side Discharge chute

#### **OPTIONAL ACCESSORIES**

191D50-1 (Base plate and 4 blades) 191D48-8 (4 blades only)

























#### DUR181SF (3.0Ah Kit) DUR181Z (Skin tool)

#### **18V LXT® Li-Ion Cordless String Trimmer**

Trimmer Head: 260 mm (10-1/4") **Cutting Width** 

Telescoping shaft (123 to 143cm) for optimum cutting position

No Load Speed (RPM) Overall length: 1,433mm Net weight: 3.0kg

Kit Includes: (1) x 18V LXT 3.0Ah battery and Standard Charger







# <u>LXT</u> BRUSHLESS

#### DUR189RM (4.0Ah Kit) DUR189Z (Skin tool)

#### 18V LXT® Li-lon Brushless ADT Line Trimmer Loop Handle

Spindle Size M8 x 1.25 RH 240 W Max Output:

No Load Speed (RPM) 6,000 / 5,000 High / Medium

Running time: Up to 210min of run time \* 6.0Ah battery

Overall length: 1,618mm Net weight: 3.0kg

(1) x 18V LXT 4.0Ah battery and Rapid Charger Kit Includes:







**CUTTING WIDTH** 





**DUR368LPT2** (5.0Ah Kit)

#### DUR368LZ (Skin tool)

#### 18V X2 (36V) LXT® Brushless ADT Grass Trimmer, **Loop Handle**

Spindle Size M10 x 1.25LH 550 W Max Output

**Cutting Width** Metal Blade: 230 / Trimmer Head: 350 / Plastic Blade: 255mm

No Load Speed (RPM) 3,500 - 6,500 Overall length: 1,758 mm

# 100 MINS **RUN TIME** 

Kit Includes:



2 X 5.0AH



350MM **CUTTING WIDTH** 

**COMES WITH**: "Guard for Trimmer Head" and Trimmer Head (T-01753A)

OPTIONAL ACCESSORIES: Plastic Blade (198384-9), Guard for Metal Blade (197294-7), Tri blade 230mm (195298-3), Tri blade 255mm (195299-1)



# LXT BRUSHLESS ADT AFT

#### DUR368APT2 (5.0Ah Kit) **DUR368AZ** (Skin tool)

#### 18V X2 (36V) LXT® Brushless ADT Grass Trimmer, **Bike Handle**

Spindle Size M10 x 1.25LH Max Output 550 W

**Cutting Width** Metal Blade: 230mm /

No Load Speed (RPM) 3,500 - 6,500 Overall length: 1,758 mm Kit Includes:



#100 MINS **RUN TIMF** 



**USING** 2 X 5.0AH



**CUTTING WIDTH** 

COMES WITH: "Guard for Trimmer Head" and Trimmer Head (T-01753A)

**OPTIONAL ACCESSORIES:** Plastic Blade (198384-9), Guard for Metal Blade (197294-7), Tri blade 230mm (195298-3), Tri blade 255mm (195299-1)



**Get Connected** 









DUR369LPT2 (5.0Ah Kit) DUR369LZ (Skin tool)

#### 18V X2 (36V) LXT® Brushless ADT Grass Trimmer, **Loop Handle**

Spindle Size M10 x 1.25LH

Max Output 1,000 W (Same as 30cm3 class engine tool)

Metal Blade: 255 / Trimmer Head: 430 / Plastic Blade: 305mm **Cutting Width** 

No Load Speed (RPM) 3.300-7.000 Overall length: 1.846mm

5.0Ah Kit Includes: (2) x 18V LXT 5.0Ah batteries, Rapid Dual charger





2 X 5.0AH



**CUTTING WIDTH** 

#### STANDARD ACCESSORIES:

Harness(125520-4), 4 teeth metal blade 255mm (19689) and Trimer head (T-01753A)

OPTIONAL ACCESSORIES: Plastic Blade 305mm (199868-0)











#### DUR369APT2 (5.0Ah Kit)

#### DUR369AZ (Skin tool)

#### 18V X2 (36V) LXT® Brushless ADT Grass Trimmer, Bike Handle

Spindle Size M10 x 1.25LH

Max Output 1,000 W (Same as 30cm3 class engine tool)

Metal Blade: 255 / Trimmer Head: 430 / Plastic Blade: 305mm **Cutting Width** 

No Load Speed (RPM) 3,300-7,000 Overall length: 1,846mm







2 X 5.0AH



#### 430 MM **CUTTING WIDTH**

#### STANDARD ACCESSORIES:

Harness(122906-3), 4 teeth metal blade 255mm (196895 and Trimer head (T-01753A)

**OPTIONAL ACCESSORIES:** 



#### **GRASS TRIMMER OPTIONAL ACCESSORIES**

#### T-01753A



- M10 x 1.25mm LH
- Left hand Direction
- .095" Premium round

#### T-02917

Bump and Feed. Trimmer Head (LH)

- M8 x 1.25mm LH
- · Left hand Direction
- .095" Premium round



#### T-03187

**Bump and Feed,** Trimmer Head (RH)

- M8 x 1.25mm RH
- · Right hand Direction
- .080" Premium round



#### 198427-7

12 Piece Plastic 10" Replacement Blade Set

- To Suit 198384-9
- 2.4mm x 3m Line



#### 199870-3

12 Piece Plastic 12" Replacement Blade Set

- To Suit 199868-0
- 2.4mm x 3m Line



#### 198384-9

Replacement Blade Set for 10" 255mm (DUR189/DUR368/EM403MP)

• M8 X 1.25LH / M8 X 1.25RH / M10 X 1.25 LH



199868-0 MEW

Replacement Blade Set for 12" 305mm

(DUR369) Only

• M8 X 1.25LH / M8 X 1.25RH / M10 X 1.25 LH



369 224 617

Nylon line 1.3mm x 15M Length



369 224 618

Nylon line 1.6mm x 15M Length



369 224 600

Nylon line 2.0mm x 15M Length



369 224 602

Nylon line 2.4mm x 15M Length





DUB183RT (5.0Ah Kit) DUB183Z (Skin tool)

#### 18V LXT® Cordless 3-Speed Blower

Max Air Volume 2.6 m³/min Max Air Velocity 52 m/s No Load Speed (RPM) 18,000

Dimensions: 845x155x212 mm

Net weight: 1.7 kg

Kit Includes: (1) x 18V LXT 5.0Ah battery and Rapid Charger



# XT X2 F8T + F8T 36V

#### DUB361Z (Skin tool)

#### 18V X2 (36V) LXT® Li-Ion Cordless 2-Speed Blower

Max Air Volume High: 4.4 m<sup>3</sup>/min Max Air Velocity High: 93 m/s No Load Speed (RPM) 17,000 905x141x194 mm Dimensions:

Net weight: 3.1 kg





2 X 4.0AH

355 KM/H MAX VELOCITY



Max Air Volume

Max Air Velocity

Dimensions:

Net weight:

Kit Includes:

LXT BRUSHLESS

**DUB184RT** (5.0Ah Kit) **DUB184Z** (Skin tool)

18V LXT® Brushless Variable Speed Blower

825 mm

2.5 kg

13.0 m<sup>3</sup>/min

52.1 m/s or 187Km/h



# LXT BRUSHLESS

#### **DUB362PT2** (5.0Ah Kit) **DUB362Z** (Skin tool)

#### 18V X2 (36V) LXT® Brushless 6-Speed Blower

Max Air Volume 13.4 m³/min No Load Speed (RPM) 11,400 - 21,500 830 mm Dimensions:

Max Air Velocity 54 m/s or 193Km/h

3.5 kg Net weight:





2 X 5.0AH











(1) x 18V LXT 5.0Ah batteries and Dual Rapid Charger

**Get Connected** 



# LXT BRUSHLESS

#### DUC254RT (5.0Ah Kit) DUC254Z (Skin tool)

#### 18V LXT® Brushless Cordless 10" Chain Saw

Guide Bar Length 250 mm (10") 240 mm Cutting length 3/8" Chain Pitch 1,440 m/min Chain Speed Chain Oil Tank Volume 140 m

w/o Guide Bar: 258x184x191 mm Dimensions:

Net weight:

Kit Includes: (1) x 18V LXT 5.0Ah battery

and Rapid Charger

#### **OPTIONAL ACCESSORIES**

Replacement 10" 250mm Chain (199075-5)











250MM / 10" **BAR LENGTH** 

#### LXT BRUSHLESS

#### DUC356PT2 (5.0Ah Kit) DUC356Z (Skin tool)

#### 18V X2 (36V) LXT® Brushless 14" **Top Handle Chainsaw**

Guide Bar Length 350 mm (14") Chain Speed 1,200 m/min Chain Oil Tank Volume 200 ml

270-651x205x232 mm Dimensions:

Net weight: 4.6 kg

Kit Includes: (2) x 18V LXT 5.0Ah batteries

and Rapid Dual Charger

#### **OPTIONAL ACCESSORIES**

Replacement 14" 350mm Chain (196741-5)











350MM / 14" BAR LENGTH

#### LXT BRUSHLESS

#### **DUC353PT2** (5.0Ah Kit) **DUC353Z** (Skin tool)

#### 18V X2 (36V) LXT® Brushless 14" Chainsaw

Guide Bar Length 350 mm (14") 1,200 m/min Chain Speed Chain Oil Tank Volume 200 ml

Dimensions: 762 x 215 x 235 mm

Net weight: 4.6 kg

Kit Includes: (2) x 18V LXT 5.0Ah batteries

and Rapid Dual Charger



Replacement 14" 350mm Chain (196741-5)















#### DUM604SFX (3.0Ah Kit) DUM604Z (Skin tool)

(Grass) 15, 20, 25 mm

and Standard Charger

(1) x 18V LXT 3.0Ah battery

(Hedge) 8mm

2,500

#### 18V LXT® Grass Shear 160mm

Max. Cutting length Grass: Max. Branch Diameter: Strokes Per Minute

Kit Includes:



# 250 MINS RUN TIME





Replacement Shear blade: Hedge Trimmer Blade (195178-3)



Both trimmer blade and shear blade can be attached



#### DUH523SF (3.0Ah Kit) DUH523Z (Skin tool)

#### 18V LXT® Li-Ion Cordless 520mm Hedge Trimmer

Blade length: 520mm /22"

Srokes per minute: 2,700 SPM

Overall length: 938mm

Net weight: 3.1kg

Kit Includes: (1) x 18V LXT 3



# 120 MINS RUN TIME











#### **DUH602RT** (5.0Ah Kit) **DUH602Z** (Skin tool)

#### 18V LXT Brushless 600mm Hedge Trimmer

Blade Length 600 mm
Tooth spacing 27mm
Strokes Per Minute 4,400

Dimensions: 1,261x192x225 mm

Net weight: 4.0 kg

Kit Includes: (1) x 18V LXT 5.0Ah battery

and Rapid Charger





and Rapid Charger

#### 18V LXT Brushless 750mm Hedge Trimmer

Blade Length 750 mm (29-1/2")

Strokes Per Minute 4,400 Tooth spacing 28mm Max Output 520W

Dimensions: 1,261x192x225 mm

Net weight: 4.0 kg
Kit Includes: (1) x 18V LXT 5.0Ah battery



# 160 MINS RUN TIME



**5 POSITIONS** LOCKS AT 45° & 90°



BLADE LENGTH



Replacement 750mm Blade (199100-2)



**OPTIONAL ACCESSORIES** Chip Reciever (199151-5)



#180 MINS RUN TIME







TO LEARN MORE

(199099-1)

Replacement 600mm Blade





#### DUX60Z 18V X2 (36V) LXT® Brushless AFT Cordless Multi Function Power Head (Skin only)

3 Speed Selection High/Medium/Low No Load Speed (RPM) High 9,700 rpm

Running time: 60mins of run time \* 2 x 5.0Ah battery (low settings)

skin weight:







#### **MULTI FUNCTION POWER HEAD**

#### **PICK YOUR COMPATIBLE ATTACHMENTS**

#### **DUX60PT2** (5.0Ah Kit)

18V X2 (36V) LXT® Brushless AFT Multi Function Power Head Kit (5.0Ah)

Includes (2) X LXT 5.0Ah Batteries (BL1850B and Dual Rapid Charger (DC18RD)



#### **DUX60ZM3** (Tool with Attachment)

18V X2 (36V) LXT® Brushless AFT Multi Function Power **Head with Attachment** 

DUX60Z and EM403MP Brushcutter/ String Trimmer attachment





Mutli-Function tool system carry bag



#### LXT BRUSHLESS

#### DCU180ZB (Skin tool)

#### 18V LXT® Brushless Power Assisted Cart with Bucket

Max Load Capacity 130 kg

Hi: 3.5km/h / Lo: 1.5km/h Traveling Speed

Max Climbing Capacity 12° Degrees

1,110x820x820 mm (stored) Overall length: Weight (with battery) 39.6kg / Bucket: 38.4kg Kit Includes: (2) x 18V LXT 5.0Ah batteries and Rapid Dual Charger







TRAVEL DISTANCE



<u>[LXT] [LITHUM+[ON</u> Only needs (1) x 18V Battery to operate

# INSTANT Bonus\*

2 X 5.0AH BATTERIES & RAPID DUAL CHARGER





**RUNTIME** Delivers up to up to 120 minutes of run time using one 18V LXT® 6.0Ah BL1860 battery (battery not included



**POWER** 2-speed with maximum speed up to 3.5 Km/hour on a 12° incline



INNOVATION Holds (2) 18V LXT® batteries but operates using (1) 18V battery at a time



CONVENIENCE Interchangeable steel bucket or steel tube flat bed (flat bed

## LXT BRUSHLESS

#### DCU180ZF (Skin tool)

#### 18V LXT® Brushless Power Assisted Cart with Frame

130 ka Max Load Capacity

Traveling Speed Hi: 3.5km/h / Lo: 1.5km/h

Max Climbing Capacity 12° Degrees

Overall length: Pipe frame: 1,560mm Weight (with battery) 44.8kg / Pipe frame: 43.6kg (2) x 18V LXT 5.0Ah batteries Kit Includes:

and Rapid Dual Charger



KG # 130 KGS. MAX LOAD



TRAVEL DISTANCE



LXT; [LITHUM+[ON] Only needs (1) x 18V Battery to operate

INSTANT BONUS\*

2 X 5.0AH BATTERIES & RAPID DUAL CHARGER











**DUP362PT2** (5.0Ah Kit)

DUP362Z (Skin tool)

#### 18V X2 (36V) LXT® Battery Powered Pruning Shears

Max cutting: 33 mm / blade opening: 54 mm **Cutting Capacity** 

250 Nm Cutting torque: Overall length: 305mm Net weight: 0.8 kg

Kit Includes: (2) x 18V LXT 5.0Ah batteries, Rapid Dual charger













**PERFORMANCE** Harder branches can be cut thanks to approximately 35 % increased torque.



**POWER**Blade opening is adjustable in 2 stages according to the size of branches.



INNOVATION Smooth cutting and Blade can be interlocked with the trigger, providing smooth blade movement .



**XPT TECHNOLOGY** For use in outdoor applications or harsh environments





#### T-01753A

Bump and Feed. Trimmer Head (LH)

- M10 x 1.25mm LH
- Left hand Direction
- .095" Premium round
- · Eyelets /replaceable



#### T-02917

Bump and Feed. Trimmer Head (LH)

- M8 x 1.25mm LH
- Left hand Direction
- .095" Premium round
- · Eyelets /replaceable



#### T-03187

Bump and Feed. Trimmer Head (RH)

- M8 x 1.25mm RH
- Right hand Direction
- .080" Premium round
- · Eyelets /replaceable

196741-5



#### 198427-7

12 Piece Plastic 10" **Replacement Blade Set** 

- To Suit 198384-9
- 2.4mm x 3m Line



10"

198384-9

Replacement Blade Set for 10" 255mm (DUR189/ DUR368/EM403MP)

- M8 X 1.25LH
- M8 X 1.25RH
- M10 X 1.25 LH



NEW

# **PACK**

#### 199870-3

12 Piece Plastic 12" **Replacement Blade Set** 

- To Suit 199868-0
- 2.4mm x 3m Line

369 224 600

Nylon line 2.0mm

x 15M Length



#### 199868-0

Replacement Blade Set for 12" 305mm (DUR369) Only

- M8 X 1.25LH
- M8 X 1.25RH
- M10 X 1.25 LH



369 224 602

Nylon line 2.4mm x 15M Length



988 002 656

Oil 1 Litre Bar

and Chain

#### 199075-5

Chain loop 10" 250mm

- Links 40
- Calibrer chain 1.3mm
- · Gauge of file: 4.0mm
- 3/8" 043"
- . Compatible with DUC254



• Links 52 .043-3/8

Compatible DUC353/ DUC356

Saw Chain 14" 350mm



369 224 617

Nylon line 1.3mm x 15M Length

**Professional Dual** 

**Shoulder Harness** 

· Works on all Makita Battery powered

Floating pad system reduces strain

on the back and requires less energy

(196129-9)

**OPE** and Petrol



369 224 618

Nylon line 1.6mm x 15M Length



#### **Dual Shoulder** Harness (122906-3)

- Padded shoulder straps distribute weight evenly for improved comfort
- Easily adjustable for improved balance
- Quick release clip for quick and easy installation and removal



#### **Shoulder Strap** (125520-4)

- Works on all Makita Battery powered OPE and Petrol
- Padded shoulder straps distribute weight evenly for improved comfort
- Easily adjustable for improved balance



#### **Pro-Series (Zip up) Chainsaw Chaps**

- Tested and Certified AS/NZS 4453.3:1997 Lic No.2628
- · Technically layered, Advanced sacrificial protective Pad
- · A blend of woven Kevlar® and interwoven high tenancy technical
- · Rapid Chainsaw stopping capability
- · Garment has been designed specifically for improved protection and comfort









Part #	Size
P-76956	Large
P-76940	Medium
P-76934	Small





# Tnakita.

# THE XT ADVANTAGE

Today, LXT® is the preferred cordless tool system on commercial and residential job sites, boasting one of the industry's largest collection of 18V tools and accessories. Makita® continues to set the bar when it comes to premium power and run-time, ensuring that the LXT® system delivers durable, dependable, high performance tools needed to complete any job.



LXT® Lithium-Ion Batteries

6.0<sub>Ah</sub>

5.0<sub>Ah</sub>

4\_Oah

3.Oah

#### 197951-7

197988-4

#### **18V LXT® Battery & Charger Starter Pack** (3.0Ah)

Includes: 18V LXT® Lithium-Ion Standard Charger (DC18SD) and 18V LXT® Lithium-Ion 3.0Ah Battery (BL1830B)



LXT



Includes: 18V LXT® Lithium-Ion Rapid Optimum Charger (DC18RC) and 18V LXT® Lithium-lon 4.0Ah Battery (BL1840B)



#### LXT



3.0<sub>Ah</sub>

#### DC18RC **18V LXT® Lithium-Ion Rapid Optimum Charger**

RI 1860R-I

BL1850B-L

BL1840B-L

BL1830B-L

BI 1815N-I







55 Minute Charge Time

45 Minute

36 Minutes

22 Minutes Charge Time

15 Minute Charge Time

#### 199179-3

#### 18V LXT® Battery & **Charger Starter Pack** (5.0Ah)

Includes: 18V LXT® Lithium-Ion Rapid Optimum Charger (DC18RC) and (2) 18V LXT Lithium-lon 5.0Ah Batteries (BL1850B)



#### 196847-9

**18V Lithium-Ion 4 Port Multi Charger** 



#### 198928-5

#### 18V LXT® Battery & **Dual Port Charger** Starter Pack (5.0Ah)

Includes: 18V LXT® Lithium-Ion Dual Port Charger (DC18RD) and (2) 18V LXT Lithium-Ion 5.0Ah Batteries (BL1850B)



#### DC18RD

#### **18V LXT® Lithium-Ion Dual Port Rapid Optimum Charger**

Charges 2 Batteries Simultaneously



