MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: TYRE SHINE

Product Code: SS5L

Product DG Class: Combustible

Version: 1.3

Revision Date: August 2019

Description

Silc shine is a product that protects and rejuvenates rubber and vinyl.

Contact Details

Integra Industries Poisons Information Centre

42 Riverbank Rd New Zealand

OTAKI **Telephone 0800 764 766**

Telephone (03)455 6805

Chemical Details

Chemical Name: Silc Shine. **Chemical Classification:** Solvent.

Chemical Formula: No Data Available.

Section 1 Notes: This Material Safety Data Sheet may not provide exhaustive guidance for all

HASNO Controls assigned to this substance. The EPA website

www.epa.govt.nz should be consulted for a full list of triggered controls and

cited regulations.

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Entity</u>	C.A.S. No	HSNO Classification	Proportion % WT
Naphtha Petroleum Hydrotreated Heavy	64742-48-9	3.1D, 6.1D, 6.3B,	80 - 81

Non hazardous ingredients and water make product to 100%.

HSNO classification of the substance

3.1D Flammable Liquid Low Hazard 6.1D (Oral/Inhalation) Substances that are acutely toxic – harmful, Aspiration hazard, 6.3B Substances that are mildly irritating to the skin



TYRE SHINE Revised: August 2019 Page **1** of **4**

MATERIAL SAFETY DATA SHEET

3. HAZARDS IDENTIFICATION

Emergency Overview: Moderately toxic by ingestion. Irritating to eyes and skin. Do not inhale vapors.

Carcinogenicity: Not Carcinogenic.

Acute Health Hazards: Moderately toxic by ingestion.

Chronic Health Hazards: No Data Available.

Potential Health Effects

Eyes: May cause inflammation and irritation to eye(s).

Skin: On prolonged contact may cause irritation due to a "Defatting" effect on the

skin.

Ingestion (Oral): Moderately toxic by ingestion. May cause headaches, dizziness, nausea, and

vomiting.

Inhalation: May cause headaches, dizziness, nausea, and vomiting.

4. FIRST AID MEASURES

Physicians or First Aiders: This product is a silicone solvent. Treat symptomatically based on judgment of

doctor and individual reactions of the patient.

Directions

Eyes: If splashed in eye(s), remove contact lenses if worn and irrigate eyes with

running water for fifteen minutes. Seek medical attention.

Skin: Wash area affected with running water. Seek medical attention if irritation

develops.

Ingestion (Oral): Give a glass of water or milk to drink and do **NOT** induce vomiting. Seek urgent

medical attention.

Inhalation: Remove to a well-ventilated area. Seek urgent medical attention.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Product is a combustible liquid. In case of fire, foam may be required. Use

appropriate extinguishing media most suitable for surrounding fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Contain large spills by absorbing with sand or earth. Store contained spill in

clearly labeled drum for disposal. Wash small spills down with water.

7. HANDLING AND STORAGE

Handling and Storage: Store in a cool dry and secure area. Keep out of reach of children. Do not mix

with other chemicals.

TYRE SHINE Revised: August 2019 Page **2** of **4**

Integra Industries 42 Riverbank Rd OTAKI

MATERIAL SAFETY DATA SHEET

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: Use with adequate ventilation.

Eye Protection: It is recommended that eye protection be worn.

Skin Protection: It is recommended that rubber gloves and protective clothing be worn.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear liquid
Odor: No Data Available

Physical State: Liquid

Ph As Supplied: No Data Available

Specific Gravity:0.8Flash Point:64°CBoiling Point:189°CSolubility in Water:Miscible

Viscosity (at 20 0^c): No Data Available

10. STABILITY AND REACTIVITY

No Data Available

11. TOXICOLOGICAL INFORMATION

Toxicological Health Effects

Eyes: May cause inflammation and irritation to eye(s).

Skin: On prolonged contact may cause irritation due to a "Defatting" effect on the

skin.

Ingestion (Oral): Moderately toxic by ingestion. May cause headaches, dizziness, nausea and

vomiting.

Inhalation: May cause headaches, dizziness, nausea and vomiting.

12. ECOLOGICAL INFORMATION

No Data Available.

13. DISPOSAL CONSIDERATIONS

Empty packaging should be disposed of in accordance with local and state regulations or recycled at an approved facility. Refer to waste management authorities for disposal of the contents or through a licensed waste contractor.

TYRE SHINE Revised: August 2019 Page **3** of **4**

Integra Industries 42 Riverbank Rd OTAKI

MATERIAL SAFETY DATA SHEET

14. TRANSPORT INFORMATION

Proper Shipping Name:

Technical Name:

Class - Primary:

UN No:

Hazchem Code:

Flash Point:

Packing Group:

NOT REGULATED.

NOT REGULATED.

NOT REGULATED.

NOT REGULATED.

NOT REGULATED.

15. REGULATION INFORMATION

HSNO Act 1996: HSNO Approval Number HSR002530. Cleaning Products (Subsidiary Hazard)

Group Standard 2006.

Response Plans and Secondary Containment (Trigger Quantities)

100 L or 100 kg: HSNO: 9.1A substance.

1,000 L or 1,000 kg: HSNO: 6.1D, 6.5A, 6.5B, 6.7A, 8.2B, 9.1B, OR 9.1C substance.

10,000 L or 10,000 kg: HSNO: 9.1D, 8.3A, 6.6A, 6.8A, or 6.9A substance.

Signage (Trigger Quantities)

100 L or 100 kg: HSNO: 9.1A substance. 250 L or 250 kg: HSNO: 8.2B substance

1,000 L or 1,000 kg: HSNO: 6.1D, 6.5A, 6.5B, 9.1B, OR 9.1C substance. 10,000 L or 10,000 kg: HSNO: 9.1D, 8.3A, 6.6A, 6.8A, or 6.9A substance.

16. OTHER INFORMATION

Disclaimer:

The information contained herein has been provided in good faith, compiled by Integra, from sources it considers reliable and, is accurate to the best of Integra knowledge. Before using the product identified hereon, the foregoing MSDS and product label should be read carefully. The information contained herein relates only to the product identified hereon, and does not relate to its use in combination with any other material or in any process.

Customers are encouraged to conduct their own tests concerning the uses of the product identified hereon as each customer's manner and conditions of use and handling may involve additional considerations.

Integra assumes and shall incur no liability for any damages, losses. Injuries, costs, or consequential damages that may result from the use or misuse of the product identified hereon, and the recipient assumes all of such liability.

TYRE SHINE Revised: August 2019 Page **4** of **4**