# **SAFETY DATA SHEET**

# Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name: XL Super Solve

Other Name: Flammable Liquid N.O.S

Recommended Use: Solvent Cleaner

Company Identification: Integra Industries Ltd

Address: 21 Glasgow St South Dunedin

Ph: (03) 4556805

Emergency Telephone Number: IN AN EMERGENCY, DIAL 111 – FIRE or POLICE or AMBULANCE

National Poisons Information Centre: 0800 POISON (0800 764 766) 24 HOURS

### Section 2: HAZARD IDENTIFICATION



#### DANGER:

- Highly Flammable liquid and vapour.
- Harmful if swallowed.
- Causes skin irritation.
- Causes serious eye irritation.
- May cause damage to organs through prolonged or repeated exposure
- Toxic to aquatic life.

Group Standard: Cleaning Products (Flammable) Group Standard 2006

HSNO Approval Number: Group Standard HSR002528 HSNO Classes: 3.1C, 6.1E, 6.3B, 6.4A, 6.9B, 9.1B

# **Prevention Statements:**

- Keep out of reach of children.
- Read label before use.
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting equipment.
- Use only non-sparking tools.
- Wear protective gloves and eye/face protection.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Do not breathe fume/gas/vapours/spray.
- Avoid release to the environment.
- Take precautionary measures against static discharge.

### **Response Statements**

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- In case of fire: Use Dry Chemicals, Carbon Dioxide or Foam for extinction.
- If medical advice is needed, have product container or label at hand.
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

- Rinse mouth.
- If skin irritation occurs: Get medical advice/ attention.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.
- Get medical advice/attention if you feel unwell.

#### Storage Statements

Store in a well-ventilated place. Keep cool.

### **Section 3: COMPOSITION INFORMATION**

INGREDIENT	CAS No.	CONTENT
Mineral Turpentine	95-63-6: 9882-8: 108-67-8	>60%
Detergents & Wetting Agents	9016-45-9	<60%

All other ingredients not hazardous according to ERMA Criteria.

# **Section 4: FIRST AID MEASURES**

Immediately flush eyes with plenty of water for 15 minutes. If irritation persists, Eyes:

seek medical attention.

Skin: Wash exposed area with mild soap and water. Get medical attention if

irritation develops or persists.

Ingestion: Do not Induce Vomiting. Get immediate medical attention.

Remove victim from area of exposure. If unconscious, give oxygen. Give artificial respiration if not breathing. Get immediate medical attention. Inhalation:

Exposure to high concentrations of this material (e.g., in enclosed spaces or with deliberate abuse) may be associated with cardiac arrhythmias. Epinephrine and other sympathomimetic drugs may initiate cardiac arrhythmias **NOTES TO PHYSICIAN:** 

in persons exposed to this material. If sympathomimetic drugs are administered, observe for the development of cardiac arrhythmias.

For Further Information Telephone (24 Hours) The National Poison Centre: 0800 Poison [764 766]

# **Section 5: FIRE FIGHTING MEASURES**

Flash Point: 40°C degrees **Auto ignition Temperature:** >200°C degrees

Flammable Limits in Air %

by Volume:

Not available

XL Super Solve Safety Data Sheet Issue date: 28 November 2019 Page 3 of 5

**Extinguishing Media:** Dry chemical, foam, or carbon dioxide.

Proper respiratory equipment to protect against the hazardous effects of combustion products is recommended. Water in a straight hose stream may **Fire Fighting Instructions:** 

cause fire to spread and should be used as a cooling medium only.

**Unusual Fire and Explosion** 

Hazards:

Vapour accumulations may flash and/or explode if ignited. Keep ignition sources, open flames, ect. away from those fumes.

# Section 6: ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Extinguish possible sources of ignition. Evacuate all unprotected personnel and ventilate area. Only personnel equipped with proper respiratory, skin/eye protection should enter spill area. Dike area to contain spill and clean up by absorbing on an inert absorbent or other means. Don't flush into sewers or natural waterways. LARGE SPILL: Contain material as described above and call the local fire or police department for immediate emergency assistance.

# **Section 7: HANDLING AND STORAGE**

Handling Open container slowly to relieve any pressure. Bond and ground all equipment when

> transferring from one vessel or container to another. This material can accumulate static charge by flow or agitation. Vapours can be ignited by static discharge. Use explosion proof

equipment as directed by local fire codes.

Store unopened containers under cool, dry and ventilated conditions. Keep away from heat, Storage:

sparks and flame.

### Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

**Engineering Controls** :General (mechanical) room ventilation is considered satisfactory in enclosed spaces. Where

explosive mixtures may be present, electrical systems safe for such locations must be used.

Eye / Face Protection: Wear safety glasses with side shields or goggles when handling this material.

Body Protection: PVC-coated gloves. Avoid skin contact. If skin contact or contamination of clothing is likely,

protective clothing should be worn.

Respiratory Protection: Use NIOSH/MSHA approved respirators.

**Exposure Limits:** Not available

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Clear Colourless Liquid

Odour Solvent odour

**Specific Gravity** 0.84

**Vapour Pressure** Not available **Vapour Density** Not available Solubility in water Readily emulsifies

% Volatiles

**Evaporation Rate** Not available

**Flash Point** 400 C

### Section 10: STABILITY AND REACTIVITY

Stability of the Substance: Stable

Conditions to avoid: Exposure to excessive heat, open flames and sparks. Avoid conditions that favour the

formation of excessive mists and/or fumes.

Materials to avoid: Strong oxidizing agents.

Hazardous Decomposition Products: Oxides of Carbon when burned.

Conditions Contributing to Hazardous Polymerization Will not occur

## Section 11: TOXICOLOGICAL INFORMATION

Issue date: 28 November 2019

Eyes: SPECIES: Rabbit

RESULT: The test substance was applied at 0.1 ml to the conjunctival sac of one eye of each of 6 rabbits (sex not reported) Mild iritis was observed in most eyes at 1 hour; slight corneal opacity was observed in 2 eyes at 24 hours, and 1 eye at 48 hours. Moderate conjunctival irritation was present in most eyes at 1 and 24 hours, but was slight at 48 and 72 hours. All eyes were normal by 7 days.

Skin: SPECIES: Rabbit :RESULT: Moderate

Ingestion: SPECIES: Rat; ENDPOINT: LD50 ;VALUE: 3280 mg/kg

Inhalation: SPECIES: Rat; ENDPOINT: LC50; VALUE: 18 g/m3/4h = 18 mg/L/4h

#### Section 12: ECOLOGICAL INFORMATION

9.1B (fish) SPECIES: Pimephales promelas (fathead minnow);

TYPE OF EXPOSURE:Flow through ;DURATION: 96 hr ;ENDPOINT:

LC50 ;VALUE: 7.72 mg/l

9.1B (crustacean) SPECIES: Cancer magister, Dungeness or edible crab

TYPE OF EXPOSURE: Static: DURATION: 48 hr:

ENDPOINT: LC50 (Mortality); VALUE: 17000 ug/L (= 17 mg/l)

# **Section 13: DISPOSAL INFORMATION**

Whatever cannot be saved for recovery or recycling should be disposed of in accordance with Hazardous Substances (Disposal) Regulations 2001

#### **DISPOSAL RECOMMENDATIONS**

The only acceptable method of disposal is through a licensed waste contractor.

#### **Section 14: TRANSPORT INFORMATION**



UN No: 1993

Proper Shipping Name: Flammable Liquid N.O.S

**Dangerous Goods Class:3** 

Subsidiary risk 9 Packing Group: III Hazchem Code: 3(Y)E

# **Section 15: REGULATORY INFORMATION**

HSNO Approval No: HSR002528

Group Standard: Cleaning Products(Flammable) HSNO Classes: 3.1C, 6.1E, 6.3B, 6.4A, 6.9B, 9.1B

# **Section 16: OTHER INFORMATION**

This SDS was reviewed to include HSNO requirements.

The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material. The information is provided in good faith based on current knowledge and experience. No warranty with regard to the product properties is expressed or implied.

New Zealand National Poison Information Centre (24 hours): 0800 POISON [764 766] New Zealand Emergency Services:

For General Information: Tony Greenheld -Integra Industries Ltd

Phone: +64 (03) 455 6805

Integra Industries Ltd has taken care in compiling this information. No liability is accepted directly or indirectly from its application as conditions of use are outside the Company's control. End users are obliged to conform to relevant Local Government regulations.

Issue date: 28 November 2019

End of Safety Data Sheet.