

Please read the manual before using the product. The manual and carton contain important information, please keep them properly for later references. If failure to following the instruction in the manual, it might be dangerous for your child.

In order to improve the product and quality, we may change the parts of structure, appearance, packing method, assembly method and function of the product without any notice. When there is any difference between the manual and the product, please subject to the actual product. We are sorry for any inconvenience.



Hollicy

The assembly manual of
battery operated car

Model: SX2018

Executive standard :

EN71-1

EN71-2

EN71-3

















EN62115



WARNING:

Products should be assembled by an adult. Protective equipment should be worn. Not to be used in traffic. Not suitable for children under 3 years. Choking hazard- small parts. In unassembled state, contains potentially hazardous small parts. Please keep out of the reach of small children. Pay attention to the potential hazards of using the toy in areas other than private grounds.

PARTS LIST

PARTS NAME	PICTURE	QTY	PARTS NAME	PICTURE	QTY
Car body		1PC	Steering wheel		1PC
Seat		1PC	Spoiler		1PC
Mirror		2PC	Wheel		4PC
Wheel cover		4PC	Push bar (optional)		1PC
Motor		2PC	Wheel and cover for foot board (optional)		2PC
Foot board (optional)		1PC	Charger		1PC
Foot board axle (optional)		1PC	Windshield		1PC
Manual		1PC	Hardware package		1PC

Disclaimer:

The pictures in this instruction are for assembly reference only. Please refer to the actual product.

WARNING:

This product is not the vehicle for transportation, it should be used under adult guidance. Parents should ensure that children have taken the safety measures before use.

The toy should be used with caution since skill is required to avoid falls or collisions causing injury to the user or third parties.

PRODUCT SPECIFICATIONS


Battery	12V4.5、 12V7、 12V10、 12V14、 6V4.5*2
Main material	PP
Suitable age	37-95 Months
Weight limit for the car: 30kg	Weight limit for foot board :80kg
Product size	1075X630X420mm (no pushbar & foot board) 1075*630*1025mm (with push bar, without foot board) 1510*630*1025 (with push bar & foot board)
Speed	3-5KM/H
Runtime	1-2 hours after charging for 8-12 hours, based on ride on conditions
Charger	Input AC 110-220V Output DC 12V-1000MA / 12V500MA optional
Fuse	Auto-reset fuse

Stroller function (optional)

Pull out the handle and caster wheels out if needed, so you can carry the car easily. When not needed, push them back to save space.

When you hold the handbrake, the wheel is separated from the motor, so the adult can stand on the ground and push the car forward; When you release the handbrake, the wheel is coupling with the motor, the car can be used normally. The push bar can control the direction.

The foot board is hung at the rear of the car, it has man-carrying function and swings left and right. It can turn over when not needed.




Assembly instruction

Car assembling should be done by the adults.


Take care of small parts. To avoid choking hazard, keep children away while assembling. Children under 36 months are prohibited to use.

Please count all the parts carefully before assembling and dispose the plastic bag properly. To avoid choking hazard, children are not allowed to play with the bag.

1. Front wheel assembly (with push bar specification): insert a washer with 10mm inner diameter, the front wheel, a washer with 10mm inner diameter, a cotter pin and a wheel cover.




Front wheel assembly (without push bar specification): insert the front wheel, a washer with 10mm inner diameter, a cotter pin and a wheel cover.



2. Rear wheels assembly


First, check whether the rear axle is in the middle of the car, make sure the axle length that extend out on both sides are same.

Rear wheel assembly (with push bar specification): insert the front wheel, a washer with 8mm inner diameter, a cotter pin and a wheel cover.
Rear wheel assembly (without push bar specification): insert the rear wheel, a washer with 10mm inner diameter, a cotter pin and a wheel cover.



3: foot board iron parts assembly (optional)

There is a plastic part on the foot board iron, keep the plastic part up, insert it into the corresponding position at the rear of the car and fix with 4*40 flat head screws.




Attention:

After one side wheel installation, turn over the car body, make sure that the assembled wheel is contacted with the ground, pull out the rear axle until it can't move, then assemble the other wheel.


4. Windshield assembly

Align the windshield with the corresponding openings on the car body, insert and push them into place.




5. Steering wheel assembly

Match two connectors of the wires from steering wheel and steering column, align the steering wheel with steering column, press two pins on steering wheel and insert them into the holes on steering column.




6. Battery connection

Before assembling the seat, please connect two red clip locks of two wires.




7.Seat assembly

Align the seat diagonally with the corresponding position on the car body, insert the hook into the corresponding position, fix with self tapping screws at the back of the seat.




8.Spoiler assembly

Align the spoiler with the corresponding position on the car body, insert and push it into place.






9.Mirror assembly

Align the mirror with the corresponding opening on the car body, insert and push it into place.



10. Push bar assembly (optional)

Turn the push bar to a proper position, align it with the hole on car body, insert it to the safety mark and fix with the quick release part.




Insert a 5*30 screw into the hole and fix with a M5 nut.


Attention: After assembling the push bar, please adjust the brake bar to the position as the picture showed, so that it can be used conveniently.

11. Foot board assembly (optional)


1. Attach the iron part with the plastic foot board, fix them with 4*12 flat head screws.




2. Fix axle plastic parts



3. Insert the rear axle, attach the bushing, washer, wheel and washer, fix with cotter pin and assembly the wheel cover.



4. Attach the assembled foot board with the corresponding position on rear of the car, fix it with the screw and nut.



FUSE

This car has a auto-reset fuse, if the car stops suddenly during driving, it is mainly caused by instantaneous current exceeds ,which makes the fuse to trip. Then just stop operating for about 8 seconds, and this fuse can be reset. Then turn on the power switch again.In order to avoid the fuse tripping and cutting off power supply, please pay attention to the following matters.

This product can't be overloaded, the maximum load is 30kgs.weight limit for foot board 80kg.

Don't drag anything behind the product.

Don't let the warter or other liquid into the batteries and other electrical components.

Don't change the circuit system and structure of the product.

SECURITY WARNING

- 1.The installation and charging of vehicle should be under adult supervision at all times.
- 2.This product is limited to the children from 37 to 95 months, 30 kg weight limit, weight limit for foot board 80kg.please do not overload.
- 3.This product is ideal for driving on a hard flat surface.
- 4.It is strictly prohibited in the streets or the road, pot holes, and slopes.
- 5.Avoid driving in the sand or grass or uneven ground.
- 6.Children should be given full instructions on operation of the car. Improper operation can cause damage or accidents.
- 7.While children are driving, it is parents' duty to supervise at all time to avoid accidents.
- 8.Avoid driving in rains or flooded pathways. By doing so it can damage the motor, circuit and other electrical equipments.
- 9.Battery charger should be regularly inspected by parents to insure that the wires, plugs, crusts and other components are not damaged. Please stop using if any damage is found, until it is completely restored.
- 10.In order to ensure product life and safety, avoid damage to the charger, battery or electric circuit, the car must use the default configuration of a dedicated charger and power supply.
- 11.Rechargeable batteries should be removed from the toy before charging.
- 12.When no use of product, please cut off the product power, and keep all the switch to "stop" or "off" position.
- 13.The charger provided is not a toy. It is to be kept away from children.
- 14.Strictly prohibit using the non-manufacturer provided parts.
- 15.This product is made of PP material mainly, and the safe using time is two years.

USAGE DIRECTION

1. Before using it, make sure that all the following works are done.
 - Step described in accordance with the instructions to complete the installation of the car, the battery plug-in has been connected, the power supply has been switched on.
 - Make sure that all the positions which need the screws are fixed tightly.
 - Parents or guardian should ensure that children have taken the safety measures before using.To reduce the risk during using, pay attention the followings: When driving the car ,child should sit on the car seat.
Adult or parents should take more care and guidance when child driving and can't leave away.
Pay attention to the driving environment and driving on the hard flat surface, not the unsafe environment.
For example:
 - a.The trenches, the riverside, slope or uneven ground;
 - b.Road or other places for driving and walking;
 - c.The obstruction which is easily hitting and causing injury;
 - d.Other unsafe zones.To avoid accident, please use only in daytime or bright place, avoid using under low visibility.