


Safety Data Sheet





Health	1
Fire	2
Reactivity	0
Personal Protection	H

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	METAL RUBS
Chemical Name:	Metallic Rub Blend
Trade Name:	Metal Rubs
Product Use:	Surface paste rub for highlighting
Distributor's Name:	Sculpt Nouveau
Distributor's Address:	1155 Industrial Ave. Escondido, CA 92029
Emergency Phone:	CHEMTREC 800-424-9300 U.S. and Canada; 1-703-527-3887 International
Business Phone:	800-728-5787

2. HAZARDS IDENTIFICATION

Hazard Identification:	<p>This product is classified as a hazardous substance as assessed according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). CAUTION! COMBUSTIBLE. HARMFUL IF SWALLOWED. Hazard Statements (H): H302 - Harmful or fatal if swallowed. H314 - Causes eye damage. H228 - Flammable Liquid Precautionary Statements (P): P220 - Keep away from heat/sparks/open flames, hot surfaces, No smoking. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting/equipment. P264 - Wash thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves. P301+P310 - IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. P321 - Specific treatment, see Section 4 of this safety data sheet. P363 - Wash contaminated clothing before reuse. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. P501 - Dispose of contents/container to licensed treatment, storage and disposal facility.</p>	 
Effects of Exposure:	<p>Eyes: May cause mild eye irritation. Skin: May cause mild skin irritation Ingestion: Swallowing small amounts during normal use is not likely to cause harmful effects. Inhalation: Breathing in small amounts of this material during normal handling is not likely to cause harm.</p>	
Symptoms of Overexposure:	<p>Eyes: Redness, burning, irritation, and swelling around eyes. Eye damage. Skin: Redness, burning, itching, rash, and scaling of the skin (dermatitis). Ingestion: Nausea and vomiting if a large amount is ingested. Inhalation: Breathing in large amounts could result in dizziness, nausea, and vomiting.</p>	
Acute Health Effects:	Severe or permanent eye damage. Irritation if on skin. Swallowing large amounts of this material may be harmful and could result in irritation of the gastrointestinal tract. Adverse symptoms include nausea and vomiting.	
Chronic Health Effects:	Severe or permanent eye damage.	
Target Organs:	Eyes, skin, respiratory system.	

3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³) ppm						
			ACGIH		OSHA		NOHSC		
			TLV	STEL	TWA	STEL	IDLH	TWA	STEL
Carnauba wax - non hazardous	8015-86-9	60-100	NE	NE	NE	NE	NA	NA	NF
Microcrystalline wax - non hazardous	63231-60-7	60-100	NE	NE	NE	NE	NA	NA	NF
Stoddard Solvent	8052-41-3	10-30	525	NA	2900	NA	NA	350	NF
1-chloro-4 (trifluoromethyl)	98-56-6	7-13	NA	NA	NA	NA	NA	NF	NF
Gum Turpentine	9005-90-7	1-5	20	NA	100	NA	NA	NF	NF
Solvent Based Colors	13463-67-7	1-5	NA	NA	NA	NA	NA	NF	NF
Proprietary non-hazardous ingredients			NA	NA	NA	NA	NA	NF	NF

4. FIRST AID MEASURES

First Aid:	<p>Ingestion: DO NOT INDUCE VOMITING. Contact nearest Poison Control Center for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.</p> <p>Eyes: If product gets in eyes, flush eyes thoroughly with large amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.</p> <p>Skin: Remove contaminated clothing and wash affected areas with soap and water. If discomfort or a skin reaction occurs, contact a physician. Do not wear contaminated clothing until cleaned.</p> <p>Inhalation: Remove victim to fresh air at once. Seek immediate medical attention if breathing is difficult.</p> <p>To Physician: Administration of adsorbents such as activated charcoal may be of value. Gastric lavage may be effective when performed by a physician within 4 hours of ingestion.</p>
Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the eyes or respiratory system or impaired kidney function may be more susceptible to the effects of this substance.

5. FIREFIGHTING MEASURES

Fire and Explosion Hazard :	May be combustible at high temperatures.
Extinguishing Methods :	Use carbon dioxide, foam, water fog or spray.
Firefighting Procedures :	As with any fire, firefighters should wear appropriate protective equipment including a NIOSH approved or equivalent self contained breathing apparatus and protective clothing. Fight fires as for surrounding materials. Water may be used to cool containers. If water is used, fog nozzles are preferred.

6. ACCIDENTAL RELEASE MEASURES

Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate personal protective equipment (PPE). Use safety glasses and face shield, gloves and other protective clothing to prevent skin contact. Insure adequate ventilation. Eliminate all source (flares, flames including pilot lights, electrical sparks). Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind. Absorb spillage with inert material and dispose of in accordance of E.P.A. and other local, state and federal authorities. For waste disposal methods, consult federal, state and local regulations. Place in closed containers. Dispose of product in accordance with these regulations.
---------	---

7. HANDLING & STORAGE INFORMATION

Work and Hygiene Practices:	Avoid breathing vapors. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame, keep away from sparks. Use only in ventilated areas. Immediately clean up and decontaminate any spills or residues.
Storage and Handling:	Use and store in a cool, dry, well ventilated location (e.g., local exhaust ventilation, fans), away from heat and sources of ignition, keep away from sparks. Ground and bond all transfer equipment.
Special Precautions:	Empty containers may retain hazardous product residues. Do not reuse empty containers for other purposes.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Ventilation and Engineering Controls:	Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate equipment is available (eye wash station, sink, etc.).
Respiratory Protection:	NIOSH/OSHA approved respirator types suitable for materials in section 2 recommended. Approved chemical or mechanical filters recommended when ventilation is restricted. Do not breathe vapors or spray mist. Wear appropriate respirator during and after application unless air monitoring records vapor/mist levels below acceptable limits. Follow manufacturer directions for use.
Eye Protection:	Safety glasses with side shields must be used when handling this product. A face shield is also recommended.
Hand Protection:	Wear protective, chemical-resistant gloves, (e.g., neoprene) when handling this product.
Body Protection:	A chemical resistant apron and protective clothing are recommended when handling or using this product.

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance:	Soft semi-solid or liquid with varied colors according to wax chosen
Odor:	Solvent odor
Odor Threshold:	N/A
pH:	N/A
Melting point:	120°
Boiling Point/Range:	160°C (320°F)
Flashpoint:	40°C (104°F) TCC
Flammability Limits:	N/A
Vapor Pressure:	2.0
Vapor Density:	4.7 (Air = 1)
Relative Density:	N/A
Solubility:	Negligible
Evaporation Rate:	.21 (N-Butyl acetate = 1)
VOC	(g/l): 650

10. STABILITY & REACTIVITY

Stability:	Stable at normal temperatures.
Hazardous Decomposition:	Thermal decomposition or burning may produce carbon dioxide, carbon monoxide, various hydrocarbons.
Hazardous Polymerization:	Will not occur
Conditions to Avoid:	Heat, open flames and other ignition sources.
Incompatible Substances:	Strong oxidizing agents

11. TOXICOLOGICAL INFORMATION

Routes of Entry:	Inhalation: Yes	Absorption: Yes	Ingestion: Yes	
Toxicity Data:	1-chloro-4 (trifluoromethyl): LD ₅₀ (oral, rat) = > 6.8 g/kg; LD ₅₀ (dermal, rabbit) = 2.7g/kg.			
Acute Toxicity:	See section Section 2 for acute toxicity			
Chronic Toxicity:	See section Section 2 for chronic toxicity			
Suspected Carcinogen:	This product does not contain, known to the State of CA to cause cancer.			
Reproductive Toxicity:	This product does not contain chemicals known to the State of CA to cause birth defects or other reproductive harm.			
Mutagenicity:	This product is not reported to cause mutagenic effects in humans or animals.			
Embryotoxicity:	This product is not reported to cause embryotoxic effects in humans.			
Teratogenicity:	No data available			
Irritancy of Product:	See Section 2			
Biological Exposure Indices:	NE			
Physician Recommendations:	Treat symptomatically			

12. ECOLOGICAL INFORMATION

Environmental Stability	No data available
Effects on Plants & Animals:	No data available
Effects on Aquatic Life:	1-chloro-4 (trifluoromethyl): LC50 (Rainbow Trout, 96h) = 13.5mg/L, LC50 (Bluegill Sunfish, 96h) = 12.0 mg/L, LC50 (Water flea, 48h) = 12.4 mg/L

13. DISPOSAL CONSIDERATIONS

Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler.
Special Considerations:	N/A

14. TRANSPORTATION INFORMATION

49 CFR (GND) IATA (AIR) IMDG (OCN) TDGR (Canadian GND) ADR/RID (EU) SCT (MEXICO) ADGR (AUS)	UN1268, PETROLEUM DISTILLATES, n.o.s., 3, III
---	---

15. REGULATORY INFORMATION

SARA Reporting Requirements:	<u>Stoddard Solvent</u> is known to contain substances subject to SARA Title III, section 311/312 reporting requirements as a fire hazard. This product contains 1-chloro-4 (trifluoromethyl), a substance subject to SARA Title III, section 313 reporting requirements.
SARA Threshold Planning Quantity	N/A
TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
Federal and State Regulations:	<u>Stoddard Solvent</u> is found on the following state criteria lists: Hazardous Substances List, Massachusetts, New Jersey and Pennsylvania
Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class B2(Flammable Liquid).
CERCLA Reportable Quantity:	N/A
Other Federal Requirements:	N/A
Other Requirements:	The primary components of this product are listed in Annex 1 of EU Directive 67/548/EEC. Corrosive, Harmful (C, Xn), Harmful if swallowed. Causes severe burns.

16. OTHER INFORMATION

Other Information:	DANGER! MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAY. Flammable liquid. May cause an allergic skin reaction. Keep away from heat/sparks/open flames/hot surfaces. No Smoking.
Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Sculpt Nouveau's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
Prepared For:	Sculpt Nouveau 1155 Industrial Ave. Escondido, CA 92029 USA Tel: 760 432 8242 Fax: 760-741-1074 www.sculpnouveau.com