Revision Date: 03-09-21

#### **SCULPT NOUVEAU**

## Safety Data Sheet





#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	ZINC GREY
Chemical Name:	Patina Solution
Trade Name:	Traditional Patina - ZINC GREY
Product Use:	Blackening for iron and steel
Distributor's Name:	Sculpt Nouveau
Distributor's Address:	1155 Industrial Ave. Escondido, CA 92029
Emergency Phone:	CHEMTREC 800-424-9300 U.S. and Canada; 1-703-527-3887 International
Business Phone:	800-728-5787

#### 2. HAZARDS IDENTIFICATION

Hazard Identification:	classification or DANGER! TOXIO CAUSE DAMAG Hazard Statem eye damage. H H272 - May into Precautionary S P273 - Avoid re eye protection CENTER or doc several minute	classified as a hazardous substance and as dangerous good according to the iteria of [NOHSC: 1088 (2004)] and ADG Code (Australia)  C IF SWALLOWED. MAY CAUSE SEVERE SKIN BURNS OR EYE DAMAGE. MAY E TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.  ents (H): H301 - Toxic if swallowed. H314 - Can cause severe skin burns and l373 - May cause damage to organs through prolonged or repeated exposure. ensity fire: oxidizer. H410 - Very toxic to aquatic life with long lasting effects.  Statements (P): P220 - Keep/Store away from clothing/combustible materials. lease to the environment. P280 - Wear protective gloves/protective clothing, and face protection. P310 + P310 - IF SWALLOWED: Immediately call a POISON tor/physician. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for s. Remove contact lenses, if present and easy to do. Continue rinsing. P501 - tents/container to an approved waste disposal plant.				
Effects of Exposure:	Eyes:	Severe or permanent eye damage.				
	Skin:	Possible burns upon direct contact.				
	Ingestion:	Severe burns of mouth, throat, stomach.				
	Inhalation:	Severe irritation or burns in respiratory tract and mucous membranes.				
Symptoms of Overexposure:	Eyes:	Redness, burning, irritation, and swelling around eyes.				
	Skin:	Redness, burning, itching, rash, blistering of skin.				
	Ingestion:	Nausea and vomiting, possible abdominal pain.				
	Inhalation:	Coughing, sore throat, irritation in mucous membranes, difficulty breathing.				
Acute Health Effects:	May be harmful if inhaled. Material is very destructive to the tissue of the mucous membranes and upper					
	respiratory tract. May be harmful is swallowed, causing burns. May be harmful if absorbed through skin.					
Chronic Health Effects:	May damage the nervous system, kidney and/or liver.					
Target Organs:	Eyes, skin, nerv	ous system, kidneys, liver, respiratory system.				

#### 3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	%	EXPOSURE LIMITS IN AIR (mg/m <sup>3</sup> ) ppm							
			AC	GIH	OS	НА		NOF	ISC	
			TLV	STEL	TLV	STEL	IDLH	TWA	STEL	
Water	7732-18-5	60-100	None	None	None	None	None	None	None	
Cupric Sulfate	7758-99-8	1-5	(1)	NA	(1)	NA	1000	NF	NF	
Phosphoric Acid	7664-38-2	1-5	(1)	(3)	NA	NA	1000	NF	NF	
Trade Secret - non hazardous		1-5	None	None	None	None		None	None	

## Safety Data Sheet

Pg 2 of 5 Revision Date: 03-09-21

First Aid:	Ingestion:	DO NOT INDUCE VOMITING. Give several glasses of water. Contact nearest Poison Control Center for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
	Eyes:	If product gets in eyes, flush eyes thoroughly with large amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.
	Skin: Inhalation:	Remove contaminated clothing and wash affected areas with soap and water. If discomfort or a skin reaction occurs, contact a physician. Do not wear contaminated clothing until cleaned. Remove victim to fresh air at once. Seek immediate medical attention if breathing is diffucult.
Indicatioin of immediate medical attention needed:	Ingestion will r	esult in metallic taste, garlic ordor to breath, nausea. Breathing mists can cause nose and throat codor to breath, headaches, cizziness, difficulty breathing.

#### 5. FIREFIGHTING MEASURES

Fire and Explosion Hazard :	Non flammable. May produce toxic fumes which can form explosive mixtures with air. May intensify fire: oxidizer.
Extinguishing Methods:	Use fire extinguishing media suitable for surrounding materials.
Firefighting Procedures :	As with any fire, firefighters should wear appropriate protective equipment including a NIOSH approved or equivalent self contained breathing apparatus and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may product oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons, and/or derivatives. Fire should be fought from a safe distance. Keep containers cool after fire is out. Use water spray to cool fire exposed surfaces. Prevent runoff from fire control or dilution from entering sewers, drains or natural waterway.

#### 6. ACCIDENTAL RELEASE MEASURES

Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate personal protective equipment (PPE). Use safety glasses and face shield, gloves and other protective clothing to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use an inert material such as vermiculite or sand to soak up the product and place into a container for later disposal; or recover using pumps. Block any potential routes to sewer systems.  Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of the area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid resistant container. Use absorbent to pick up residue. Avoid discharging liquid into a sewer or surface waters.
---------	--

#### 7. HANDLING & STORAGE INFORMATION

Work and Hygiene Practices:	Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Immediately clean up and decontaminate any spills or residues.			
Storage and Handling:	Use and store in a cool, dry, well ventilated location (e.g., local exhaust ventilation, fans), away from heat and direct sunlight. Store in acid resistant containers. Keep containers covered when not in use. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see section 10).			
Special Precautions:	Empty containers may retain hazardous product residues. Do not reuse empty containers for other purposes.			

## Safety Data Sheet

Pg 3 of 5 Revision Date: 03-09-21

#### 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Ventilation and Engineering Controls:	Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate equipment is available (eye wash station, sink, etc.).	
Respiratory Protection:	In instances where vapors of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CR 1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Province, EC member States, or Australia.	
Eye Protection:	Safety glasses with side shields must be used when handling this product. A face shield is also recommended.	
Hand Protection:	Wear protective, chemical-resistant gloves, (e.g., neoprene) when handling this product.	
Body Protection:	A chemical resistant apron and protective clothing are recommended when handling or using this product.	

#### 9. PHYSICAL & CHEMICAL PROPERTIES

Appearance:	Blue translucent solution
Odor:	None
Odor Threshhold:	N/A
рН:	2.3
Melting and Freezing Point:	N/A
Boiling Point/Range:	>100°C (>212°F)
Flashpoint:	Will not flash
Flammability Limits:	Not flammable
Vapor Pressure:	NA NA
Vapor Density:	< 1.0 (air = 1.0)
Relative Density:	1.055
Solubility:	Complete
Evaporation Rate:	(Approximately equal to water)

#### 10. STABILITY & REACTIVITY

Stability:	Stable at normal temperatures		
Hazardous Decomposition:	Fire or high temperataures create oxides of phosphorus, sulfur oxides and copper oxides.		
Hazardous Polymerization:	Will not occur		
Conditions to Avoid:	Excessive heat, incompatible materials		
Incompatible Substances:	This product may react with strong reducing agents and bases, It is imcompatible with alkalines, metal oxides, metals, flourine, sulphur trioxide, phosphates, magnesium, acetylene, hydrazine and zirconium.		

#### 11. TOXICOLOGICAL INFORMATION

Routes of Entry:	Inhalation: Yes	Absorption: Yes	Ingestion: Yes			
Toxicity Data:		<u>Cupric Sulfate</u> : $LD_{50}$ (oral, rat) = 330 mg/kg: $LD_{50}$ (oral, mouse) = 369 mg/kg: <u>Phosphoric Acid</u> : $LD_{50}$ (oral, rat) = 1530 mg/kg; Dermal $LD_{50}$ (rabbit) = 2760 mg/kg				
	Filospilotic Acid. ED50 (Oral	i, rat) = 1550 mg/kg, Dei	111a1 LD50 (1abbit) = 2700 Hig/kg			
Acute Toxicity:	See section Section 2 for ac	cute toxicity				
Chronic Toxicity:	See section Section 2 for ch	ronic toxicity				
Suspected Carcinogen:	Not classified as a human c	arcinogen				
Reproductive Toxicity:	This product has no available data.					
Mutagenicity:	This product has no available data.					
Embryotoxicity:	This product is not reported to cause embryotoxic effects in humans.					
Teratogenicity:	This product is not reported to cause teratogenic effects in humans.					
Irritancy of Product:	See Section 2					
Biological Exposure Indices:	NE					
Physician Recommendations:	Treat symptomatically					

## Safety Data Sheet

Pg 4 of 5 Revision Date: 03-09-21

#### 12. ECOLOGICAL INFORMATION

Environmental Stability	No data available
Effects on Plants & Animals:	No data available
Effects on Aquatic Life:	Acute toxicity to aquatic life with long lasting effects. Phosphoric Acid: EC <sub>50</sub> (D aphnia magna, 12 h) = 4.6 mg Cupric Sulfate: LC50: 0.1 ppm 48 hours [Goldfish]. 0.1 mg/l 96 hours [Rainbow Trout]. 2.5 mg/l 96 hours [Rainbow Trout].

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler.
Special Considerations:	U.S EPA Hazardous Waste - Characteristic - Corrosive (D002)

#### 14. TRANSPORTATION INFORMATION

49 CFR (GND)	UN3264 CORROSIVE LIQUIDS, ACIDIC INORGANIC, N.O.S. (CUPRIC SULFATE), 8 III
IATA (AIR)	
IMDG (OCN)	
TDGR (Canadian GND)	
ADR/RID (EU)	
SCT (MEXICO)	
ADGR (AUS)	
IMDG (OCN) TDGR (Canadian GND) ADR/RID (EU) SCT (MEXICO)	

#### 15. REGULATORY INFORMATION

SARA Reporting Requirements:	This material contains Cupric Sulfate and Phosphoric Acid substances subject to SARA Title III, section 313 reporting requirements.
SARA Threshold Planning Quantity	NA
TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
Federal and State Regulations:	The following components appear on one or more of the following state hazardous substances lists: <u>Cupric Sulfate</u> (CAS # 7758-99-8): CA, NJ and PA. <u>Phosphoric Acid</u> (CAS # 7664-38-2): FL, MA, MN and PA  None listed under California Proposition 65
Other Canadian Regulations:	WHMIS Ingredient Disclosure List (IDL): Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The list is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits on the IDL. <u>Cupric Sulfate</u> (CAS # 7758-99-8) 1% (related to copper compounds), <u>Phosphoric Acid</u> (CAS # 7664-38-2) 1%. E - Corrosive Material.
CERCLA Reportable Quantity:	40 CFR 302.4, 40 CFR 302 - <u>Cupric Sulfate</u> 10 lbs (4.54 kg): <u>Phosphoric Acid</u> 5000 lbs (2,270 kg) kgfinal RQ.

# SCULPT NOUVEAU Zinc Grey Patina

# Safety Data Sheet

Pg 5 of 5 Revision Date: 03-09-21

#### 16. OTHER INFORMATION

Other Information:	DANGER! POISON! CORROSIVE. May be fatal if swallowed or harmful if inhaled. Can cause severe burns to eyes and irritation to skin. OXIDIZER. Combustible materials that contact this product my ignite more easily and burn more intensely. Avoid shock, heat, and friction.
Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200.  Other government regulations must be reviewed for applicability to this product. To the best of Sculpt Nouveau's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
Prepared For:	Sculpt Nouveau 1155 Industrial Ave. Escondido, CA 92029 USA Tel: 760 432 8242 Fax: 760-741-1074 www.sculpnouveau.com