Revision Date: 09-07-22

SCULPT NOUVEAU

Safety Data Sheet





1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Patina Gel - Black for Stainless
Chemical Name:	Patina Solution
Trade Name:	Patina Gel - Black for Stainless
Product Use:	Blackening for stainless steel
Distributor's Name:	Sculpt Nouveau
Distributor's Address:	1155 Industrial Ave. Escondido, CA 92029
Emergency Phone:	CHEMTREC 800-424-9300 U.S. and Canada; 1-703-527-3887 International
Business Phone:	800-728-5787

2. HAZARDS IDENTIFICATION

Hazard Identification:	This product is classified as a hazardous substance and as dangerous good according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia) DANGER! HARMFUL IF SWALLOWED. TOXIC IF INHALED. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. MAY INTENSIFY FIRE. OXIDIZER Hazard Statements (H): H301 - Toxic if swallowed. H314 - Can cause severe skin burns and eye damage. H373 - May cause damage to organs through prolonged or repeated exposure. H272 - May intensify fire: oxidizer. H410 - Very toxic to aquatic life with long lasting effects. Precautionary Statements (P): P220 - Keep/Store away from clothing/combustible materials. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing, eye protection and face protection. P310 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 - Dispose of contents/container to an approved waste disposal plant.				
Effects of Exposure:	Eyes: Severe or permanent eye damage. Skin: Possible burns upon direct contact. Ingestion: Severe burns of mouth, throat, stomach. Inhalation: Severe irritation or burns in respiratory tract and mucous membranes.				
Symptoms of Overexposure:	Eyes: Redness, burning, irritation, and swelling around eyes. Skin: Redness, burning, itching, rash, blistering of skin. Ingestion: Nausea and vomiting, possible abdominal pain. Inhalation: Coughing, sore throat, irritation in mucous membranes, difficulty breathing.				
Acute Health Effects:	May be harmful if inhaled. Material is very destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful is swallowed, causing burns. May be harmful if absorbed through skin.				
Chronic Health Effects:	May damage the nervous system, kidney and/or liver.				
Target Organs:	Eyes, skin, nervous system, kidneys, liver, respiratory system.				

3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³) ppm							
			AC	GIH		OSHA		NOF	ISC	
			TLV	STEL	TLV	STEL	IDLH	TWA	STEL	
Water	7732-18-5	85-95	None	None	None	None	None	None	None	
Hydrogen Chloride	7647-01-0	15-20 %	2 ppm	2 ppm	5 ppm	7 mg/m3	50 ppm	NF	NF	
Selenious Acid	7783-00-8	1-4 %	(2.5)	(2)	NA	(2.5)	NA	NF	NF	
Copper	7758-99-8	0-3 %	1 mg/m3	1 mg/m3	NA	NA	100 mg/m3	1 mg/m3	NA	
Phosphoric Acid	7664-38-2	1-4 %	1 mg/m3	3 mg/m3	1 mg/m3	NA	1000 mg/m3	1 mg/m3	3 mg/m3	

Safety Data Sheet

Pg 2 of 5 Revision Date: 09-07-22

4. FIRST AID MEASURES

First Aid:	Ingestion:	DO NOT INDUCE VOMITING. Give several glasses of water. Contact nearest Poison Control Center for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
	Eyes:	If product gets in eyes, flush eyes thoroughly with large amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.
	Skin:	Remove contaminated clothing and wash affected areas with soap and water. If discomfort or a skin reaction occurs, contact a physician. Do not wear contaminated clothing until cleaned. Remove victim to fresh air at once. Seek immediate medical attention if breathing is diffucult.
Indicatioin of immediate medical attention needed:	Ingestion will r	esult in metallic taste, garlic ordor to breath, nausea. Breathing mists can cause nose and throat codor to breath, headaches, cizziness, difficulty breathing.

5. FIREFIGHTING MEASURES

Fire and Explosion Hazard :	Non flammable. May produce toxic selenous fumes.
Extinguishing Methods :	Use fire extinguishing media: dry chemical, foam carbon dioxide, water fog.
Firefighting Procedures :	As with any fire, firefighters should wear appropriate protective equipment including a NIOSH approved or equivalent self contained breathing apparatus and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may product oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons, and/or derivatives. Fire should be fought from a safe distance. Keep containers cool after fire is out. Use water spray to cool fire exposed surfaces. Prevent runoff from fire control or dilution from entering sewers, drains or natural waterway.

6. ACCIDENTAL RELEASE MEASURES

Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate personal protective equipment (PPE). Use safety glasses and face shield, gloves and other protective clothing to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use an inert material such as dry clay, sand or diatomaceous earth, commercial sorbents to soak up the product and place into a container for later disposal; or recover using pumps. Block any potential routes to sewer systems. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of the area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid resistant container.
---------	---

7. HANDLING & STORAGE INFORMATION

Work and Hygiene Practices:	Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Immediately clean up and decontaminate any spills or residues.
Storage and Handling:	Use and store in a cool, dry, well ventilated location (e.g., local exhaust ventilation, fans), away from heat and direct sunlight. Store in acid resistant containers. Keep containers covered when not in use. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see section 10).
Special Precautions:	Empty containers may retain hazardous product residues. Do not reuse empty containers for other purposes.

Pg 3 of 5 Revision Date: 09-07-22

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Ventilation and Engineering Controls:	Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate equipment is available (eye wash station, sink, etc.).
Respiratory Protection:	In instances where vapors of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CR 1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Province, EC member States, or Australia.
Eye Protection:	Safety glasses with side shields must be used when handling this product. A face shield is also recommended.
Hand Protection:	Wear protective, chemical-resistant gloves, (e.g., neoprene) when handling this product.
Body Protection:	A chemical resistant apron and protective clothing are recommended when handling or using this product.

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance:	Light blue solution
Odor:	Characteristic
Odor Threshhold:	N/A
pH:	1.5
Melting and Freezing Point:	Melting - N/A, Freezing - (0°C) (32°F)
Boiling Point/Range:	>109°C (>228°F)
Flashpoint:	Will not flash
Flammability Limits:	Not flammable
Vapor Pressure:	NA NA
Vapor Density:	< 1.0 (air = 1.0)
Relative Density:	1.055
Solubility:	Complete
Evaporation Rate:	(Approximately equal to water)

10. STABILITY & REACTIVITY

Stability:	Stable at normal temperatures
Hazardous Decomposition:	Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide.
Hazardous Polymerization:	Will not occur
Conditions to Avoid:	Excessive heat.
Incompatible Substances:	This product may react with strong acids and strong reducing agents, organic compounds and cyanides. Chlorinated cleaners or sanitizers, most metals.

11. TOXICOLOGICAL INFORMATION

Routes of Entry:	Inhalation: Yes	Absorption: Yes	Ingestion: Yes		
Toxicity Data:	<u>Hydrogen Chloride</u> : LD_{50} (oral, rat) = 238 - 277 mg/kg: Dermal LD_{50} (rabbit) = 5010 mg/kg; <u>Copper:</u> LD_{50} (oral, rat) 960 mg/kg: <u>Phosphoric Acid</u> : LD_{50} (oral, rat)]1530 mg/kg; Dermal LD_{50} (rabbit) 2760 mg/kg				
	200 mg/kg. <u>i mosphone / kad</u> . E250 (oral, tat/) 1250 mg/kg, Definal E250 (tabbit) 2700 mg/kg				
Acute Toxicity:	See section Section 2 for ac	cute toxicity			
Chronic Toxicity:	See section Section 2 for ch	hronic toxicity			
Suspected Carcinogen:	Not classified as a human o	Not classified as a human carcinogen			
Reproductive Toxicity:	This product has no available data.				
Mutagenicity:	This product has no available data.				
Embryotoxicity:	This product is not reported to cause embryotoxic effects in humans.				
Teratogenicity:	This product is not reported to cause teratogenic effects in humans.				
Irritancy of Product:	See Section 2				
Biological Exposure Indices:	NE				
Physician Recommendations:	Treat symptomatically				

Safety Data Sheet

Pg 4 of 5 Revision Date: 09-07-22

12. ECOLOGICAL INFORMATION

Environmental Stability	No data available
Effects on Plants & Animals:	No data available
Effects on Aquatic Life:	Acute toxicity to aquatic life. <u>Copper:</u> Fishes, Lepomis Macrochirus, LC ₅₀ , 96h, 0.66 - 1.15 mg/L (semi-static) LC ₅₀ , 96 h Lepomis Macrochirus 0.96 - 1.8 mg/L (static); LC ₅₀ , 96 h Oncorhynchus Mykiss 0.1478 - 0.165 mg/L (flow through); LC ₅₀ , 96 h Oncorhynchus Mykiss 0.09 - 0.19 mg/L (static); LC ₅₀ , 96 h Pimephales Promelas 0.6752 mg/L (static). Invertebrate: EC ₅₀ , 48 h Daphnia Magna 0.147 - 0.227 mg/L (static)

13. DISPOSAL CONSIDERATIONS

Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler.
Special Considerations:	U.S EPA Hazardous Waste - Characteristic - Toxic (D010). Characteristic - Corrosive (D002)

14. TRANSPORTATION INFORMATION

49 CFR (GND)	UN1760, CORROSIVE LIQUID N.O.S. (Selenious Acid, Hydrochloric Acid), 8, II
IATA (AIR)	
IMDG (OCN)	
TDGR (Canadian GND)	
ADR/RID (EU)	
SCT (MEXICO)	
ADGR (AUS)	

15. REGULATORY INFORMATION

SARA Reporting Requirements:	This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65). Hydrogen Chloride: SARA 302: 500 lb TPQ (gas only). SARA 313: 1 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size). SARA 304, 5000 lb EPCRA RQ (gas only). Selenious Acid: SARA 302: 1000 lb lower TPQ; 1000 lb upper TPQ. SARA 304: 10 lb EPCRA RQ Copper: SARA 313: 1 % de minimis concentration (This category does not include CAS numbers 147-14-8, 1328-53-6, or 14302-13-7, or copper phthalocyanine compounds that are substituted with only hydrogen and or chlorine and/or bromine) (related to Copper compounds)	
SARA Threshold Planning Quantity	SARA Section 311/312 (40 CFR 370 Subparts B and C) Acute Health: No, Chronic Health: No Fire: No, Pressure: No, Reactivity: No	
TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.	
Federal and State Regulations:	The following components appear on one or more of the following state hazardous substances lists: Hydrogen Chloride (CAS # 7647-01-0): CA, MA, MN, NJ and PA. Selenious Acid (CAS # 7783-00-8): MA, NJ and PA. Copper (CAS # 7758-99-8): CA, NJ and PA. Phosphoric Acid (CAS # 7664-38-2): CA, MA, MN, NJ and PA None listed under California Proposition 65	
Other Canadian Regulations:	her Canadian Regulations: WHMIS Ingredient Disclosure List (IDL): Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The list is composed of chemicals which must be identified on MSDSs if they are included in prewhich meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits on the Hydrogen Chloride (CAS # 7647-01-0) 1%, Selenious Acid (CAS # 7783-00-8) 1%, Copper (CAS # 7758-99-8) 1% (related to compounds), Phosphoric Acid (CAS # 7664-38-2) 1%. D2B - Toxic Material Causing Other Toxic Effects, E - Corrosive Material	
CERCLA Reportable Quantity:	40 CFR 302.4, 40 CFR 302 - <u>Hydrogen Chloride</u> (CAS # 7647-01-0): 5000 lbfinal RQ; 2270 kgfinal RQ, <u>Selenious Acid</u> (CAS # 7783-00-8): 10 lbfinal RQ; 4.54 kgfinal RQ, <u>Phosphoric Acid</u> (CAS # 7664-38-2): 5000 lbfinal RQ; kgfinal RQ.	

SCULPT NOUVEAU Patina Gel - Black for Stainless

Safety Data Sheet

Pg 5 of 5 Revision Date: 09-07-22

_				
1/	OTHER	INITO	DIATE	TA
16	()IHFK	INHU	RVIAII	

Other Information:	and irritation to skin. OXIDIZER. Combustible materials that contact this product my ignite more easily and burn more intensely. Avoid shock, heat, and friction.	
Disclaimer:		
Prepared For:	Sculpt Nouveau 1155 Industrial Ave. Escondido, CA 92029 USA Tel: 760 432 8242 Fax: 760-741-1074 www.sculpnouveau.com	