

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
	54.6	60.6	61.1	61.6	62.1	110	3	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	46.9	
	53.6	59.6	60.1	60.6	61.1		2	40.2	41.0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	47.0	47.2	
	52.7	58.7	59.2	59.7	60.2		1	40.5	41.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	47.5	
	51.7	57.7	58.2	58.7	59.2		0	40.9	41.6	42.4	43.1	43.9	44.6	45.4	46.1	46.9	47.6	47.9	
	54.1	60.1	60.6	61.1	61.6	90	3	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	44.9	
	53.1	59.1	59.6	60.1	60.6		2	38.2	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.2	
	52.2	58.2	58.7	59.2	59.7		1	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	45.5	
	51.7	57.7	58.2	58.7	59.2		0	38.9	39.6	40.4	41.1	41.9	42.6	43.4	44.1	44.9	45.6	45.9	
	54.5	60.5	61.0	61.5	62.0	70	3	35.9	36.7	37.4	38.2	38.9	39.7	40.4	41.2	41.9	42.7	42.9	
	53.5	59.5	60.0	60.5	61.0		2	36.2	37.0	37.7	38.5	39.2	40.0	40.7	41.5	42.2	43.0	43.2	
	52.6	58.6	59.1	59.6	60.1		1	36.5	37.3	38.0	38.8	39.5	40.3	41.0	41.8	42.5	43.3	43.5	
	51.6	57.6	58.1	58.6	59.1		0	36.9	37.6	38.4	39.1	39.9	40.6	41.4	42.1	42.9	43.6	43.9	

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
	60.7	66.7	67.2	67.7	68.2	110	3	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	44.9	
	59.7	65.7	66.2	66.7	67.2		2	38.2	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.2	
	58.8	64.8	65.3	65.8	66.3		1	38.6	39.3	40.1	40.8	41.6	42.3	43.1	43.8	44.6	45.3	45.6	
	57.8	63.8	64.3	64.8	65.3		0	38.9	39.6	40.4	41.1	41.9	42.6	43.4	44.1	44.9	45.6	45.9	
	59.5	65.5	66.0	66.5	67.0	90	3	36.3	37.0	37.8	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.3	
	58.6	64.6	65.1	65.6	66.1		2	36.6	37.4	38.1	38.9	39.6	40.4	41.1	41.9	42.6	43.4	43.6	
	57.6	63.6	64.1	64.6	65.1		1	36.9	37.7	38.4	39.2	39.9	40.7	41.4	42.2	42.9	43.7	43.9	
	56.7	62.7	63.2	63.7	64.2		0	37.2	38.0	38.7	39.5	40.2	41.0	41.7	42.5	43.2	44.0	44.2	
	58.4	64.4	64.9	65.4	65.9	70	3	34.7	35.4	36.2	36.9	37.7	38.4	39.2	39.9	40.7	41.4	41.7	
	57.4	63.4	63.9	64.4	64.9		2	35.0	35.7	36.5	37.2	38.0	38.7	39.5	40.2	41.0	41.7	42.0	
	56.5	62.5	63.0	63.5	64.0		1	35.3	36.0	36.8	37.5	38.3	39.0	39.8	40.5	41.3	42.0	42.3	
	55.5	61.5	62.0	62.5	63.0		0	35.6	36.3	37.1	37.8	38.6	39.3	40.1	40.8	41.6	42.3	42.6	

* 0-15mm Riser Kits are supplied with your new PRfour or PRfive Bicycle.
 ** 20-70mm Riser Kits are available through Profile or your Profile Dealer.
 *** Coordinates are reflective of the base stem offered (**Profile Design 1/Seventeen**) on your new PRfour & PRfive.

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
		56.6	62.6	63.1	63.6			64.1	110	3	40.9	41.7	42.4	43.2	43.9			44.7	45.4
55.6	61.6	62.1	62.6	63.1	2	41.2	42.0	42.7		43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.2		
54.7	60.7	61.2	61.7	62.2	1	41.5	42.3	43.0		43.8	44.5	45.3	46.0	46.8	47.5	48.3	48.5		
53.7	59.7	60.2	60.7	61.2	0	41.9	42.6	43.4		44.1	44.9	45.6	46.4	47.1	47.9	48.6	48.9		
56.1	62.1	62.6	63.1	63.6	90	3	38.9	39.7	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	45.9		
55.1	61.1	61.6	62.1	62.6		2	39.2	40.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.2		
54.2	60.2	60.7	61.2	61.7		1	39.5	40.3	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	46.5		
53.7	59.7	60.2	60.7	61.2		0	39.9	40.6	41.4	42.1	42.9	43.6	44.4	45.1	45.9	46.6	46.9		
56.5	62.5	63.0	63.5	64.0	70	3	36.9	37.7	38.4	39.2	39.9	40.7	41.4	42.2	42.9	43.7	43.9		
55.5	61.5	62.0	62.5	63.0		2	37.2	38.0	38.7	39.5	40.2	41.0	41.7	42.5	43.2	44.0	44.2		
54.6	60.6	61.1	61.6	62.1		1	37.5	38.3	39.0	39.8	40.5	41.3	42.0	42.8	43.5	44.3	44.5		
53.6	59.6	60.1	60.6	61.1		0	37.9	38.6	39.4	40.1	40.9	41.6	42.4	43.1	43.9	44.6	44.9		

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
		62.7	68.7	69.2	69.7			70.2	110	3	38.9	39.7	40.4	41.2	41.9			42.7	43.4
61.7	67.7	68.2	68.7	69.2	2	39.2	40.0	40.7		41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.2		
60.8	66.8	67.3	67.8	68.3	1	39.6	40.3	41.1		41.8	42.6	43.3	44.1	44.8	45.6	46.3	46.6		
59.8	65.8	66.3	66.8	67.3	0	39.9	40.6	41.4		42.1	42.9	43.6	44.4	45.1	45.9	46.6	46.9		
61.5	67.5	68.0	68.5	69.0	90	3	37.3	38.0	38.8	39.5	40.3	41.0	41.8	42.5	43.3	44.0	44.3		
60.6	66.6	67.1	67.6	68.1		2	37.6	38.4	39.1	39.9	40.6	41.4	42.1	42.9	43.6	44.4	44.6		
59.6	65.6	66.1	66.6	67.1		1	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	44.9		
58.7	64.7	65.2	65.7	66.2		0	38.2	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.2		
60.4	66.4	66.9	67.4	67.9	70	3	35.7	36.4	37.2	37.9	38.7	39.4	40.2	40.9	41.7	42.4	42.7		
59.4	65.4	65.9	66.4	66.9		2	36.0	36.7	37.5	38.2	39.0	39.7	40.5	41.2	42.0	42.7	43.0		
58.5	64.5	65.0	65.5	66.0		1	36.3	37.0	37.8	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.3		
57.5	63.5	64.0	64.5	65.0		0	36.6	37.3	38.1	38.8	39.6	40.3	41.1	41.8	42.6	43.3	43.6		

* 0-15mm Riser Kits are supplied with your new PRfour or PRfive Bicycle.
 ** 20-70mm Riser Kits are available through Profile or your Profile Dealer.
 *** Coordinates are reflective of the base stem offered (**Profile Design 1/Seventeen**) on your new PRfour & PRfive.

Frame
Stack: 52
Reach: 41



PR Five **52cm**
PR Four **Fit Coordinates**

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
		58.6	64.6	65.1	65.6			66.1	110	3	42.9	43.7	44.4	45.2	45.9			46.7	47.4
57.6	63.6	64.1	64.6	65.1	2	43.2	44.0	44.7		45.5	46.2	47.0	47.7	48.5	49.2	50.0	50.2		
56.7	62.7	63.2	63.7	64.2	1	43.5	44.3	45.0		45.8	46.5	47.3	48.0	48.8	49.5	50.3	50.5		
55.7	61.7	62.2	62.7	63.2	0	43.9	44.6	45.4		46.1	46.9	47.6	48.4	49.1	49.9	50.6	50.9		
58.1	64.1	64.6	65.1	65.6	90	3	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	47.9		
57.1	63.1	63.6	64.1	64.6		2	41.2	42.0	42.7	43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.2		
56.2	62.2	62.7	63.2	63.7		1	41.5	42.3	43.0	43.8	44.5	45.3	46.0	46.8	47.5	48.3	48.5		
55.7	61.7	62.2	62.7	63.2		0	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	47.9	48.6	48.9		
58.5	64.5	65.0	65.5	66.0	70	3	38.9	39.7	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	45.9		
57.5	63.5	64.0	64.5	65.0		2	39.2	40.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.2		
56.6	62.6	63.1	63.6	64.1		1	39.5	40.3	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	46.5		
55.6	61.6	62.1	62.6	63.1		0	39.9	40.6	41.4	42.1	42.9	43.6	44.4	45.1	45.9	46.6	46.9		

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
		64.7	70.7	71.2	71.7			72.2	110	3	40.9	41.7	42.4	43.2	43.9			44.7	45.4
63.7	69.7	70.2	70.7	71.2	2	41.2	42.0	42.7		43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.2		
62.8	68.8	69.3	69.8	70.3	1	41.6	42.3	43.1		43.8	44.6	45.3	46.1	46.8	47.6	48.3	48.6		
61.8	67.8	68.3	68.8	69.3	0	41.9	42.6	43.4		44.1	44.9	45.6	46.4	47.1	47.9	48.6	48.9		
63.5	69.5	70.0	70.5	71.0	90	3	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	46.3		
62.6	68.6	69.1	69.6	70.1		2	39.6	40.4	41.1	41.9	42.6	43.4	44.1	44.9	45.6	46.4	46.6		
61.6	67.6	68.1	68.6	69.1		1	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	46.9		
60.7	66.7	67.2	67.7	68.2		0	40.2	41.0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	47.0	47.2		
62.4	68.4	68.9	69.4	69.9	70	3	37.7	38.4	39.2	39.9	40.7	41.4	42.2	42.9	43.7	44.4	44.7		
61.4	67.4	67.9	68.4	68.9		2	38.0	38.7	39.5	40.2	41.0	41.7	42.5	43.2	44.0	44.7	45.0		
60.5	66.5	67.0	67.5	68.0		1	38.3	39.0	39.8	40.5	41.3	42.0	42.8	43.5	44.3	45.0	45.3		
59.5	65.5	66.0	66.5	67.0		0	38.6	39.3	40.1	40.8	41.6	42.3	43.1	43.8	44.6	45.3	45.6		

* 0-15mm Riser Kits are supplied with your new PRfour or PRfive Bicycle.

** 20-70mm Riser Kits are available through Profile or your Profile Dealer.

*** Coordinates are reflective of the base stem offered (Profile Design 1/Seventeen) on your new PRfour & PRfive.

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
		60.6	66.6	67.1	67.6			68.1	110	3	44.4	45.2	45.9	46.7	47.4			48.2	48.9
59.6	65.6	66.1	66.6	67.1	2	44.7	45.5	46.2		47.0	47.7	48.5	49.2	50.0	50.7	51.5	51.7		
58.7	64.7	65.2	65.7	66.2	1	45.0	45.8	46.5		47.3	48.0	48.8	49.5	50.3	51.0	51.8	52.0		
57.7	63.7	64.2	64.7	65.2	0	45.4	46.1	46.9		47.6	48.4	49.1	49.9	50.6	51.4	52.1	52.4		
60.1	66.1	66.6	67.1	67.6	90	3	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	48.4	49.2	49.4		
59.1	65.1	65.6	66.1	66.6		2	42.7	43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.7	49.5	49.7		
58.2	64.2	64.7	65.2	65.7		1	43.0	43.8	44.5	45.3	46.0	46.8	47.5	48.3	49.0	49.8	50.0		
57.7	63.7	64.2	64.7	65.2		0	43.4	44.1	44.9	45.6	46.4	47.1	47.9	48.6	49.4	50.1	50.4		
60.5	66.5	67.0	67.5	68.0	70	3	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	47.4		
59.5	65.5	66.0	66.5	67.0		2	40.7	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.7	47.5	47.7		
58.6	64.6	65.1	65.6	66.1		1	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	47.8	48.0		
57.6	63.6	64.1	64.6	65.1		0	41.4	42.1	42.9	43.6	44.4	45.1	45.9	46.6	47.4	48.1	48.4		

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
		66.7	72.7	73.2	73.7			74.2	110	3	42.4	43.2	43.9	44.7	45.4			46.2	46.9
65.7	71.7	72.2	72.7	73.2	2	42.7	43.5	44.2		45.0	45.7	46.5	47.2	48.0	48.7	49.5	49.7		
64.8	70.8	71.3	71.8	72.3	1	43.1	43.8	44.6		45.3	46.1	46.8	47.6	48.3	49.1	49.8	50.1		
63.8	69.8	70.3	70.8	71.3	0	43.4	44.1	44.9		45.6	46.4	47.1	47.9	48.6	49.4	50.1	50.4		
65.5	71.5	72.0	72.5	73.0	90	3	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	46.8	47.5	47.8		
64.6	70.6	71.1	71.6	72.1		2	41.1	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	47.9	48.1		
63.6	69.6	70.1	70.6	71.1		1	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	48.2	48.4		
62.7	68.7	69.2	69.7	70.2		0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	47.0	47.7	48.5	48.7		
64.4	70.4	70.9	71.4	71.9	70	3	39.2	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.2		
63.4	69.4	69.9	70.4	70.9		2	39.5	40.2	41.0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	46.5		
62.5	68.5	69.0	69.5	70.0		1	39.8	40.5	41.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	46.8		
61.5	67.5	68.0	68.5	69.0		0	40.1	40.8	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	47.1		

* 0-15mm Riser Kits are supplied with your new PRfour or PRfive Bicycle.
 ** 20-70mm Riser Kits are available through Profile or your Profile Dealer.
 *** Coordinates are reflective of the base stem offered (**Profile Design 1/Seventeen**) on your new PRfour & PRfive.

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
		62.6	68.6	69.1	69.6			70.1	110	3	45.4	46.2	46.9	47.7	48.4			49.2	49.9
61.6	67.6	68.1	68.6	69.1	2	45.7	46.5	47.2		48.0	48.7	49.5	50.2	51.0	51.7	52.5	52.7		
60.7	66.7	67.2	67.7	68.2	1	46.0	46.8	47.5		48.3	49.0	49.8	50.5	51.3	52.0	52.8	53.0		
59.7	65.7	66.2	66.7	67.2	0	46.4	47.1	47.9		48.6	49.4	50.1	50.9	51.6	52.4	53.1	53.4		
62.1	68.1	68.6	69.1	69.6	90	3	43.4	44.2	44.9	45.7	46.4	47.2	47.9	48.7	49.4	50.2	50.4		
61.1	67.1	67.6	68.1	68.6		2	43.7	44.5	45.2	46.0	46.7	47.5	48.2	49.0	49.7	50.5	50.7		
60.2	66.2	66.7	67.2	67.7		1	44.0	44.8	45.5	46.3	47.0	47.8	48.5	49.3	50.0	50.8	51.0		
59.7	65.7	66.2	66.7	67.2		0	44.4	45.1	45.9	46.6	47.4	48.1	48.9	49.6	50.4	51.1	51.4		
62.5	68.5	69.0	69.5	70.0	70	3	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	48.2	48.4		
61.5	67.5	68.0	68.5	69.0		2	41.7	42.5	43.2	44.0	44.7	45.5	46.2	47.0	47.7	48.5	48.7		
60.6	66.6	67.1	67.6	68.1		1	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	48.0	48.8	49.0		
59.6	65.6	66.1	66.6	67.1		0	42.4	43.1	43.9	44.6	45.4	46.1	46.9	47.6	48.4	49.1	49.4		

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
		68.7	74.7	75.2	75.7			76.2	110	3	43.4	44.2	44.9	45.7	46.4			47.2	47.9
67.7	73.7	74.2	74.7	75.2	2	43.7	44.5	45.2		46.0	46.7	47.5	48.2	49.0	49.7	50.5	50.7		
66.8	72.8	73.3	73.8	74.3	1	44.1	44.8	45.6		46.3	47.1	47.8	48.6	49.3	50.1	50.8	51.1		
65.8	71.8	72.3	72.8	73.3	0	44.4	45.1	45.9		46.6	47.4	48.1	48.9	49.6	50.4	51.1	51.4		
67.5	73.5	74.0	74.5	75.0	90	3	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	47.8	48.5	48.8		
66.6	72.6	73.1	73.6	74.1		2	42.1	42.9	43.6	44.4	45.1	45.9	46.6	47.4	48.1	48.9	49.1		
65.6	71.6	72.1	72.6	73.1		1	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	48.4	49.2	49.4		
64.7	70.7	71.2	71.7	72.2		0	42.7	43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.7	49.5	49.7		
66.4	72.4	72.9	73.4	73.9	70	3	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.2		
65.4	71.4	71.9	72.4	72.9		2	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.7	46.5	47.2	47.5		
64.5	70.5	71.0	71.5	72.0		1	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	46.8	47.5	47.8		
63.5	69.5	70.0	70.5	71.0		0	41.1	41.8	42.6	43.3	44.1	44.8	45.6	46.3	47.1	47.8	48.1		

* 0-15mm Riser Kits are supplied with your new PRfour or PRfive Bicycle.
 ** 20-70mm Riser Kits are available through Profile or your Profile Dealer.
 *** Coordinates are reflective of the base stem offered (**Profile Design 1/Seventeen**) on your new PRfour & PRfive.

Frame
Stack: 58.5
Reach: 44.5



PR Five **58.5cm**
PR Four **Fit Coordinates**

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
		65.1	71.1	71.6	72.1			72.6	110	3	46.4	47.2	47.9	48.7	49.4			50.2	50.9
64.1	70.1	70.6	71.1	71.6	2	46.7	47.5	48.2		49.0	49.7	50.5	51.2	52.0	52.7	53.5	53.7		
63.2	69.2	69.7	70.2	70.7	1	47.0	47.8	48.5		49.3	50.0	50.8	51.5	52.3	53.0	53.8	54.0		
62.2	68.2	68.7	69.2	69.7	0	47.4	48.1	48.9		49.6	50.4	51.1	51.9	52.6	53.4	54.1	54.4		
64.6	70.6	71.1	71.6	72.1	90	3	44.4	45.2	45.9	46.7	47.4	48.2	48.9	49.7	50.4	51.2	51.4		
63.6	69.6	70.1	70.6	71.1		2	44.7	45.5	46.2	47.0	47.7	48.5	49.2	50.0	50.7	51.5	51.7		
62.7	68.7	69.2	69.7	70.2		1	45.0	45.8	46.5	47.3	48.0	48.8	49.5	50.3	51.0	51.8	52.0		
62.2	68.2	68.7	69.2	69.7		0	45.4	46.1	46.9	47.6	48.4	49.1	49.9	50.6	51.4	52.1	52.4		
65.0	71.0	71.5	72.0	72.5	70	3	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	48.4	49.2	49.4		
64.0	70.0	70.5	71.0	71.5		2	42.7	43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.7	49.5	49.7		
63.1	69.1	69.6	70.1	70.6		1	43.0	43.8	44.5	45.3	46.0	46.8	47.5	48.3	49.0	49.8	50.0		
62.1	68.1	68.6	69.1	69.6		0	43.4	44.1	44.9	45.6	46.4	47.1	47.9	48.6	49.4	50.1	50.4		

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)				Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH		
		0	0.5	1	1.5			-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50	-1.75			-1.00	-0.25
		71.2	77.2	77.7	78.2			78.7	110	3	44.4	45.2	45.9	46.7	47.4			48.2	48.9
70.2	76.2	76.7	77.2	77.7	2	44.7	45.5	46.2		47.0	47.7	48.5	49.2	50.0	50.7	51.5	51.7		
69.3	75.3	75.8	76.3	76.8	1	45.1	45.8	46.6		47.3	48.1	48.8	49.6	50.3	51.1	51.8	52.1		
68.3	74.3	74.8	75.3	75.8	0	45.4	46.1	46.9		47.6	48.4	49.1	49.9	50.6	51.4	52.1	52.4		
70.0	76.0	76.5	77.0	77.5	90	3	42.8	43.5	44.3	45.0	45.8	46.5	47.3	48.0	48.8	49.5	49.8		
69.1	75.1	75.6	76.1	76.6		2	43.1	43.9	44.6	45.4	46.1	46.9	47.6	48.4	49.1	49.9	50.1		
68.1	74.1	74.6	75.1	75.6		1	43.4	44.2	44.9	45.7	46.4	47.2	47.9	48.7	49.4	50.2	50.4		
67.2	73.2	73.7	74.2	74.7		0	43.7	44.5	45.2	46.0	46.7	47.5	48.2	49.0	49.7	50.5	50.7		
68.9	74.9	75.4	75.9	76.4	70	3	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	47.9	48.2		
67.9	73.9	74.4	74.9	75.4		2	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.7	47.5	48.2	48.5		
67.0	73.0	73.5	74.0	74.5		1	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	47.8	48.5	48.8		
66.0	72.0	72.5	73.0	73.5		0	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	48.1	48.8	49.1		

* 0-15mm Riser Kits are supplied with your new PRfour or PRfive Bicycle.
 ** 20-70mm Riser Kits are available through Profile or your Profile Dealer.
 *** Coordinates are reflective of the base stem offered (**Profile Design 1/Seventeen**) on your new PRfour & PRfive.