QUINTANA ROO

Gen2 PRsix 48cm fit coordinates

STACK — top of armrest

63.5	64.5	65.5	75mm spacer	pedestal/armrest stack
63	64	65	70mm spacer	
62.5	63.5	64.5	65mm spacer	
62	63	64	60mm spacer	
61.5	62.5	63.5	55mm spacer	
61	62	63	50mm spacer	
60.5	61.5	62.5	45mm spacer	
60	61	62	40mm spacer	
59.5	60.5	61.5	35mm spacer	
59	60	61	30mm spacer	
58.5	59.5	60.5	25mm spacer	
58	59	60	20mm spacer	
57.5	58.5	59.5	15mm spacer	
57	58	59	10mm spacer	
56.5	57.5	58.5	5mm spacer	
56	57	58	no spacer	
		52.5	high	stem/bar clamp
	51.5		mid	
50.5			low	
48		frame stack		

high stem position
mid stem position
low bar position

75mm stem coordinates
90mm stem coordinates
110mm stem coordinates

REACH — back of armrest

			armrest hole	bracket orientation
46	47.5	49.5	rear	forward
44.5	46	48	mid-rear	forward
43	44.5	46.5	middle	forward
41.5	43	45	mid-front	forward
40	41.5	43.5	front	forward
43.5	45	47	rear	rearward
42	43.5	45.5	mid-rear	rearward
40.5	42	44	middle	rearward
39	40.5	42.5	mid-front	rearward
37.5	39	41	front	rearward
		49	110mm	stem/bar clamp
	47		90mm	
45.5			75mm	
38		frame reach		

Gen2 PRsix 50cm fit coordinates

STACK — top of armrest

65.5	66.5	67.5	75mm spacer	pedestal/armrest stack
65	66	67	70mm spacer	
64.5	65.5	66.5	65mm spacer	
64	65	66	60mm spacer	
63.5	64.5	65.5	55mm spacer	
63	64	65	50mm spacer	
62.5	63.5	64.5	45mm spacer	
62	63	64	40mm spacer	
61.5	62.5	63.5	35mm spacer	
61	62	63	30mm spacer	
60.5	61.5	62.5	25mm spacer	
60	61	62	20mm spacer	
59.5	60.5	61.5	15mm spacer	
59	60	61	10mm spacer	
58.5	59.5	60.5	5mm spacer	
58	59	60	no spacer	
		54.5	high	stem/bar clamp
	53.5		mid	
52.5			low	
50		frame stack		

high stem position
mid stem position
low bar position

75mm stem coordinates
90mm stem coordinates
110mm stem coordinates

REACH — back of armrest

			armrest hole	bracket orientation
47	48.5	50.5	rear	forward
45.5	47	49	mid-rear	forward
44	45.5	47.5	middle	forward
42.5	44	46	mid-front	forward
41	42.5	44.5	front	forward
44.5	46	48	rear	rearward
43	44.5	46.5	mid-rear	rearward
41.5	43	45	middle	rearward
40	41.5	43.5	mid-front	rearward
38.5	40	42	front	rearward
		50	110mm	stem/bar clamp
	48		90mm	
46.5			75mm	
39		frame reach		

Gen2 PRsix 52cm fit coordinates

high stem position	mid stem position	low bar position		
75mm stem coordinates	90mm stem coordinates	110mm stem coordinates		

STACK — top of armrest

67.5	68.5	69.5	75mm spacer	pedestal/armrest stack
67	68	69	70mm spacer	
66.5	67.5	68.5	65mm spacer	
66	67	68	60mm spacer	
65.5	66.5	67.5	55mm spacer	
65	66	67	50mm spacer	
64.5	65.5	66.5	45mm spacer	
64	65	66	40mm spacer	
63.5	64.5	65.5	35mm spacer	
63	64	65	30mm spacer	
62.5	63.5	64.5	25mm spacer	
62	63	64	20mm spacer	
61.5	62.5	63.5	15mm spacer	
61	62	63	10mm spacer	
60.5	61.5	62.5	5mm spacer	
60	61	62	no spacer	
		56.5	high	stem/bar clamp
	55.5		mid	
54.5			low	
52		frame stack		

REACH — back of armrest

			armrest hole	bracket orientation
49	50.5	52.5	rear	forward
47.5	49	51	mid-rear	forward
46	47.5	49.5	middle	forward
44.5	46	48	mid-front	forward
43	44.5	46.5	front	forward
46.5	48	50	rear	rearward
45	46.5	48.5	mid-rear	rearward
43.5	45	47	middle	rearward
42	43.5	45.5	mid-front	rearward
40.5	42	44	front	rearward
		52	110mm	stem/bar clamp
	50		90mm	
48.5			75mm	
41		frame reach		

Gen2 PRsix 54cm fit coordinates

high stem position	mid stem position	low bar position		
75mm stem coordinates	90mm stem coordinates	110mm stem coordinates		

STACK — top of armrest

69.5	70.5	71.5	75mm spacer	pedestal/armrest stack
69	70	71	70mm spacer	
68.5	69.5	70.5	65mm spacer	
68	69	70	60mm spacer	
67.5	68.5	69.5	55mm spacer	
67	68	69	50mm spacer	
66.5	67.5	68.5	45mm spacer	
66	67	68	40mm spacer	
65.5	66.5	67.5	35mm spacer	
65	66	67	30mm spacer	
64.5	65.5	66.5	25mm spacer	
64	65	66	20mm spacer	
63.5	64.5	65.5	15mm spacer	
63	64	65	10mm spacer	
62.5	63.5	64.5	5mm spacer	
62	63	64	no spacer	
		58.5	high	stem/bar clamp
	57.5		mid	
56.5			low	
54		frame stack		

REACH — back of armrest

			armrest hole	bracket orientation
50.5	52	54	rear	forward
49	50.5	52.5	mid-rear	forward
47.5	49	51	middle	forward
46	47.5	49.5	mid-front	forward
44.5	46	48	front	forward
48	49.5	51.5	rear	rearward
46.5	48	50	mid-rear	rearward
45	46.5	48.5	middle	rearward
43.5	45	47	mid-front	rearward
42	43.5	45.5	front	rearward
		53.5	110mm	stem/bar clamp
	51.5		90mm	
50			75mm	
42.5		frame reach		

Gen2 PRsix 56cm fit coordinates

high stem position	mid stem position	low bar position		
75mm stem coordinates	90mm stem coordinates	110mm stem coordinates		

STACK — top of armrest

71.5	72.5	73.5	75mm spacer	pedestal/armrest stack
71	72	73	70mm spacer	
70.5	71.5	72.5	65mm spacer	
70	71	72	60mm spacer	
69.5	70.5	71.5	55mm spacer	
69	70	71	50mm spacer	
68.5	69.5	70.5	45mm spacer	
68	69	70	40mm spacer	
67.5	68.5	69.5	35mm spacer	
67	68	69	30mm spacer	
66.5	67.5	68.5	25mm spacer	
66	67	68	20mm spacer	
65.5	66.5	67.5	15mm spacer	
65	66	67	10mm spacer	
64.5	65.5	66.5	5mm spacer	
64	65	66	no spacer	
		60.5	high	stem/bar clamp
	59.5		mid	
58.5			low	
56		frame stack		

REACH — back of armrest

			armrest hole	bracket orientation
51.5	53	55	rear	forward
50	51.5	53.5	mid-rear	forward
48.5	50	52	middle	forward
47	48.5	50.5	mid-front	forward
45.5	47	49	front	forward
49	50.5	52.5	rear	rearward
47.5	49	51	mid-rear	rearward
46	47.5	49.5	middle	rearward
44.5	46	48	mid-front	rearward
43	44.5	46.5	front	rearward
		54.5	110mm	stem/bar clamp
	52.5		90mm	
51			75mm	
43.5		frame reach		

Gen2 PRsix 58.5cm fit coordinates

high stem position	mid stem position	low bar position		
75mm stem coordinates	90mm stem coordinates	110mm stem coordinates		

STACK — top of armrest

74	75	76	75mm spacer	pedestal/armrest stack
73.5	74.5	75.5	70mm spacer	
73	74	75	65mm spacer	
72.5	73.5	74.5	60mm spacer	
72	73	74	55mm spacer	
71.5	72.5	73.5	50mm spacer	
71	72	73	45mm spacer	
70.5	71.5	72.5	40mm spacer	
70	71	72	35mm spacer	
69.5	70.5	71.5	30mm spacer	
69	70	71	25mm spacer	
68.5	69.5	70.5	20mm spacer	
68	69	70	15mm spacer	
67.5	68.5	69.5	10mm spacer	
67	68	69	5mm spacer	
66.5	67.5	68.5	no spacer	
		63	high	stem/bar clamp
	62		mid	
61			low	
58.5		frame stack		

REACH — back of armrest

			armrest hole	bracket orientation
52.5	54	56	rear	forward
51	52.5	54.5	mid-rear	forward
49.5	51	53	middle	forward
48	49.5	51.5	mid-front	forward
46.5	48	50	front	forward
50	51.5	53.5	rear	rearward
48.5	50	52	mid-rear	rearward
47	48.5	50.5	middle	rearward
45.5	47	49	mid-front	rearward
44	45.5	47.5	front	rearward
		55.5	110mm	stem/bar clamp
	53.5		90mm	
52			75mm	
44.5		frame reach		