

Small frame,
Zipp Vuka Shift AXS 90 extensions
Profile Design Ergo+ armrests



desired STACK (cm)	pedestal stack (mm)
64.5	125
64.0	120
63.5	115
63.0	110
62.5	105
62.0	100
61.5	95
61.0	90
60.5	85
60.0	80
59.5	75
59.0	70
58.5	65
58.0	60
57.5	55
57.0	50
56.5	45
56.0	40
55.5	35
55.0	30
frame stack	47.5

REACH @ back of armrest	REACH @ middle of armrest	bridge position	hole position on bridge (back to front)	hole position on armrest (always row 2)
51.8	58.3	forward	row 7+	row 5
51.0	57.5	forward	row 7	row 5
50.3	56.8	forward	row 6	row 5
49.5	56.0	forward	row 5	row 5
48.8	55.3	forward	row 4	row 5
48.0	54.5	forward	row 3	row 5
47.3	53.8	forward	row 2	row 5
46.5	53.0	forward	row 1	row 5
45.8	52.3	forward	row 7+	row 1
45.0	51.5	forward	row 7	row 1
44.3	50.8	forward	row 6	row 1
43.5	50.0	forward	row 5	row 1
42.8	49.3	forward	row 4	row 1
42.0	48.5	forward	row 3	row 1
41.3	47.8	forward	row 2	row 1
40.5	47.0	forward	row 1	row 1
46.5	53.0	rearward	row 7+	row 5
45.8	52.3	rearward	row 7	row 5
45.0	51.5	rearward	row 6	row 5
44.3	50.8	rearward	row 5	row 5
43.5	50.0	rearward	row 4	row 5
42.8	49.3	rearward	row 3	row 5
42.0	48.5	rearward	row 2	row 5
41.3	47.8	rearward	row 1	row 5
40.5	47.0	rearward	row 7+	row 1
39.8	46.3	rearward	row 7	row 1
39.0	45.5	rearward	row 6	row 1
38.3	44.8	rearward	row 5	row 1
37.5	44.0	rearward	row 4	row 1
36.8	43.3	rearward	row 3	row 1
36.0	42.5	rearward	row 2	row 1
35.3	41.8	rearward	row 1	row 1
frame reach	39.5			

REACH @ shifter (cm)	Zipp Vuka Shift AXS 90	
	minimum length	maximum length
	73.3	85.3

WIDTH @ armrest (cm)	WIDTH @ outside of armrest	WIDTH @ middle of armrest	hole position on bridge (left to right)	hole position on armrest (left to right)
	34	24	column 5	column 1
	32.5	22.5	column 4	column 1
	31	21	column 3	column 1
	30.5	20.5	column 1	column 2
	29.5	19.5	column 2	column 1
	29	19	column 2	column 2
	28	18	column 1	column 1
	27.5	17.5	column 3	column 2
	27	17	column 1	column 3
	26.5	16.5	column 4	column 2
	25.5	15.5	column 2	column 3
	24.5	14.5	column 1	column 2
	24	14	column 3	column 3
	22.5	12.5	column 4	column 3
21	11	column 5	column 3	

Medium frame,
Zipp Vuka Shift AXS 90 extensions
Profile Design Ergo+ armrests



STACK @ top of armrest (cm)	desired STACK (cm)	pedestal stack (mm)
	66.5	125
	66.0	120
	65.5	115
	65.0	110
	64.5	105
	64.0	100
	63.5	95
	63.0	90
	62.5	85
	62.0	80
	61.5	75
	61.0	70
	60.5	65
	60.0	60
	59.5	55
	59.0	50
	58.5	45
	58.0	40
	57.5	35
	57.0	30
frame stack	49.5	

REACH @ armrest (cm)	REACH @ back of armrest	REACH @ middle of armrest	bridge position	hole position on bridge (back to front)	hole position on armrest (always row 2)
	54.3	60.8	forward	row 7+	row 5
	53.5	60.0	forward	row 7	row 5
	52.8	59.3	forward	row 6	row 5
	52.0	58.5	forward	row 5	row 5
	51.3	57.8	forward	row 4	row 5
	50.5	57.0	forward	row 3	row 5
	49.8	56.3	forward	row 2	row 5
	49.0	55.5	forward	row 1	row 5
	48.3	54.8	forward	row 7+	row 1
	47.5	54.0	forward	row 7	row 1
	46.8	53.3	forward	row 6	row 1
	46.0	52.5	forward	row 5	row 1
	45.3	51.8	forward	row 4	row 1
	44.5	51.0	forward	row 3	row 1
	43.8	50.3	forward	row 2	row 1
	43.0	49.5	forward	row 1	row 1
	49.0	55.5	rearward	row 7+	row 5
	48.3	54.8	rearward	row 7	row 5
	47.5	54.0	rearward	row 6	row 5
	46.8	53.3	rearward	row 5	row 5
	46.0	52.5	rearward	row 4	row 5
	45.3	51.8	rearward	row 3	row 5
	44.5	51.0	rearward	row 2	row 5
	43.8	50.3	rearward	row 1	row 5
	43.0	49.5	rearward	row 7+	row 1
	42.3	48.8	rearward	row 7	row 1
	41.5	48.0	rearward	row 6	row 1
	40.8	47.3	rearward	row 5	row 1
	40.0	46.5	rearward	row 4	row 1
	39.3	45.8	rearward	row 3	row 1
	38.5	45.0	rearward	row 2	row 1
	37.8	44.3	rearward	row 1	row 1
frame reach	42.0				

REACH @ shifter (cm)	Zipp Vuka Shift AXS 90	
	minimum length	maximum length
	75.8	87.8

WIDTH @ armrest (cm)	WIDTH @ outside of armrest	WIDTH @ middle of armrest	hole position on bridge (left to right)	hole position on armrest (left to right)
	34	24	column 5	column 1
	32.5	22.5	column 4	column 1
	31	21	column 3	column 1
	30.5	20.5	column 1	column 2
	29.5	19.5	column 2	column 1
	29	19	column 2	column 2
	28	18	column 1	column 1
	27.5	17.5	column 3	column 2
	27	17	column 1	column 3
	26.5	16.5	column 4	column 2
	25.5	15.5	column 2	column 3
	24.5	14.5	column 1	column 2
	24	14	column 3	column 3
	22.5	12.5	column 4	column 3
21	11	column 5	column 3	

Large frame,
Zipp Vuka Shift AXS 90 extensions
Profile Design Ergo+ armrests



STACK @ top of armrest (cm)	desired STACK (cm)	pedestal stack (mm)
	70.5	125
	70.0	120
	69.5	115
	69.0	110
	68.5	105
	68.0	100
	67.5	95
	67.0	90
	66.5	85
	66.0	80
	65.5	75
	65.0	70
	64.5	65
	64.0	60
	63.5	55
63.0	50	
62.5	45	
62.0	40	
61.5	35	
61.0	30	
frame stack	53.5	

REACH @ armrest (cm)	REACH @ back of armrest	REACH @ middle of armrest	bridge position	hole position on bridge (back to front)	hole position on armrest (always row 2)
	56.6	63.1	forward	row 7+	row 5
	55.8	62.3	forward	row 7	row 5
	55.1	61.6	forward	row 6	row 5
	54.3	60.8	forward	row 5	row 5
	53.6	60.1	forward	row 4	row 5
	52.8	59.3	forward	row 3	row 5
	52.1	58.6	forward	row 2	row 5
	51.3	57.8	forward	row 1	row 5
	50.6	57.1	forward	row 7+	row 1
	49.8	56.3	forward	row 7	row 1
	49.1	55.6	forward	row 6	row 1
	48.3	54.8	forward	row 5	row 1
	47.6	54.1	forward	row 4	row 1
	46.8	53.3	forward	row 3	row 1
	46.1	52.6	forward	row 2	row 1
	45.3	51.8	forward	row 1	row 1
	51.3	57.8	rearward	row 7+	row 5
	50.6	57.1	rearward	row 7	row 5
	49.8	56.3	rearward	row 6	row 5
	49.1	55.6	rearward	row 5	row 5
	48.3	54.8	rearward	row 4	row 5
	47.6	54.1	rearward	row 3	row 5
	46.8	53.3	rearward	row 2	row 5
	46.1	52.6	rearward	row 1	row 5
	45.3	51.8	rearward	row 7+	row 1
	44.6	51.1	rearward	row 7	row 1
	43.8	50.3	rearward	row 6	row 1
	43.1	49.6	rearward	row 5	row 1
	42.3	48.8	rearward	row 4	row 1
41.6	48.1	rearward	row 3	row 1	
40.8	47.3	rearward	row 2	row 1	
40.1	46.6	rearward	row 1	row 1	
frame reach	44.3				

REACH @ shifter (cm)	Zipp Vuka Shift AXS 90	
	minimum length	maximum length
	78.1	90.1

WIDTH @ armrest (cm)	WIDTH @ outside of armrest	WIDTH @ middle of armrest	hole position on bridge (left to right)	hole position on armrest (left to right)
	34	24	column 5	column 1
	32.5	22.5	column 4	column 1
	31	21	column 3	column 1
	30.5	20.5	column 1	column 2
	29.5	19.5	column 2	column 1
	29	19	column 2	column 2
	28	18	column 1	column 1
	27.5	17.5	column 3	column 2
	27	17	column 1	column 3
	26.5	16.5	column 4	column 2
	25.5	15.5	column 2	column 3
	24.5	14.5	column 1	column 2
	24	14	column 3	column 3
	22.5	12.5	column 4	column 3
	21	11	column 5	column 3