

48cm X-PR

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
		56.0	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3			66.8	67.3	3.0	38.7	39.4	40.2	40.9	41.7	42.4			43.2	43.9
55.5	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	2.5	38.8	39.6	40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	47.3			
55.0	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	2.0	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.7	47.5			
54.6	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	1.5	39.1	39.9	40.6	41.4	42.1	42.9	43.6	44.4	45.1	45.9	47.6			
54.1	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	1.0	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	47.8			
53.6	59.5	60.0	60.5	61.0	61.5	62.0	62.5	63.0	63.5	64.0	64.5	65.0	0.5	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	47.9			
53.1	59.0	59.5	60.0	60.5	61.0	61.5	62.0	62.5	63.0	63.5	64.0	64.5	0.0	39.6	40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	46.3	48.1			
56.0	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	3.0	36.7	37.4	38.2	38.9	39.7	40.4	41.2	41.9	42.7	43.4	45.2			
55.5	61.3	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	2.5	36.8	37.6	38.3	39.1	39.8	40.6	41.3	42.1	42.8	43.6	45.3			
55.0	60.8	61.3	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	2.0	37.0	37.7	38.5	39.2	40.0	40.7	41.5	42.2	43.0	43.7	45.5			
54.5	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	1.5	37.1	37.9	38.6	39.4	40.1	40.9	41.6	42.4	43.1	43.9	45.6			
54.0	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	1.0	37.3	38.0	38.8	39.5	40.3	41.0	41.8	42.5	43.3	44.0	45.8			
53.6	59.4	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	0.5	37.4	38.2	38.9	39.7	40.4	41.2	41.9	42.7	43.4	44.2	45.9			
53.1	58.9	59.4	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	0.0	37.6	38.3	39.1	39.8	40.6	41.3	42.1	42.8	43.6	44.3	46.1			
55.9	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	3.0	34.7	35.4	36.2	36.9	37.7	38.4	39.2	39.9	40.7	41.4	43.2			
55.4	61.3	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	2.5	34.8	35.6	36.3	37.1	37.8	38.6	39.3	40.1	40.8	41.6	43.3			
55.0	60.8	61.3	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	2.0	35.0	35.7	36.5	37.2	38.0	38.7	39.5	40.2	41.0	41.7	43.5			
54.5	60.3	60.8	61.3	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	1.5	35.1	35.9	36.6	37.4	38.1	38.9	39.6	40.4	41.1	41.9	43.6			
54.0	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	1.0	35.3	36.0	36.8	37.5	38.3	39.0	39.8	40.5	41.3	42.0	43.8			
53.5	59.4	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	0.5	35.4	36.2	36.9	37.7	38.4	39.2	39.9	40.7	41.4	42.2	43.9			
53.1	58.9	59.4	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	0.0	35.6	36.3	37.1	37.8	38.6	39.3	40.1	40.8	41.6	42.3	44.1			

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
		61.1	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4			71.9	72.4	3.0	37.0	37.7	38.5	39.2	40.0	40.7			41.5	42.2
60.6	66.5	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	2.5	37.2	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	45.7			
60.1	66.0	66.5	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	2.0	37.3	38.1	38.8	39.6	40.3	41.1	41.8	42.6	43.3	44.1	45.8			
59.7	65.5	66.0	66.5	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	1.5	37.5	38.2	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	46.0			
59.2	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5	1.0	37.6	38.4	39.1	39.9	40.6	41.4	42.1	42.9	43.6	44.4	46.1			
58.7	64.6	65.1	65.6	66.1	66.6	67.1	67.6	68.1	68.6	69.1	69.6	70.1	0.5	37.8	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	46.3			
58.2	64.1	64.6	65.1	65.6	66.1	66.6	67.1	67.6	68.1	68.6	69.1	69.6	0.0	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	46.4			
59.9	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	3.0	35.4	36.1	36.9	37.6	38.4	39.1	39.9	40.6	41.4	42.1	43.9			
59.5	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	2.5	35.5	36.3	37.0	37.8	38.5	39.3	40.0	40.8	41.5	42.3	44.0			
59.0	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	2.0	35.7	36.4	37.2	37.9	38.7	39.4	40.2	40.9	41.7	42.4	44.2			
58.5	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	1.5	35.8	36.6	37.3	38.1	38.8	39.6	40.3	41.1	41.8	42.6	44.3			
58.0	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	1.0	36.0	36.7	37.5	38.2	39.0	39.7	40.5	41.2	42.0	42.7	44.5			
57.6	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	0.5	36.1	36.9	37.6	38.4	39.1	39.9	40.6	41.4	42.1	42.9	44.6			
57.1	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	0.0	36.3	37.0	37.8	38.5	39.3	40.0	40.8	41.5	42.3	43.0	44.8			
58.8	64.6	65.1	65.6	66.1	66.6	67.1	67.6	68.1	68.6	69.1	69.6	70.1	3.0	33.7	34.5	35.2	36.0	36.7	37.5	38.2	39.0	39.7	40.5	42.2			
58.3	64.2	64.7	65.2	65.7	66.2	66.7	67.2	67.7	68.2	68.7	69.2	69.7	2.5	33.9	34.6	35.4	36.1	36.9	37.6	38.4	39.1	39.9	40.6	42.4			
57.8	63.7	64.2	64.7	65.2	65.7	66.2	66.7	67.2	67.7	68.2	68.7	69.2	2.0	34.0	34.8	35.5	36.3	37.0	37.8	38.5	39.3	40.0	40.8	42.5			
57.4	63.2	63.7	64.2	64.7	65.2	65.7	66.2	66.7	67.2	67.7	68.2	68.7	1.5	34.2	34.9	35.7	36.4	37.2	37.9	38.7	39.4	40.2	40.9	42.7			
56.9	62.7	63.2	63.7	64.2	64.7	65.2	65.7	66.2	66.7	67.2	67.7	68.2	1.0	34.3	35.1	35.8	36.6	37.3	38.1	38.8	39.6	40.3	41.1	42.8			
56.4	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	0.5	34.5	35.2	36.0	36.7	37.5	38.2	39.0	39.7	40.5	41.2	43.0			
55.9	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	0.0	34.6	35.4	36.1	36.9	37.6	38.4	39.1	39.9	40.6	41.4	43.1			

* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.

** 45-80mm Riser Kits are available through Profile or your Profile Dealer.

*** Coordinates are reflective of the base stem offered (Profile Design 1/Seventeen) on your new X-PR.

50cm X-PR

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
	58.0	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	110	3.0	39.7	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	48.2	
	57.5	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9		2.5	39.8	40.6	41.3	42.1	42.8	43.6	44.3	45.1	45.8	46.6	48.3	
	57.0	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4		2.0	40.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.7	48.5	
	56.6	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9		1.5	40.1	40.9	41.6	42.4	43.1	43.9	44.6	45.4	46.1	46.9	48.6	
	56.1	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4		1.0	40.3	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	48.8	
	55.6	61.5	62.0	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5	67.0		0.5	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	48.9	
	55.1	61.0	61.5	62.0	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5		0.0	40.6	41.3	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	49.1	
	58.0	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	90	3.0	37.7	38.4	39.2	39.9	40.7	41.4	42.2	42.9	43.7	44.4	46.2	
	57.5	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8		2.5	37.8	38.6	39.3	40.1	40.8	41.6	42.3	43.1	43.8	44.6	46.3	
	57.0	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3		2.0	38.0	38.7	39.5	40.2	41.0	41.7	42.5	43.2	44.0	44.7	46.5	
	56.5	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9		1.5	38.1	38.9	39.6	40.4	41.1	41.9	42.6	43.4	44.1	44.9	46.6	
	56.0	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4		1.0	38.3	39.0	39.8	40.5	41.3	42.0	42.8	43.5	44.3	45.0	46.8	
	55.6	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9		0.5	38.4	39.2	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	46.9	
	55.1	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4		0.0	38.6	39.3	40.1	40.8	41.6	42.3	43.1	43.8	44.6	45.3	47.1	
	57.9	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	70	3.0	35.7	36.4	37.2	37.9	38.7	39.4	40.2	40.9	41.7	42.4	44.2	
	57.4	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8		2.5	35.8	36.6	37.3	38.1	38.8	39.6	40.3	41.1	41.8	42.6	44.3	
	57.0	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3		2.0	36.0	36.7	37.5	38.2	39.0	39.7	40.5	41.2	42.0	42.7	44.5	
	56.5	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8		1.5	36.1	36.9	37.6	38.4	39.1	39.9	40.6	41.4	42.1	42.9	44.6	
	56.0	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4		1.0	36.3	37.0	37.8	38.5	39.3	40.0	40.8	41.5	42.3	43.0	44.8	
	55.5	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9		0.5	36.4	37.2	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	44.9	
	55.1	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4		0.0	36.6	37.3	38.1	38.8	39.6	40.3	41.1	41.8	42.6	43.3	45.1	

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
	63.1	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	110	3.0	38.0	38.7	39.5	40.2	41.0	41.7	42.5	43.2	44.0	44.7	46.5	
	62.6	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0	73.5	74.0		2.5	38.2	38.9	39.7	40.4	41.2	41.9	42.7	43.4	44.2	44.9	46.7	
	62.1	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0	73.5		2.0	38.3	39.1	39.8	40.6	41.3	42.1	42.8	43.6	44.3	45.1	46.8	
	61.7	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0		1.5	38.5	39.2	40.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	47.0	
	61.2	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5		1.0	38.6	39.4	40.1	40.9	41.6	42.4	43.1	43.9	44.6	45.4	47.1	
	60.7	66.6	67.1	67.6	68.1	68.6	69.1	69.6	70.1	70.6	71.1	71.6	72.1		0.5	38.8	39.5	40.3	41.0	41.8	42.5	43.3	44.0	44.8	45.5	47.3	
	60.2	66.1	66.6	67.1	67.6	68.1	68.6	69.1	69.6	70.1	70.6	71.1	71.6		0.0	38.9	39.7	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	47.4	
	61.9	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	90	3.0	36.4	37.1	37.9	38.6	39.4	40.1	40.9	41.6	42.4	43.1	44.9	
	61.5	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8		2.5	36.5	37.3	38.0	38.8	39.5	40.3	41.0	41.8	42.5	43.3	45.0	
	61.0	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3		2.0	36.7	37.4	38.2	38.9	39.7	40.4	41.2	41.9	42.7	43.4	45.2	
	60.5	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9		1.5	36.8	37.6	38.3	39.1	39.8	40.6	41.3	42.1	42.8	43.6	45.3	
	60.0	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4		1.0	37.0	37.7	38.5	39.2	40.0	40.7	41.5	42.2	43.0	43.7	45.5	
	59.6	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9		0.5	37.1	37.9	38.6	39.4	40.1	40.9	41.6	42.4	43.1	43.9	45.6	
	59.1	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4		0.0	37.3	38.0	38.8	39.5	40.3	41.0	41.8	42.5	43.3	44.0	45.8	
	60.8	66.6	67.1	67.6	68.1	68.6	69.1	69.6	70.1	70.6	71.1	71.6	72.1	70	3.0	34.7	35.5	36.2	37.0	37.7	38.5	39.2	40.0	40.7	41.5	43.2	
	60.3	66.2	66.7	67.2	67.7	68.2	68.7	69.2	69.7	70.2	70.7	71.2	71.7		2.5	34.9	35.6	36.4	37.1	37.9	38.6	39.4	40.1	40.9	41.6	43.4	
	59.8	65.7	66.2	66.7	67.2	67.7	68.2	68.7	69.2	69.7	70.2	70.7	71.2		2.0	35.0	35.8	36.5	37.3	38.0	38.8	39.5	40.3	41.0	41.8	43.5	
	59.4	65.2	65.7	66.2	66.7	67.2	67.7	68.2	68.7	69.2	69.7	70.2	70.7		1.5	35.2	35.9	36.7	37.4	38.2	38.9	39.7	40.4	41.2	41.9	43.7	
	58.9	64.7	65.2	65.7	66.2	66.7	67.2	67.7	68.2	68.7	69.2	69.7	70.2		1.0	35.3	36.1	36.8	37.6	38.3	39.1	39.8	40.6	41.3	42.1	43.8	
	58.4	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8		0.5	35.5	36.2	37.0	37.7	38.5	39.2	40.0	40.7	41.5	42.2	44.0	
	57.9	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3		0.0	35.6	36.4	37.1	37.9	38.6	39.4	40.1	40.9	41.6	42.4	44.1	

* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.

** 45-80mm Riser Kits are available through Profile or your Profile Dealer.

*** Coordinates are reflective of the base stem offered (Profile Design 1/Seventeen) on your new X-PR.

52cm X-PR

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
	60.0	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	110	3.0	41.7	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	48.4	50.2	
	59.5	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9		2.5	41.8	42.6	43.3	44.1	44.8	45.6	46.3	47.1	47.8	48.6	50.3	
	59.0	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4		2.0	42.0	42.7	43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.7	50.5	
	58.6	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9		1.5	42.1	42.9	43.6	44.4	45.1	45.9	46.6	47.4	48.1	48.9	50.6	
	58.1	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4		1.0	42.3	43.0	43.8	44.5	45.3	46.0	46.8	47.5	48.3	49.0	50.8	
	57.6	63.5	64.0	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5	69.0		0.5	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	48.4	49.2	50.9	
	57.1	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5		0.0	42.6	43.3	44.1	44.8	45.6	46.3	47.1	47.8	48.6	49.3	51.1	
	60.0	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	90	3.0	39.7	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	48.2	
	59.5	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8		2.5	39.8	40.6	41.3	42.1	42.8	43.6	44.3	45.1	45.8	46.6	48.3	
	59.0	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3		2.0	40.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.7	48.5	
	58.5	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9		1.5	40.1	40.9	41.6	42.4	43.1	43.9	44.6	45.4	46.1	46.9	48.6	
	58.0	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4		1.0	40.3	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	48.8	
	57.6	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9		0.5	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	48.9	
	57.1	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4		0.0	40.6	41.3	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	49.1	
	59.9	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	70	3.0	37.7	38.4	39.2	39.9	40.7	41.4	42.2	42.9	43.7	44.4	46.2	
	59.4	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8		2.5	37.8	38.6	39.3	40.1	40.8	41.6	42.3	43.1	43.8	44.6	46.3	
	59.0	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3		2.0	38.0	38.7	39.5	40.2	41.0	41.7	42.5	43.2	44.0	44.7	46.5	
	58.5	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8		1.5	38.1	38.9	39.6	40.4	41.1	41.9	42.6	43.4	44.1	44.9	46.6	
	58.0	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4		1.0	38.3	39.0	39.8	40.5	41.3	42.0	42.8	43.5	44.3	45.0	46.8	
	57.5	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9		0.5	38.4	39.2	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	46.9	
	57.1	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4		0.0	38.6	39.3	40.1	40.8	41.6	42.3	43.1	43.8	44.6	45.3	47.1	

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
	65.1	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	76.4	110	3.0	40.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.7	48.5	
	64.6	70.5	71.0	71.5	72.0	72.5	73.0	73.5	74.0	74.5	75.0	75.5	76.0		2.5	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	46.9	48.7	
	64.1	70.0	70.5	71.0	71.5	72.0	72.5	73.0	73.5	74.0	74.5	75.0	75.5		2.0	40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	46.3	47.1	48.8	
	63.7	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0	73.5	74.0	74.5	75.0		1.5	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.7	46.5	47.2	49.0	
	63.2	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0	73.5	74.0	74.5		1.0	40.6	41.4	42.1	42.9	43.6	44.4	45.1	45.9	46.6	47.4	49.1	
	62.7	68.6	69.1	69.6	70.1	70.6	71.1	71.6	72.1	72.6	73.1	73.6	74.1		0.5	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	46.8	47.5	49.3	
	62.2	68.1	68.6	69.1	69.6	70.1	70.6	71.1	71.6	72.1	72.6	73.1	73.6		0.0	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	49.4	
	63.9	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	90	3.0	38.4	39.1	39.9	40.6	41.4	42.1	42.9	43.6	44.4	45.1	46.9	
	63.5	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8		2.5	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	47.0	
	63.0	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3		2.0	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	47.2	
	62.5	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9		1.5	38.8	39.6	40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	47.3	
	62.0	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4		1.0	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.7	47.5	
	61.6	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9		0.5	39.1	39.9	40.6	41.4	42.1	42.9	43.6	44.4	45.1	45.9	47.6	
	61.1	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4		0.0	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	47.8	
	62.8	68.6	69.1	69.6	70.1	70.6	71.1	71.6	72.1	72.6	73.1	73.6	74.1	70	3.0	36.7	37.5	38.2	39.0	39.7	40.5	41.2	42.0	42.7	43.5	45.2	
	62.3	68.2	68.7	69.2	69.7	70.2	70.7	71.2	71.7	72.2	72.7	73.2	73.7		2.5	36.9	37.6	38.4	39.1	39.9	40.6	41.4	42.1	42.9	43.6	45.4	
	61.8	67.7	68.2	68.7	69.2	69.7	70.2	70.7	71.2	71.7	72.2	72.7	73.2		2.0	37.0	37.8	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	45.5	
	61.4	67.2	67.7	68.2	68.7	69.2	69.7	70.2	70.7	71.2	71.7	72.2	72.7		1.5	37.2	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	45.7	
	60.9	66.7	67.2	67.7	68.2	68.7	69.2	69.7	70.2	70.7	71.2	71.7	72.2		1.0	37.3	38.1	38.8	39.6	40.3	41.1	41.8	42.6	43.3	44.1	45.8	
	60.4	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8		0.5	37.5	38.2	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	46.0	
	59.9	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3		0.0	37.6	38.4	39.1	39.9	40.6	41.4	42.1	42.9	43.6	44.4	46.1	

* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.

** 45-80mm Riser Kits are available through Profile or your Profile Dealer.

*** Coordinates are reflective of the base stem offered (Profile Design 1/Seventeen) on your new X-PR.

54cm X-PR

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
		62.0	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3			72.8	73.3	110	3.0	43.2	43.9	44.7	45.4	46.2			46.9	47.7
61.5	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	2.5	43.3	44.1	44.8	45.6	46.3	47.1	47.8	48.6	49.3	50.1	51.8			
61.0	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	2.0	43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.7	49.5	50.2	52.0			
60.6	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	1.5	43.6	44.4	45.1	45.9	46.6	47.4	48.1	48.9	49.6	50.4	52.1			
60.1	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	1.0	43.8	44.5	45.3	46.0	46.8	47.5	48.3	49.0	49.8	50.5	52.3			
59.6	65.5	66.0	66.5	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	0.5	43.9	44.7	45.4	46.2	46.9	47.7	48.4	49.2	49.9	50.7	52.4			
59.1	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5	0.0	44.1	44.8	45.6	46.3	47.1	47.8	48.6	49.3	50.1	50.8	52.6			
62.0	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	90	3.0	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	47.9	49.7		
61.5	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	2.5	41.3	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	48.1	49.8			
61.0	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	2.0	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.7	47.5	48.2	50.0			
60.5	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	1.5	41.6	42.4	43.1	43.9	44.6	45.4	46.1	46.9	47.6	48.4	50.1			
60.0	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	1.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	47.8	48.5	50.3			
59.6	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	0.5	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	47.9	48.7	50.4			
59.1	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	0.0	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	48.1	48.8	50.6			
61.9	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	70	3.0	39.2	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	47.7		
61.4	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	2.5	39.3	40.1	40.8	41.6	42.3	43.1	43.8	44.6	45.3	46.1	47.8			
61.0	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	2.0	39.5	40.2	41.0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	48.0			
60.5	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	1.5	39.6	40.4	41.1	41.9	42.6	43.4	44.1	44.9	45.6	46.4	48.1			
60.0	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	1.0	39.8	40.5	41.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	48.3			
59.5	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	0.5	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	48.4			
59.1	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	0.0	40.1	40.8	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	48.6			

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
		67.1	72.9	73.4	73.9	74.4	74.9	75.4	75.9	76.4	76.9	77.4			77.9	78.4	110	3.0	41.5	42.2	43.0	43.7	44.5			45.2	46.0
66.6	72.5	73.0	73.5	74.0	74.5	75.0	75.5	76.0	76.5	77.0	77.5	78.0	2.5	41.7	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	48.4	50.2			
66.1	72.0	72.5	73.0	73.5	74.0	74.5	75.0	75.5	76.0	76.5	77.0	77.5	2.0	41.8	42.6	43.3	44.1	44.8	45.6	46.3	47.1	47.8	48.6	50.3			
65.7	71.5	72.0	72.5	73.0	73.5	74.0	74.5	75.0	75.5	76.0	76.5	77.0	1.5	42.0	42.7	43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.7	50.5			
65.2	71.0	71.5	72.0	72.5	73.0	73.5	74.0	74.5	75.0	75.5	76.0	76.5	1.0	42.1	42.9	43.6	44.4	45.1	45.9	46.6	47.4	48.1	48.9	50.6			
64.7	70.6	71.1	71.6	72.1	72.6	73.1	73.6	74.1	74.6	75.1	75.6	76.1	0.5	42.3	43.0	43.8	44.5	45.3	46.0	46.8	47.5	48.3	49.0	50.8			
64.2	70.1	70.6	71.1	71.6	72.1	72.6	73.1	73.6	74.1	74.6	75.1	75.6	0.0	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	48.4	49.2	50.9			
65.9	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	77.3	90	3.0	39.9	40.6	41.4	42.1	42.9	43.6	44.4	45.1	45.9	46.6	48.4		
65.5	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	2.5	40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	46.8	48.5			
65.0	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	2.0	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	46.9	48.7			
64.5	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	1.5	40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	46.3	47.1	48.8			
64.0	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	1.0	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.7	46.5	47.2	49.0			
63.6	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	0.5	40.6	41.4	42.1	42.9	43.6	44.4	45.1	45.9	46.6	47.4	49.1			
63.1	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	0.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	46.8	47.5	49.3			
64.8	70.6	71.1	71.6	72.1	72.6	73.1	73.6	74.1	74.6	75.1	75.6	76.1	70	3.0	38.2	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	45.0	46.7		
64.3	70.2	70.7	71.2	71.7	72.2	72.7	73.2	73.7	74.2	74.7	75.2	75.7	2.5	38.4	39.1	39.9	40.6	41.4	42.1	42.9	43.6	44.4	45.1	46.9			
63.8	69.7	70.2	70.7	71.2	71.7	72.2	72.7	73.2	73.7	74.2	74.7	75.2	2.0	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	47.0			
63.4	69.2	69.7	70.2	70.7	71.2	71.7	72.2	72.7	73.2	73.7	74.2	74.7	1.5	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	47.2			
62.9	68.7	69.2	69.7	70.2	70.7	71.2	71.7	72.2	72.7	73.2	73.7	74.2	1.0	38.8	39.6	40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	47.3			
62.4	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	0.5	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.7	47.5			
61.9	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	0.0	39.1	39.9	40.6	41.4	42.1	42.9	43.6	44.4	45.1	45.9	47.6			

* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.

** 45-80mm Riser Kits are available through Profile or your Profile Dealer.

*** Coordinates are reflective of the base stem offered (Profile Design 1/Seventeen) on your new X-PR.

56cm X-PR

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
		64.0	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3			74.8	75.3	3.0	44.2	44.9	45.7	46.4	47.2	47.9			48.7	49.4
63.5	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	2.5	44.3	45.1	45.8	46.6	47.3	48.1	48.8	49.6	50.3	51.1	52.8			
63.0	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	2.0	44.5	45.2	46.0	46.7	47.5	48.2	49.0	49.7	50.5	51.2	53.0			
62.6	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	1.5	44.6	45.4	46.1	46.9	47.6	48.4	49.1	49.9	50.6	51.4	53.1			
62.1	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	1.0	44.8	45.5	46.3	47.0	47.8	48.5	49.3	50.0	50.8	51.5	53.3			
61.6	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0	0.5	44.9	45.7	46.4	47.2	47.9	48.7	49.4	50.2	50.9	51.7	53.4			
61.1	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5	0.0	45.1	45.8	46.6	47.3	48.1	48.8	49.6	50.3	51.1	51.8	53.6			
64.0	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	3.0	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	48.2	48.9	50.7			
63.5	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	2.5	42.3	43.1	43.8	44.6	45.3	46.1	46.8	47.6	48.3	49.1	50.8			
63.0	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	2.0	42.5	43.2	44.0	44.7	45.5	46.2	47.0	47.7	48.5	49.2	51.0			
62.5	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	1.5	42.6	43.4	44.1	44.9	45.6	46.4	47.1	47.9	48.6	49.4	51.1			
62.0	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	1.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	48.0	48.8	49.5	51.3			
61.6	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	0.5	42.9	43.7	44.4	45.2	45.9	46.7	47.4	48.2	48.9	49.7	51.4			
61.1	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	0.0	43.1	43.8	44.6	45.3	46.1	46.8	47.6	48.3	49.1	49.8	51.6			
63.9	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	3.0	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	46.9	48.7			
63.4	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	2.5	40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	46.3	47.1	48.8			
63.0	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	2.0	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.7	46.5	47.2	49.0			
62.5	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	1.5	40.6	41.4	42.1	42.9	43.6	44.4	45.1	45.9	46.6	47.4	49.1			
62.0	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	1.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	46.8	47.5	49.3			
61.5	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	0.5	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	49.4			
61.1	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	0.0	41.1	41.8	42.6	43.3	44.1	44.8	45.6	46.3	47.1	47.8	49.6			

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
		69.1	74.9	75.4	75.9	76.4	76.9	77.4	77.9	78.4	78.9	79.4			79.9	80.4	3.0	42.5	43.2	44.0	44.7	45.5	46.2			47.0	47.7
68.6	74.5	75.0	75.5	76.0	76.5	77.0	77.5	78.0	78.5	79.0	79.5	80.0	2.5	42.7	43.4	44.2	44.9	45.7	46.4	47.2	47.9	48.7	49.4	51.2			
68.1	74.0	74.5	75.0	75.5	76.0	76.5	77.0	77.5	78.0	78.5	79.0	79.5	2.0	42.8	43.6	44.3	45.1	45.8	46.6	47.3	48.1	48.8	49.6	51.3			
67.7	73.5	74.0	74.5	75.0	75.5	76.0	76.5	77.0	77.5	78.0	78.5	79.0	1.5	43.0	43.7	44.5	45.2	46.0	46.7	47.5	48.2	49.0	49.7	51.5			
67.2	73.0	73.5	74.0	74.5	75.0	75.5	76.0	76.5	77.0	77.5	78.0	78.5	1.0	43.1	43.9	44.6	45.4	46.1	46.9	47.6	48.4	49.1	49.9	51.6			
66.7	72.6	73.1	73.6	74.1	74.6	75.1	75.6	76.1	76.6	77.1	77.6	78.1	0.5	43.3	44.0	44.8	45.5	46.3	47.0	47.8	48.5	49.3	50.0	51.8			
66.2	72.1	72.6	73.1	73.6	74.1	74.6	75.1	75.6	76.1	76.6	77.1	77.6	0.0	43.4	44.2	44.9	45.7	46.4	47.2	47.9	48.7	49.4	50.2	51.9			
67.9	73.8	74.3	74.8	75.3	75.8	76.3	76.8	77.3	77.8	78.3	78.8	79.3	3.0	40.9	41.6	42.4	43.1	43.9	44.6	45.4	46.1	46.9	47.6	49.4			
67.5	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	77.3	77.8	78.3	78.8	2.5	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	47.8	49.5			
67.0	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	77.3	77.8	78.3	2.0	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	47.9	49.7			
66.5	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	76.4	76.9	77.4	77.9	1.5	41.3	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	48.1	49.8			
66.0	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	76.4	76.9	77.4	1.0	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.7	47.5	48.2	50.0			
65.6	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	76.4	76.9	0.5	41.6	42.4	43.1	43.9	44.6	45.4	46.1	46.9	47.6	48.4	50.1			
65.1	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	76.4	0.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	47.8	48.5	50.3			
66.8	72.6	73.1	73.6	74.1	74.6	75.1	75.6	76.1	76.6	77.1	77.6	78.1	3.0	39.2	40.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	46.0	47.7			
66.3	72.2	72.7	73.2	73.7	74.2	74.7	75.2	75.7	76.2	76.7	77.2	77.7	2.5	39.4	40.1	40.9	41.6	42.4	43.1	43.9	44.6	45.4	46.1	47.9			
65.8	71.7	72.2	72.7	73.2	73.7	74.2	74.7	75.2	75.7	76.2	76.7	77.2	2.0	39.5	40.3	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	48.0			
65.4	71.2	71.7	72.2	72.7	73.2	73.7	74.2	74.7	75.2	75.7	76.2	76.7	1.5	39.7	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	48.2			
64.9	70.7	71.2	71.7	72.2	72.7	73.2	73.7	74.2	74.7	75.2	75.7	76.2	1.0	39.8	40.6	41.3	42.1	42.8	43.6	44.3	45.1	45.8	46.6	48.3			
64.4	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	0.5	40.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.7	48.5			
63.9	69.8	70.3	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	0.0	40.1	40.9	41.6	42.4	43.1	43.9	44.6	45.4	46.1	46.9	48.6			

* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.

** 45-80mm Riser Kits are available through Profile or your Profile Dealer.

*** Coordinates are reflective of the base stem offered (Profile Design 1/Seventeen) on your new X-PR.

58.5cm X-PR

Negative 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
		66.5	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8			77.3	77.8	45.2	45.9	46.7	47.4	48.2	48.9	49.7			50.4	51.2
66.0	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	76.4	76.9	77.4	45.3	46.1	46.8	47.6	48.3	49.1	49.8	50.6	51.3	52.1	53.8				
65.5	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	76.4	76.9	45.5	46.2	47.0	47.7	48.5	49.2	50.0	50.7	51.5	52.2	54.0				
65.1	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	76.4	45.6	46.4	47.1	47.9	48.6	49.4	50.1	50.9	51.6	52.4	54.1				
64.6	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	45.8	46.5	47.3	48.0	48.8	49.5	50.3	51.0	51.8	52.5	54.3				
64.1	70.0	70.5	71.0	71.5	72.0	72.5	73.0	73.5	74.0	74.5	75.0	75.5	45.9	46.7	47.4	48.2	48.9	49.7	50.4	51.2	51.9	52.7	54.4				
63.6	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0	73.5	74.0	74.5	75.0	46.1	46.8	47.6	48.3	49.1	49.8	50.6	51.3	52.1	52.8	54.6				
66.5	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	77.3	77.8	43.2	43.9	44.7	45.4	46.2	46.9	47.7	48.4	49.2	49.9	51.7				
66.0	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	77.3	43.3	44.1	44.8	45.6	46.3	47.1	47.8	48.6	49.3	50.1	51.8				
65.5	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.7	49.5	50.2	52.0				
65.0	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	76.4	43.6	44.4	45.1	45.9	46.6	47.4	48.1	48.9	49.6	50.4	52.1				
64.5	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	43.8	44.5	45.3	46.0	46.8	47.5	48.3	49.0	49.8	50.5	52.3				
64.1	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	43.9	44.7	45.4	46.2	46.9	47.7	48.4	49.2	49.9	50.7	52.4				
63.6	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	44.1	44.8	45.6	46.3	47.1	47.8	48.6	49.3	50.1	50.8	52.6				
66.4	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	77.3	77.8	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	47.9	49.7				
65.9	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	77.3	41.3	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	48.1	49.8				
65.5	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.7	47.5	48.2	50.0				
65.0	70.8	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	41.6	42.4	43.1	43.9	44.6	45.4	46.1	46.9	47.6	48.4	50.1				
64.5	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	75.9	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	47.8	48.5	50.3				
64.0	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	75.4	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	47.9	48.7	50.4				
63.6	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	48.1	48.8	50.6				

Positive 17° Stem Orientation

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)											Stem Length (mm)	Stem Spacer Height	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH		
		0	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5			5.5	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25			-2.50	-1.75
		71.6	77.4	77.9	78.4	78.9	79.4	79.9	80.4	80.9	81.4	81.9			82.4	82.9	43.5	44.2	45.0	45.7	46.5	47.2	48.0			48.7	49.5
71.1	77.0	77.5	78.0	78.5	79.0	79.5	80.0	80.5	81.0	81.5	82.0	82.5	43.7	44.4	45.2	45.9	46.7	47.4	48.2	48.9	49.7	50.4	52.2				
70.6	76.5	77.0	77.5	78.0	78.5	79.0	79.5	80.0	80.5	81.0	81.5	82.0	43.8	44.6	45.3	46.1	46.8	47.6	48.3	49.1	49.8	50.6	52.3				
70.2	76.0	76.5	77.0	77.5	78.0	78.5	79.0	79.5	80.0	80.5	81.0	81.5	44.0	44.7	45.5	46.2	47.0	47.7	48.5	49.2	50.0	50.7	52.5				
69.7	75.5	76.0	76.5	77.0	77.5	78.0	78.5	79.0	79.5	80.0	80.5	81.0	44.1	44.9	45.6	46.4	47.1	47.9	48.6	49.4	50.1	50.9	52.6				
69.2	75.1	75.6	76.1	76.6	77.1	77.6	78.1	78.6	79.1	79.6	80.1	80.6	44.3	45.0	45.8	46.5	47.3	48.0	48.8	49.5	50.3	51.0	52.8				
68.7	74.6	75.1	75.6	76.1	76.6	77.1	77.6	78.1	78.6	79.1	79.6	80.1	44.4	45.2	45.9	46.7	47.4	48.2	48.9	49.7	50.4	51.2	52.9				
70.4	76.3	76.8	77.3	77.8	78.3	78.8	79.3	79.8	80.3	80.8	81.3	81.8	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	47.9	48.6	50.4				
70.0	75.8	76.3	76.8	77.3	77.8	78.3	78.8	79.3	79.8	80.3	80.8	81.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	48.0	48.8	50.5				
69.5	75.3	75.8	76.3	76.8	77.3	77.8	78.3	78.8	79.3	79.8	80.3	80.8	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	48.2	48.9	50.7				
69.0	74.9	75.4	75.9	76.4	76.9	77.4	77.9	78.4	78.9	79.4	79.9	80.4	42.3	43.1	43.8	44.6	45.3	46.1	46.8	47.6	48.3	49.1	50.8				
68.5	74.4	74.9	75.4	75.9	76.4	76.9	77.4	77.9	78.4	78.9	79.4	79.9	42.5	43.2	44.0	44.7	45.5	46.2	47.0	47.7	48.5	49.2	51.0				
68.1	73.9	74.4	74.9	75.4	75.9	76.4	76.9	77.4	77.9	78.4	78.9	79.4	42.6	43.4	44.1	44.9	45.6	46.4	47.1	47.9	48.6	49.4	51.1				
67.6	73.4	73.9	74.4	74.9	75.4	75.9	76.4	76.9	77.4	77.9	78.4	78.9	42.8	43.5	44.3	45.0	45.8	46.5	47.3	48.0	48.8	49.5	51.3				
69.3	75.1	75.6	76.1	76.6	77.1	77.6	78.1	78.6	79.1	79.6	80.1	80.6	40.2	41.0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	47.0	48.7				
68.8	74.7	75.2	75.7	76.2	76.7	77.2	77.7	78.2	78.7	79.2	79.7	80.2	40.4	41.1	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	48.9				
68.3	74.2	74.7	75.2	75.7	76.2	76.7	77.2	77.7	78.2	78.7	79.2	79.7	40.5	41.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	49.0				
67.9	73.7	74.2	74.7	75.2	75.7	76.2	76.7	77.2	77.7	78.2	78.7	79.2	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	49.2				
67.4	73.2	73.7	74.2	74.7	75.2	75.7	76.2	76.7	77.2	77.7	78.2	78.7	40.8	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	47.6	49.3				
66.9	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	77.3	77.8	78.3	41.0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	47.0	47.7	49.5				
66.4	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	76.8	77.3	77.8	41.1	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	47.9	49.6				

* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.

** 45-80mm Riser Kits are available through Profile or your Profile Dealer.

*** Coordinates are reflective of the base stem offered (Profile Design 1/Seventeen) on your new X-PR.