

**X-PR** **48cm**  
Fit Coordinates

**Negative 17° Stem Orientation**

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)									Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH	
		0	0.5	1	1.5	2	2.5	3	3.5	4			-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50			-1.75
		53.1	59.0	59.5	60.0	60.5	61.0	61.5	62.0	62.5			63.0	110	3.0	39.1	39.9	40.6	41.4	42.1	42.9			43.6
52.6	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0	62.5	2.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	47.8			
52.2	58.0	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0	2.0	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	47.9			
51.7	57.5	58.0	58.5	59.0	59.5	60.0	60.5	61.0	61.5	1.5	39.6	40.4	41.1	41.9	42.6	43.4	44.1	44.9	45.6	46.4	48.1			
51.2	57.1	57.6	58.1	58.6	59.1	59.6	60.1	60.6	61.1	1.0	39.8	40.5	41.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	48.3			
50.7	56.6	57.1	57.6	58.1	58.6	59.1	59.6	60.1	60.6	0.5	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	48.4			
50.3	56.1	56.6	57.1	57.6	58.1	58.6	59.1	59.6	60.1	0.0	40.1	40.8	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	48.6			
53.1	58.9	59.4	59.9	60.4	60.9	61.4	61.9	62.4	62.9	90	3.0	37.1	37.9	38.6	39.4	40.1	40.9	41.6	42.4	43.1	43.9	45.6		
52.6	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0	62.5	2.5	37.3	38.0	38.8	39.5	40.3	41.0	41.8	42.5	43.3	44.0	45.8			
52.1	58.0	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0	2.0	37.4	38.2	38.9	39.7	40.4	41.2	41.9	42.7	43.4	44.2	45.9			
51.7	57.5	58.0	58.5	59.0	59.5	60.0	60.5	61.0	61.5	1.5	37.6	38.3	39.1	39.8	40.6	41.3	42.1	42.8	43.6	44.3	46.1			
51.2	57.0	57.5	58.0	58.5	59.0	59.5	60.0	60.5	61.0	1.0	37.8	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	46.3			
50.7	56.6	57.1	57.6	58.1	58.6	59.1	59.6	60.1	60.6	0.5	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	46.4			
50.2	56.1	56.6	57.1	57.6	58.1	58.6	59.1	59.6	60.1	0.0	38.1	38.8	39.6	40.3	41.1	41.8	42.6	43.3	44.1	44.8	46.6			
53.1	58.9	59.4	59.9	60.4	60.9	61.4	61.9	62.4	62.9	70	3.0	35.1	35.9	36.6	37.4	38.1	38.9	39.6	40.4	41.1	41.9	43.6		
52.6	58.4	58.9	59.4	59.9	60.4	60.9	61.4	61.9	62.4	2.5	35.3	36.0	36.8	37.5	38.3	39.0	39.8	40.5	41.3	42.0	43.8			
52.1	58.0	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0	2.0	35.4	36.2	36.9	37.7	38.4	39.2	39.9	40.7	41.4	42.2	43.9			
51.6	57.5	58.0	58.5	59.0	59.5	60.0	60.5	61.0	61.5	1.5	35.6	36.3	37.1	37.8	38.6	39.3	40.1	40.8	41.6	42.3	44.1			
51.2	57.0	57.5	58.0	58.5	59.0	59.5	60.0	60.5	61.0	1.0	35.8	36.5	37.3	38.0	38.8	39.5	40.3	41.0	41.8	42.5	44.3			
50.7	56.5	57.0	57.5	58.0	58.5	59.0	59.5	60.0	60.5	0.5	35.9	36.7	37.4	38.2	38.9	39.7	40.4	41.2	41.9	42.7	44.4			
50.2	56.0	56.5	57.0	57.5	58.0	58.5	59.0	59.5	60.0	0.0	36.1	36.8	37.6	38.3	39.1	39.8	40.6	41.3	42.1	42.8	44.6			

**X-PR** **48cm**  
Fit Coordinates

**Positive 17° Stem Orientation**

	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)									Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)									Bar Center (cm)		
		0	0.5	1	1.5	2	2.5	3	3.5	4			-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50			-1.75
STACK	58.2	64.1	64.6	65.1	65.6	66.1	66.6	67.1	67.6	68.1	110	3.0	37.5	38.2	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	46.0	REACH
	57.8	63.6	64.1	64.6	65.1	65.6	66.1	66.6	67.1	67.6		2.5	37.6	38.4	39.1	39.9	40.6	41.4	42.1	42.9	43.6	44.4	46.1	
	57.3	63.1	63.6	64.1	64.6	65.1	65.6	66.1	66.6	67.1		2.0	37.8	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	46.3	
	56.8	62.7	63.2	63.7	64.2	64.7	65.2	65.7	66.2	66.7		1.5	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	46.4	
	56.3	62.2	62.7	63.2	63.7	64.2	64.7	65.2	65.7	66.2		1.0	38.1	38.8	39.6	40.3	41.1	41.8	42.6	43.3	44.1	44.8	46.6	
	55.9	61.7	62.2	62.7	63.2	63.7	64.2	64.7	65.2	65.7		0.5	38.3	39.0	39.8	40.5	41.3	42.0	42.8	43.5	44.3	45.0	46.8	
	55.4	61.2	61.7	62.2	62.7	63.2	63.7	64.2	64.7	65.2		0.0	38.4	39.2	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	46.9	
	57.1	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	90	3.0	35.8	36.6	37.3	38.1	38.8	39.6	40.3	41.1	41.8	42.6	44.3	
	56.6	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5		2.5	36.0	36.7	37.5	38.2	39.0	39.7	40.5	41.2	42.0	42.7	44.5	
	56.1	62.0	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0		2.0	36.1	36.9	37.6	38.4	39.1	39.9	40.6	41.4	42.1	42.9	44.6	
	55.7	61.5	62.0	62.5	63.0	63.5	64.0	64.5	65.0	65.5		1.5	36.3	37.0	37.8	38.5	39.3	40.0	40.8	41.5	42.3	43.0	44.8	
	55.2	61.0	61.5	62.0	62.5	63.0	63.5	64.0	64.5	65.0		1.0	36.5	37.2	38.0	38.7	39.5	40.2	41.0	41.7	42.5	43.2	45.0	
	54.7	60.6	61.1	61.6	62.1	62.6	63.1	63.6	64.1	64.6		0.5	36.6	37.4	38.1	38.9	39.6	40.4	41.1	41.9	42.6	43.4	45.1	
	54.2	60.1	60.6	61.1	61.6	62.1	62.6	63.1	63.6	64.1		0.0	36.8	37.5	38.3	39.0	39.8	40.5	41.3	42.0	42.8	43.5	45.3	
	55.9	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	70	3.0	34.2	34.9	35.7	36.4	37.2	37.9	38.7	39.4	40.2	40.9	42.7	
	55.5	61.3	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3		2.5	34.4	35.1	35.9	36.6	37.4	38.1	38.9	39.6	40.4	41.1	42.9	
	55.0	60.8	61.3	61.8	62.3	62.8	63.3	63.8	64.3	64.8		2.0	34.5	35.3	36.0	36.8	37.5	38.3	39.0	39.8	40.5	41.3	43.0	
	54.5	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4		1.5	34.7	35.4	36.2	36.9	37.7	38.4	39.2	39.9	40.7	41.4	43.2	
54.0	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	1.0		34.8	35.6	36.3	37.1	37.8	38.6	39.3	40.1	40.8	41.6	43.3		
53.6	59.4	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4	0.5		35.0	35.7	36.5	37.2	38.0	38.7	39.5	40.2	41.0	41.7	43.5		
53.1	58.9	59.4	59.9	60.4	60.9	61.4	61.9	62.4	62.9	0.0		35.1	35.9	36.6	37.4	38.1	38.9	39.6	40.4	41.1	41.9	43.6		

\* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.  
 \*\* 45-75mm Riser Kits are available through Profile or your Profile Dealer.  
 \*\*\* Coordinates are reflective of the base stem offered (**Profile Design 1/Seventeen**) on your new X-PR.

**X-PR** **50cm**  
Fit Coordinates

**Negative 17° Stem Orientation**

	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)									Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)									Bar Center (cm)		
		0	0.5	1	1.5	2	2.5	3	3.5	4			-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50		-1.75	
STACK	55.1	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	110	3.0	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	48.4	REACH
	54.6	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4		2.5	40.1	40.8	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	48.6	
	54.1	60.0	60.5	61.0	61.5	62.0	62.5	63.0	63.5	64.0		2.0	40.2	41.0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	47.0	48.7	
	53.6	59.5	60.0	60.5	61.0	61.5	62.0	62.5	63.0	63.5		1.5	40.4	41.1	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	48.9	
	53.2	59.0	59.5	60.0	60.5	61.0	61.5	62.0	62.5	63.0		1.0	40.5	41.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	49.0	
	52.7	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0	62.5		0.5	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	49.2	
	52.2	58.0	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0		0.0	40.8	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	47.6	49.3	
	55.0	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	90	3.0	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	46.4	
	54.5	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4		2.5	38.1	38.8	39.6	40.3	41.1	41.8	42.6	43.3	44.1	44.8	46.6	
	54.1	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9		2.0	38.2	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	45.0	46.7	
	53.6	59.4	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4		1.5	38.4	39.1	39.9	40.6	41.4	42.1	42.9	43.6	44.4	45.1	46.9	
	53.1	59.0	59.5	60.0	60.5	61.0	61.5	62.0	62.5	63.0		1.0	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	47.0	
	52.6	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0	62.5		0.5	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	47.2	
	52.2	58.0	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0		0.0	38.8	39.6	40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	47.3	
	55.0	60.8	61.3	61.8	62.3	62.8	63.3	63.8	64.3	64.8	70	3.0	35.9	36.7	37.4	38.2	38.9	39.7	40.4	41.2	41.9	42.7	44.4	
	54.5	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4		2.5	36.1	36.8	37.6	38.3	39.1	39.8	40.6	41.3	42.1	42.8	44.6	
	54.0	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4	63.9		2.0	36.2	37.0	37.7	38.5	39.2	40.0	40.7	41.5	42.2	43.0	44.7	
	53.6	59.4	59.9	60.4	60.9	61.4	61.9	62.4	62.9	63.4		1.5	36.4	37.1	37.9	38.6	39.4	40.1	40.9	41.6	42.4	43.1	44.9	
	53.1	58.9	59.4	59.9	60.4	60.9	61.4	61.9	62.4	62.9		1.0	36.5	37.3	38.0	38.8	39.5	40.3	41.0	41.8	42.5	43.3	45.0	
	52.6	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0	62.5		0.5	36.7	37.4	38.2	38.9	39.7	40.4	41.2	41.9	42.7	43.4	45.2	
	52.1	58.0	58.5	59.0	59.5	60.0	60.5	61.0	61.5	62.0		0.0	36.8	37.6	38.3	39.1	39.8	40.6	41.3	42.1	42.8	43.6	45.3	

**X-PR 50cm**

Fit Coordinates

**Positive 17° Stem Orientation**

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)									Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH	
		0	0.5	1	1.5	2	2.5	3	3.5	4			-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50			-1.75
		60.2	66.0	66.5	67.0	67.5	68.0	68.5	69.0	69.5			70.0	110	3.0	38.3	39.0	39.8	40.5	41.3	42.0			42.8
59.7	65.5	66.0	66.5	67.0	67.5	68.0	68.5	69.0	69.5	2.5	38.4	39.2	39.9		40.7	41.4	42.2	42.9	43.7	44.4	45.2	46.9		
59.2	65.1	65.6	66.1	66.6	67.1	67.6	68.1	68.6	69.1	2.0	38.6	39.3	40.1		40.8	41.6	42.3	43.1	43.8	44.6	45.3	47.1		
58.7	64.6	65.1	65.6	66.1	66.6	67.1	67.6	68.1	68.6	1.5	38.7	39.5	40.2		41.0	41.7	42.5	43.2	44.0	44.7	45.5	47.2		
58.3	64.1	64.6	65.1	65.6	66.1	66.6	67.1	67.6	68.1	1.0	38.9	39.6	40.4		41.1	41.9	42.6	43.4	44.1	44.9	45.6	47.4		
57.8	63.6	64.1	64.6	65.1	65.6	66.1	66.6	67.1	67.6	0.5	39.0	39.8	40.5		41.3	42.0	42.8	43.5	44.3	45.0	45.8	47.5		
57.3	63.2	63.7	64.2	64.7	65.2	65.7	66.2	66.7	67.2	0.0	39.2	39.9	40.7		41.4	42.2	42.9	43.7	44.4	45.2	45.9	47.7		
59.0	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	90	3.0	36.6	37.4	38.1	38.9	39.6	40.4	41.1	41.9	42.6	43.4	45.1		
58.5	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4		2.5	36.8	37.5	38.3	39.0	39.8	40.5	41.3	42.0	42.8	43.5	45.3		
58.1	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9		2.0	36.9	37.7	38.4	39.2	39.9	40.7	41.4	42.2	42.9	43.7	45.4		
57.6	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4		1.5	37.1	37.8	38.6	39.3	40.1	40.8	41.6	42.3	43.1	43.8	45.6		
57.1	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5	67.0		1.0	37.2	38.0	38.7	39.5	40.2	41.0	41.7	42.5	43.2	44.0	45.7		
56.6	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5		0.5	37.4	38.1	38.9	39.6	40.4	41.1	41.9	42.6	43.4	44.1	45.9		
56.2	62.0	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0		0.0	37.5	38.3	39.0	39.8	40.5	41.3	42.0	42.8	43.5	44.3	46.0		
57.9	63.7	64.2	64.7	65.2	65.7	66.2	66.7	67.2	67.7	70	3.0	35.0	35.7	36.5	37.2	38.0	38.7	39.5	40.2	41.0	41.7	43.5		
57.4	63.2	63.7	64.2	64.7	65.2	65.7	66.2	66.7	67.2		2.5	35.1	35.9	36.6	37.4	38.1	38.9	39.6	40.4	41.1	41.9	43.6		
56.9	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8		2.0	35.3	36.0	36.8	37.5	38.3	39.0	39.8	40.5	41.3	42.0	43.8		
56.4	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3		1.5	35.4	36.2	36.9	37.7	38.4	39.2	39.9	40.7	41.4	42.2	43.9		
56.0	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3	65.8		1.0	35.6	36.3	37.1	37.8	38.6	39.3	40.1	40.8	41.6	42.3	44.1		
55.5	61.3	61.8	62.3	62.8	63.3	63.8	64.3	64.8	65.3		0.5	35.8	36.5	37.3	38.0	38.8	39.5	40.3	41.0	41.8	42.5	44.3		
55.0	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9		0.0	35.9	36.7	37.4	38.2	38.9	39.7	40.4	41.2	41.9	42.7	44.4		

\* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.  
 \*\* 45-75mm Riser Kits are available through Profile or your Profile Dealer.  
 \*\*\* Coordinates are reflective of the base stem offered (**Profile Design 1/Seventeen**) on your new X-PR.



**X-PR** **52cm**  
Fit Coordinates

**Negative 17° Stem Orientation**

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)									Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH	
		0	0.5	1	1.5	2	2.5	3	3.5	4			-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50			-1.75
		57.1	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4			66.9	110	3.0	41.9	42.7	43.4	44.2	44.9	45.7			46.4
56.6	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	2.5	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	48.1	48.8	50.6			
56.1	62.0	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0	2.0	42.2	43.0	43.7	44.5	45.2	46.0	46.7	47.5	48.2	49.0	50.7			
55.6	61.5	62.0	62.5	63.0	63.5	64.0	64.5	65.0	65.5	1.5	42.4	43.1	43.9	44.6	45.4	46.1	46.9	47.6	48.4	49.1	50.9			
55.2	61.0	61.5	62.0	62.5	63.0	63.5	64.0	64.5	65.0	1.0	42.5	43.3	44.0	44.8	45.5	46.3	47.0	47.8	48.5	49.3	51.0			
54.7	60.5	61.0	61.5	62.0	62.5	63.0	63.5	64.0	64.5	0.5	42.7	43.4	44.2	44.9	45.7	46.4	47.2	47.9	48.7	49.4	51.2			
54.2	60.0	60.5	61.0	61.5	62.0	62.5	63.0	63.5	64.0	0.0	42.8	43.6	44.3	45.1	45.8	46.6	47.3	48.1	48.8	49.6	51.3			
57.0	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	90	3.0	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	48.4		
56.5	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	2.5	40.1	40.8	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	48.6			
56.1	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	2.0	40.2	41.0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	47.0	48.7			
55.6	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	1.5	40.4	41.1	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	48.9			
55.1	61.0	61.5	62.0	62.5	63.0	63.5	64.0	64.5	65.0	1.0	40.5	41.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	49.0			
54.6	60.5	61.0	61.5	62.0	62.5	63.0	63.5	64.0	64.5	0.5	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	49.2			
54.2	60.0	60.5	61.0	61.5	62.0	62.5	63.0	63.5	64.0	0.0	40.8	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	47.6	49.3			
57.0	62.8	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	70	3.0	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	46.4		
56.5	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	2.5	38.1	38.8	39.6	40.3	41.1	41.8	42.6	43.3	44.1	44.8	46.6			
56.0	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	65.9	2.0	38.2	39.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	45.0	46.7			
55.6	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	65.4	1.5	38.4	39.1	39.9	40.6	41.4	42.1	42.9	43.6	44.4	45.1	46.9			
55.1	60.9	61.4	61.9	62.4	62.9	63.4	63.9	64.4	64.9	1.0	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	47.0			
54.6	60.5	61.0	61.5	62.0	62.5	63.0	63.5	64.0	64.5	0.5	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	47.2			
54.1	60.0	60.5	61.0	61.5	62.0	62.5	63.0	63.5	64.0	0.0	38.8	39.6	40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	47.3			

**Positive 17° Stem Orientation**

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)								Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH			
		0	0.5	1	1.5	2	2.5	3	3.5			4	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00			-3.25	-2.50	-1.75
		62.2	68.0	68.5	69.0	69.5	70.0	70.5	71.0			71.5	72.0	110	3.0	40.3	41.0	41.8	42.5			43.3	44.0	44.8
61.7	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	2.5	40.4	41.2	41.9		42.7	43.4	44.2	44.9	45.7	46.4	47.2	48.9		
61.2	67.1	67.6	68.1	68.6	69.1	69.6	70.1	70.6	71.1	2.0	40.6	41.3	42.1		42.8	43.6	44.3	45.1	45.8	46.6	47.3	49.1		
60.7	66.6	67.1	67.6	68.1	68.6	69.1	69.6	70.1	70.6	1.5	40.7	41.5	42.2		43.0	43.7	44.5	45.2	46.0	46.7	47.5	49.2		
60.3	66.1	66.6	67.1	67.6	68.1	68.6	69.1	69.6	70.1	1.0	40.9	41.6	42.4		43.1	43.9	44.6	45.4	46.1	46.9	47.6	49.4		
59.8	65.6	66.1	66.6	67.1	67.6	68.1	68.6	69.1	69.6	0.5	41.0	41.8	42.5		43.3	44.0	44.8	45.5	46.3	47.0	47.8	49.5		
59.3	65.2	65.7	66.2	66.7	67.2	67.7	68.2	68.7	69.2	0.0	41.2	41.9	42.7		43.4	44.2	44.9	45.7	46.4	47.2	47.9	49.7		
61.0	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	90	3.0	38.6	39.4	40.1	40.9	41.6	42.4	43.1	43.9	44.6	45.4	47.1		
60.5	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4		2.5	38.8	39.5	40.3	41.0	41.8	42.5	43.3	44.0	44.8	45.5	47.3		
60.1	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9		2.0	38.9	39.7	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	47.4		
59.6	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4		1.5	39.1	39.8	40.6	41.3	42.1	42.8	43.6	44.3	45.1	45.8	47.6		
59.1	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5	69.0		1.0	39.2	40.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	46.0	47.7		
58.6	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5		0.5	39.4	40.1	40.9	41.6	42.4	43.1	43.9	44.6	45.4	46.1	47.9		
58.2	64.0	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0		0.0	39.5	40.3	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	48.0		
59.9	65.7	66.2	66.7	67.2	67.7	68.2	68.7	69.2	69.7	70	3.0	37.0	37.7	38.5	39.2	40.0	40.7	41.5	42.2	43.0	43.7	45.5		
59.4	65.2	65.7	66.2	66.7	67.2	67.7	68.2	68.7	69.2		2.5	37.1	37.9	38.6	39.4	40.1	40.9	41.6	42.4	43.1	43.9	45.6		
58.9	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8		2.0	37.3	38.0	38.8	39.5	40.3	41.0	41.8	42.5	43.3	44.0	45.8		
58.4	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3		1.5	37.4	38.2	38.9	39.7	40.4	41.2	41.9	42.7	43.4	44.2	45.9		
58.0	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3	67.8		1.0	37.6	38.3	39.1	39.8	40.6	41.3	42.1	42.8	43.6	44.3	46.1		
57.5	63.3	63.8	64.3	64.8	65.3	65.8	66.3	66.8	67.3		0.5	37.8	38.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	46.3		
57.0	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9		0.0	37.9	38.7	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	46.4		

\* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.  
 \*\* 45-75mm Riser Kits are available through Profile or your Profile Dealer.  
 \*\*\* Coordinates are reflective of the base stem offered (**Profile Design 1/Seventeen**) on your new X-PR.

**X-PR** **54cm**  
Fit Coordinates

**Negative 17° Stem Orientation**

	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)								Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)				
		0	0.5	1	1.5	2	2.5	3	3.5			4	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00			-3.25	-2.50	-1.75
STACK	59.1	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	110	3.0	43.4	44.2	44.9	45.7	46.4	47.2	47.9	48.7	49.4	50.2	51.9	REACH
	58.6	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4		2.5	43.6	44.3	45.1	45.8	46.6	47.3	48.1	48.8	49.6	50.3	52.1	
	58.1	64.0	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0		2.0	43.7	44.5	45.2	46.0	46.7	47.5	48.2	49.0	49.7	50.5	52.2	
	57.6	63.5	64.0	64.5	65.0	65.5	66.0	66.5	67.0	67.5		1.5	43.9	44.6	45.4	46.1	46.9	47.6	48.4	49.1	49.9	50.6	52.4	
	57.2	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5	67.0		1.0	44.0	44.8	45.5	46.3	47.0	47.8	48.5	49.3	50.0	50.8	52.5	
	56.7	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5		0.5	44.2	44.9	45.7	46.4	47.2	47.9	48.7	49.4	50.2	50.9	52.7	
	56.2	62.0	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0		0.0	44.3	45.1	45.8	46.6	47.3	48.1	48.8	49.6	50.3	51.1	52.8	
	59.0	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	90	3.0	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	48.2	49.9	
	58.5	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4		2.5	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	47.6	48.3	50.1	
	58.1	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9		2.0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	47.0	47.7	48.5	50.2	
	57.6	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4		1.5	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	47.9	48.6	50.4	
	57.1	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5	67.0		1.0	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	48.0	48.8	50.5	
	56.6	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5		0.5	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	48.2	48.9	50.7	
	56.2	62.0	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0		0.0	42.3	43.1	43.8	44.6	45.3	46.1	46.8	47.6	48.3	49.1	50.8	
	59.0	64.8	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	70	3.0	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	47.9	
	58.5	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4		2.5	39.6	40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	46.3	48.1	
	58.0	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	67.9		2.0	39.7	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.7	46.5	48.2	
57.6	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	67.4	1.5		39.9	40.6	41.4	42.1	42.9	43.6	44.4	45.1	45.9	46.6	48.4		
57.1	62.9	63.4	63.9	64.4	64.9	65.4	65.9	66.4	66.9	1.0		40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	46.8	48.5		
56.6	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0	66.5	0.5		40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	46.9	48.7		
56.1	62.0	62.5	63.0	63.5	64.0	64.5	65.0	65.5	66.0	0.0		40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	46.3	47.1	48.8		

**Positive 17° Stem Orientation**

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)								Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH			
		0	0.5	1	1.5	2	2.5	3	3.5			4	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00			-3.25	-2.50	-1.75
		64.2	70.0	70.5	71.0	71.5	72.0	72.5	73.0			73.5	74.0	110	3.0	41.8	42.5	43.3	44.0			44.8	45.5	46.3
63.7	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0	73.5	2.5	41.9	42.7	43.4		44.2	44.9	45.7	46.4	47.2	47.9	48.7	50.4		
63.2	69.1	69.6	70.1	70.6	71.1	71.6	72.1	72.6	73.1	2.0	42.1	42.8	43.6		44.3	45.1	45.8	46.6	47.3	48.1	48.8	50.6		
62.7	68.6	69.1	69.6	70.1	70.6	71.1	71.6	72.1	72.6	1.5	42.2	43.0	43.7		44.5	45.2	46.0	46.7	47.5	48.2	49.0	50.7		
62.3	68.1	68.6	69.1	69.6	70.1	70.6	71.1	71.6	72.1	1.0	42.4	43.1	43.9		44.6	45.4	46.1	46.9	47.6	48.4	49.1	50.9		
61.8	67.6	68.1	68.6	69.1	69.6	70.1	70.6	71.1	71.6	0.5	42.5	43.3	44.0		44.8	45.5	46.3	47.0	47.8	48.5	49.3	51.0		
61.3	67.2	67.7	68.2	68.7	69.2	69.7	70.2	70.7	71.2	0.0	42.7	43.4	44.2		44.9	45.7	46.4	47.2	47.9	48.7	49.4	51.2		
63.0	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	90	3.0	40.1	40.9	41.6	42.4	43.1	43.9	44.6	45.4	46.1	46.9	48.6		
62.5	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4		2.5	40.3	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	48.8		
62.1	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4	71.9		2.0	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	48.9		
61.6	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	71.4		1.5	40.6	41.3	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	49.1		
61.1	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0		1.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.7	47.5	49.2		
60.6	66.5	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5		0.5	40.9	41.6	42.4	43.1	43.9	44.6	45.4	46.1	46.9	47.6	49.4		
60.2	66.0	66.5	67.0	67.5	68.0	68.5	69.0	69.5	70.0		0.0	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	47.8	49.5		
61.9	67.7	68.2	68.7	69.2	69.7	70.2	70.7	71.2	71.7	70	3.0	38.5	39.2	40.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	47.0		
61.4	67.2	67.7	68.2	68.7	69.2	69.7	70.2	70.7	71.2		2.5	38.6	39.4	40.1	40.9	41.6	42.4	43.1	43.9	44.6	45.4	47.1		
60.9	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8		2.0	38.8	39.5	40.3	41.0	41.8	42.5	43.3	44.0	44.8	45.5	47.3		
60.4	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3		1.5	38.9	39.7	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	47.4		
60.0	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3	69.8		1.0	39.1	39.8	40.6	41.3	42.1	42.8	43.6	44.3	45.1	45.8	47.6		
59.5	65.3	65.8	66.3	66.8	67.3	67.8	68.3	68.8	69.3		0.5	39.3	40.0	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	47.8		
59.0	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9		0.0	39.4	40.2	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	47.9		

\* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.  
 \*\* 45-75mm Riser Kits are available through Profile or your Profile Dealer.  
 \*\*\* Coordinates are reflective of the base stem offered (**Profile Design 1/Seventeen**) on your new X-PR.



**X-PR** **56cm**  
Fit Coordinates

**Negative 17° Stem Orientation**

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)								Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)								Bar Center (cm)	REACH			
		0	0.5	1	1.5	2	2.5	3	3.5			4	-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00			-3.25	-2.50	-1.75
		61.1	66.9	67.4	67.9	68.4	68.9	69.4	69.9			70.4	70.9	110	3.0	44.4	45.2	45.9	46.7			47.4	48.2	48.9
60.6	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	2.5	44.6	45.3	46.1		46.8	47.6	48.3	49.1	49.8	50.6	51.3	53.1		
60.1	66.0	66.5	67.0	67.5	68.0	68.5	69.0	69.5	70.0	2.0	44.7	45.5	46.2		47.0	47.7	48.5	49.2	50.0	50.7	51.5	53.2		
59.6	65.5	66.0	66.5	67.0	67.5	68.0	68.5	69.0	69.5	1.5	44.9	45.6	46.4		47.1	47.9	48.6	49.4	50.1	50.9	51.6	53.4		
59.2	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5	69.0	1.0	45.0	45.8	46.5		47.3	48.0	48.8	49.5	50.3	51.0	51.8	53.5		
58.7	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5	0.5	45.2	45.9	46.7		47.4	48.2	48.9	49.7	50.4	51.2	51.9	53.7		
58.2	64.0	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0	0.0	45.3	46.1	46.8		47.6	48.3	49.1	49.8	50.6	51.3	52.1	53.8		
61.0	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	90	3.0	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	48.4	49.2	50.9		
60.5	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4		2.5	42.6	43.3	44.1	44.8	45.6	46.3	47.1	47.8	48.6	49.3	51.1		
60.1	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9		2.0	42.7	43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.7	49.5	51.2		
59.6	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4		1.5	42.9	43.6	44.4	45.1	45.9	46.6	47.4	48.1	48.9	49.6	51.4		
59.1	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5	69.0		1.0	43.0	43.8	44.5	45.3	46.0	46.8	47.5	48.3	49.0	49.8	51.5		
58.6	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5		0.5	43.2	43.9	44.7	45.4	46.2	46.9	47.7	48.4	49.2	49.9	51.7		
58.2	64.0	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0		0.0	43.3	44.1	44.8	45.6	46.3	47.1	47.8	48.6	49.3	50.1	51.8		
61.0	66.8	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	70	3.0	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	48.9		
60.5	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4		2.5	40.6	41.3	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	49.1		
60.0	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4	69.9		2.0	40.7	41.5	42.2	43.0	43.7	44.5	45.2	46.0	46.7	47.5	49.2		
59.6	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9	69.4		1.5	40.9	41.6	42.4	43.1	43.9	44.6	45.4	46.1	46.9	47.6	49.4		
59.1	64.9	65.4	65.9	66.4	66.9	67.4	67.9	68.4	68.9		1.0	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	47.8	49.5		
58.6	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0	68.5		0.5	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	47.9	49.7		
58.1	64.0	64.5	65.0	65.5	66.0	66.5	67.0	67.5	68.0		0.0	41.3	42.1	42.8	43.6	44.3	45.1	45.8	46.6	47.3	48.1	49.8		

**Positive 17° Stem Orientation**

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)									Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH	
		0	0.5	1	1.5	2	2.5	3	3.5	4			-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50			-1.75
		66.2	72.0	72.5	73.0	73.5	74.0	74.5	75.0	75.5			76.0	110	3.0	42.8	43.5	44.3	45.0	45.8	46.5			47.3
65.7	71.5	72.0	72.5	73.0	73.5	74.0	74.5	75.0	75.5	2.5	42.9	43.7	44.4	45.2	45.9	46.7	47.4	48.2	48.9	49.7	51.4			
65.2	71.1	71.6	72.1	72.6	73.1	73.6	74.1	74.6	75.1	2.0	43.1	43.8	44.6	45.3	46.1	46.8	47.6	48.3	49.1	49.8	51.6			
64.7	70.6	71.1	71.6	72.1	72.6	73.1	73.6	74.1	74.6	1.5	43.2	44.0	44.7	45.5	46.2	47.0	47.7	48.5	49.2	50.0	51.7			
64.3	70.1	70.6	71.1	71.6	72.1	72.6	73.1	73.6	74.1	1.0	43.4	44.1	44.9	45.6	46.4	47.1	47.9	48.6	49.4	50.1	51.9			
63.8	69.6	70.1	70.6	71.1	71.6	72.1	72.6	73.1	73.6	0.5	43.5	44.3	45.0	45.8	46.5	47.3	48.0	48.8	49.5	50.3	52.0			
63.3	69.2	69.7	70.2	70.7	71.2	71.7	72.2	72.7	73.2	0.0	43.7	44.4	45.2	45.9	46.7	47.4	48.2	48.9	49.7	50.4	52.2			
65.0	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9	90	3.0	41.1	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	47.9	49.6		
64.5	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	2.5	41.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	48.0	49.8			
64.1	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	2.0	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	48.2	49.9			
63.6	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	1.5	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	47.6	48.3	50.1			
63.1	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0	1.0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	47.0	47.7	48.5	50.2			
62.6	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5	0.5	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	47.9	48.6	50.4			
62.2	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	0.0	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	48.0	48.8	50.5			
63.9	69.7	70.2	70.7	71.2	71.7	72.2	72.7	73.2	73.7	70	3.0	39.5	40.2	41.0	41.7	42.5	43.2	44.0	44.7	45.5	46.2	48.0		
63.4	69.2	69.7	70.2	70.7	71.2	71.7	72.2	72.7	73.2	2.5	39.6	40.4	41.1	41.9	42.6	43.4	44.1	44.9	45.6	46.4	48.1			
62.9	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	72.8	2.0	39.8	40.5	41.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	48.3			
62.4	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	72.3	1.5	39.9	40.7	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	48.4			
62.0	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	71.8	1.0	40.1	40.8	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	48.6			
61.5	67.3	67.8	68.3	68.8	69.3	69.8	70.3	70.8	71.3	0.5	40.3	41.0	41.8	42.5	43.3	44.0	44.8	45.5	46.3	47.0	48.8			
61.0	66.9	67.4	67.9	68.4	68.9	69.4	69.9	70.4	70.9	0.0	40.4	41.2	41.9	42.7	43.4	44.2	44.9	45.7	46.4	47.2	48.9			

\* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.

\*\* 45-75mm Riser Kits are available through Profile or your Profile Dealer.

\*\*\* Coordinates are reflective of the base stem offered (**Profile Design 1/Seventeen**) on your new X-PR.

**X-PR** **58.5cm**  
Fit Coordinates

**Negative 17° Stem Orientation**

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)									Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH
		0	0.5	1	1.5	2	2.5	3	3.5	4			-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50		
	63.6	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0	73.5	110	3.0	45.3	46.0	46.8	47.5	48.3	49.0	49.8	50.5	51.3	52.0	53.8
	63.1	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0		2.5	45.4	46.2	46.9	47.7	48.4	49.2	49.9	50.7	51.4	52.2	53.9
	62.7	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5		2.0	45.6	46.3	47.1	47.8	48.6	49.3	50.1	50.8	51.6	52.3	54.1
	62.2	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0		1.5	45.7	46.5	47.2	48.0	48.7	49.5	50.2	51.0	51.7	52.5	54.2
	61.7	67.6	68.1	68.6	69.1	69.6	70.1	70.6	71.1	71.6		1.0	45.9	46.6	47.4	48.1	48.9	49.6	50.4	51.1	51.9	52.6	54.4
	61.2	67.1	67.6	68.1	68.6	69.1	69.6	70.1	70.6	71.1		0.5	46.0	46.8	47.5	48.3	49.0	49.8	50.5	51.3	52.0	52.8	54.5
	60.8	66.6	67.1	67.6	68.1	68.6	69.1	69.6	70.1	70.6		0.0	46.2	46.9	47.7	48.4	49.2	49.9	50.7	51.4	52.2	52.9	54.7
	63.6	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	90	3.0	43.3	44.0	44.8	45.5	46.3	47.0	47.8	48.5	49.3	50.0	51.8
	63.1	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5	73.0		2.5	43.4	44.2	44.9	45.7	46.4	47.2	47.9	48.7	49.4	50.2	51.9
	62.6	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5		2.0	43.6	44.3	45.1	45.8	46.6	47.3	48.1	48.8	49.6	50.3	52.1
	62.2	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0		1.5	43.7	44.5	45.2	46.0	46.7	47.5	48.2	49.0	49.7	50.5	52.2
	61.7	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5		1.0	43.9	44.6	45.4	46.1	46.9	47.6	48.4	49.1	49.9	50.6	52.4
	61.2	67.1	67.6	68.1	68.6	69.1	69.6	70.1	70.6	71.1		0.5	44.0	44.8	45.5	46.3	47.0	47.8	48.5	49.3	50.0	50.8	52.5
	60.7	66.6	67.1	67.6	68.1	68.6	69.1	69.6	70.1	70.6		0.0	44.2	44.9	45.7	46.4	47.2	47.9	48.7	49.4	50.2	50.9	52.7
	63.6	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	70	3.0	41.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	48.0	49.8
	63.1	68.9	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9		2.5	41.4	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	48.2	49.9
	62.6	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0	72.5		2.0	41.6	42.3	43.1	43.8	44.6	45.3	46.1	46.8	47.6	48.3	50.1
	62.1	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5	72.0		1.5	41.7	42.5	43.2	44.0	44.7	45.5	46.2	47.0	47.7	48.5	50.2
	61.7	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0	71.5		1.0	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	47.9	48.6	50.4
	61.2	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5	71.0		0.5	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	48.0	48.8	50.5
	60.7	66.5	67.0	67.5	68.0	68.5	69.0	69.5	70.0	70.5		0.0	42.2	42.9	43.7	44.4	45.2	45.9	46.7	47.4	48.2	48.9	50.7

**Positive 17° Stem Orientation**

STACK	Bar Center (cm)	Top of Armrests Aerobar Armrest Risers (cm)									Stem Length (mm)	Stem Spacer Height (cm)	Back of Armrests Armrest Offset (cm)									Bar Center (cm)	REACH	
		0	0.5	1	1.5	2	2.5	3	3.5	4			-8.50	-7.75	-7.00	-6.25	-5.50	-4.75	-4.00	-3.25	-2.50			-1.75
		68.7	74.6	75.1	75.6	76.1	76.6	77.1	77.6	78.1			78.6	110	3.0	43.6	44.4	45.1	45.9	46.6	47.4			48.1
68.3	74.1	74.6	75.1	75.6	76.1	76.6	77.1	77.6	78.1	2.5	43.8	44.5	45.3		46.0	46.8	47.5	48.3	49.0	49.8	50.5	52.3		
67.8	73.6	74.1	74.6	75.1	75.6	76.1	76.6	77.1	77.6	2.0	43.9	44.7	45.4		46.2	46.9	47.7	48.4	49.2	49.9	50.7	52.4		
67.3	73.2	73.7	74.2	74.7	75.2	75.7	76.2	76.7	77.2	1.5	44.1	44.8	45.6		46.3	47.1	47.8	48.6	49.3	50.1	50.8	52.6		
66.8	72.7	73.2	73.7	74.2	74.7	75.2	75.7	76.2	76.7	1.0	44.2	45.0	45.7		46.5	47.2	48.0	48.7	49.5	50.2	51.0	52.7		
66.4	72.2	72.7	73.2	73.7	74.2	74.7	75.2	75.7	76.2	0.5	44.4	45.1	45.9		46.6	47.4	48.1	48.9	49.6	50.4	51.1	52.9		
65.9	71.7	72.2	72.7	73.2	73.7	74.2	74.7	75.2	75.7	0.0	44.5	45.3	46.0		46.8	47.5	48.3	49.0	49.8	50.5	51.3	53.0		
67.6	73.4	73.9	74.4	74.9	75.4	75.9	76.4	76.9	77.4	90	3.0	42.0	42.7	43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.7	50.5		
67.1	73.0	73.5	74.0	74.5	75.0	75.5	76.0	76.5	77.0		2.5	42.1	42.9	43.6	44.4	45.1	45.9	46.6	47.4	48.1	48.9	50.6		
66.6	72.5	73.0	73.5	74.0	74.5	75.0	75.5	76.0	76.5		2.0	42.3	43.0	43.8	44.5	45.3	46.0	46.8	47.5	48.3	49.0	50.8		
66.2	72.0	72.5	73.0	73.5	74.0	74.5	75.0	75.5	76.0		1.5	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	48.4	49.2	50.9		
65.7	71.5	72.0	72.5	73.0	73.5	74.0	74.5	75.0	75.5		1.0	42.6	43.3	44.1	44.8	45.6	46.3	47.1	47.8	48.6	49.3	51.1		
65.2	71.1	71.6	72.1	72.6	73.1	73.6	74.1	74.6	75.1		0.5	42.7	43.5	44.2	45.0	45.7	46.5	47.2	48.0	48.7	49.5	51.2		
64.7	70.6	71.1	71.6	72.1	72.6	73.1	73.6	74.1	74.6		0.0	42.9	43.6	44.4	45.1	45.9	46.6	47.4	48.1	48.9	49.6	51.4		
66.4	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8	76.3	70	3.0	40.3	41.1	41.8	42.6	43.3	44.1	44.8	45.6	46.3	47.1	48.8		
66.0	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3	75.8		2.5	40.5	41.2	42.0	42.7	43.5	44.2	45.0	45.7	46.5	47.2	49.0		
65.5	71.3	71.8	72.3	72.8	73.3	73.8	74.3	74.8	75.3		2.0	40.6	41.4	42.1	42.9	43.6	44.4	45.1	45.9	46.6	47.4	49.1		
65.0	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4	74.9		1.5	40.8	41.5	42.3	43.0	43.8	44.5	45.3	46.0	46.8	47.5	49.3		
64.5	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9	74.4		1.0	40.9	41.7	42.4	43.2	43.9	44.7	45.4	46.2	46.9	47.7	49.4		
64.1	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4	73.9		0.5	41.1	41.9	42.6	43.4	44.1	44.9	45.6	46.4	47.1	47.9	49.6		
63.6	69.4	69.9	70.4	70.9	71.4	71.9	72.4	72.9	73.4		0.0	41.3	42.0	42.8	43.5	44.3	45.0	45.8	46.5	47.3	48.0	49.8		

\* 0-40mm Riser Kits are supplied with your new X-PR Bicycle.  
 \*\* 45-75mm Riser Kits are available through Profile or your Profile Dealer.  
 \*\*\* Coordinates are reflective of the base stem offered (**Profile Design 1/Seventeen**) on your new X-PR.