SQUID INK MOTORIST WAX



Compilation date: 29/11/2021

Revision No: 1

Page: 1

# Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

# Product name:SQUID INK MOTORIST WAX

Product code:SQMW1

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## **1.3. Details of the supplier of the safety data sheet**

Use of substance / mixture: PC31: Polishes and wax blends.

Company name: Squid Ink Detailing Ltd

16 Cartwright Street

Shireoaks

Worksop

Notts

S81 8NJ

United Kingdom

# Tel:01909 261662

Email: info@squidinkdetailing

1.4. Emergency telephone number

# Section 2: Hazards identification

2.1. Classification of the substance or mixture

Emergency tel: 07545044316

Classification under CLP: This product has no classification under CLP.

# 2.2. Label elements

Label elements:

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P102: Keep out of reach of children.

2.3. Other hazards

# SQUID INK MOTORIST WAX

## Section 3: Composition/information on ingredients

# 3.2. Mixtures

## Hazardous ingredients:

#### LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDROTREATED HEAVY

EINECS	CAS	PBT / WEL	CLP Classification	Percent	
265-150-3	64742-48-9	-	Asp. Tox. 1: H304; Flam. Liq. 3: H226	50-70%	
ALKYL POLYOXYALKYLENE SILOXANE COPOLYMER					
614-823-3	68937-55	-	Aquatic Chronic 4: H413	10-30%	

#### Non-classified ingredients:

#### DIMETHYL SILOXANE, TRIMETHYSILOXY-TERMINATED

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	63148-62-9	-	-	1-10%

## Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Immediate / special treatment: Not applicable.

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

# SQUID INK MOTORIST WAX

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

#### 6.2. Environmental precautions

### 6.3. Methods and material for containment and cleaning up

Environmental precautions: Do not discharge into drains or rivers.

Clean-up procedures: Wash the spillage site with large amounts of water.

6.4. Reference to other sections

## Section 7: Handling and storage

7.1. Precautions for safe handling

Reference to other sections: Refer to section 8 of SDS.

Handling requirements: Avoid the formation or spread of dust in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

#### Section 8: Exposure controls/personal protection

8.1. Control parameters

Specific end use(s): No data available.

Workplace exposure limits: No data available.

#### **DNEL/PNEC** Values

8.2. Exposure controls

**DNEL / PNEC** No data available.

Respiratory protection: Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

#### Section 9: Physical and chemical properties

#### SQUID INK MOTORIST WAX

#### 9.1. Information on basic physical and chemical properties

State: Solid Colour: Various **Odour:** Sweet-smelling Evaporation rate: No data available. Oxidising: No data available. Solubility in water: Insoluble Viscosity: No data available. Boiling point/range°C: >35 Melting point/range°C: No data available. upper: No data available. Flammability limits %: lower: No data available. Flash point°C: >93 Part.coeff. n-octanol/water: No data available. Autoflammability°C: No data available. Vapour pressure: No data available. Relative density: No data available. pH: No data available. VOC g/l: No data available.

9.2. Other information

## Section 10: Stability and reactivity

#### 10.1. Reactivity

Other information: No data available.

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

#### 10.3. Possibility of hazardous reactions

Chemical stability: Stable under normal conditions.

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

#### 10.6. Hazardous decomposition products

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

# Section 11: Toxicological information

11.1. Information on toxicological effects

Page: 4

# SQUID INK MOTORIST WAX

## Hazardous ingredients:

# ALKYL POLYOXYALKYLENE SILOXANE COPOLYMER

DERMAL	RAT	LD50	1770	mg/kg
DERMAL	RBT	LD50	794	g/kg
ORAL	RAT	LD50	1540	mg/kg
VAPOURS	RAT	4H LC50	36	g/l

#### Non-classified ingredients:

### DIMETHYL SILOXANE, TRIMETHYSILOXY-TERMINATED

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>15,400	mg/kg

Toxicity values: No data available.

## Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Other information: Not applicable.

## Section 12: Ecological information

## 12.1. Toxicity

#### Hazardous ingredients:

#### ALKYL POLYOXYALKYLENE SILOXANE COPOLYMER

BLUEGILL (Lepomis macrochirus)	96H LC50	1000	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	500	mg/l

#### DIMETHYL SILOXANE, TRIMETHYSILOXY-TERMINATED

FISH	96H LC50	350	mg/l
MARINE WORM (Nereis virens)	96H ErC50	10000	mg/l

# 12.2. Persistence and degradability

#### Persistence and degradability: Biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Insoluble in water.

#### SQUID INK MOTORIST WAX

Type your text

Page: 6

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

#### Section 13: Disposal considerations

13.1. Waste treatment methods

Other adverse effects: Negligible ecotoxicity.

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# Section 14: Transport information

Transport class: This product does not require a classification for transport.

#### Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

Specific regulations: Not applicable.

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

## Section 16: Other information

#### Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H413: May cause long lasting harmful effects to aquatic life.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.