

FILTRATION

ADIR MANUAL FILTERS - SCREEN & DISC 25MM & 40MM

Tavlit's professional line of plastic filters are designed for use in all irrigation systems and industry. Filters are available in sizes from 25mm to 80mm.

FEATURES

- Body lock ring enables easy opening of the filter without the use of tools
- Stainless steel weave wire screen element (available)
- Filter disc element is secured to the body and includes a telescopic spine
- · Large filtration area for handling large quanitites of dirt
- Grooved plastic disc element on telescopic spine (available)

APPLICATIONS

- · Water filtration for Agriculture, Turf, domestic and industrial application
- Applicable for a wide range of flows

SPECIFICATIONS

O Ring:

Recommended Flow Range: 134lpm - 250lpm Max Recommended Operating Pressure: 1000kPa

Filtration Range: 80 - 120 mesh


Body Material: Polypropylene & Glass Filled


Nylon

End Connection Type: Male BSP Thread

Locking Ring: Polyamide & Glass Filled

Nylon EPDM







25mm



40mm

FILTRATION_TAVLIT_NF2540_V1.05-20









PERTH
PH: 08 9484 6500

SYDNEY PH: 02 9616 1300 **FAX:** 02 9725 5283

MELBOURNE
PH: 03 8458 7400
FAX: 03 9457 7400
infovic@hrproducts.com.au

BRISBANE PH: 07 3080 6200 FAX: 07 3806 0533 ADELAIDE
PH: 08 8408 7200
FAX: 08 8341 0707
infosa@hrproducts.com.au

hrsales@hrproducts.com.au




FILTRATION


ADIR MANUAL FILTERS - SCREEN & DISC 25MM & 40MM

25mm

1" ADIR FILTER HEAD LOSS




1", 11/2" DISK FILTER




40mm

1.5" ADIR FILTER HEAD LOSS



1", 11/2" SCREEN FILTER



25mm & 40mm Tavlit Plastic Filters - Spare Parts Screen and Disc Elements		
NFSI80M	80 mesh screen for 25mm & 40mm Tavlit filter bodies - Blue	
NFSI120M	120 mesh screen for 25mm & 40mm Tavlit filter bodies - Red	
NEFD80M	80 mesh disc for 25mm & 40mm Tavlit filter bodies - Yellow	
NEFD120M	120 mesh disc for 25mm & 40mm Tavlit filter bodies - Red	

FILTRATION_TAVLIT_NF2540_V1.05-20










FILTRATION

ADIR MANUAL FILTERS - SCREEN & DISC 25MM & 40MM

FILTER DIMENSIONS



25mm 40mm

Filter Dimensions A: 200mm B: 340mm Weight: 1.5kgs Filter Dimensions
A: 200mm
B: 340mm
Weight: 1.7kgs

FILTER ELEMENTS

In order to respond to the various needs Tavlit offers the Adir line of filters with two types of filter elements:

- 1. Stainless Steel Stainless steel weave wire screen.
- 2. **Grooved Plastic** disc elements stacked together on a telescopic spine that can be released in order to perform proper flushing of the dirt accumulated on and between the discs.

A wide range of filtration degrees is offered for various applications.





FILTER ELEMENTS

Mesh/Micron	80/2	00	12	0/120
Stainless Steel Screen	Blue		Red	
Disc	Yellow		Red	

- Mesh count per Linear inch.
- Micron in approximate values may vary between element types

FILTRATION_TAVLIT_NF2540_V1.05-20









PERTH
PH: 08 9484 6500
FAX: 08 9455 1680
hrsales@hrproducts.com.au

SYDNEY PH: 02 9616 1300 **FAX:** 02 9725 5283
infonsw@hrproducts.com.au

MELBOURNE
PH: 03 8458 7400
FAX: 03 9457 7400
infovic@hrproducts.com.au

BRISBANE
PH: 07 3080 6200
FAX: 07 3806 0533
infoqld@hrproducts.com.au

ADELAIDE
PH: 08 8408 7200
FAX: 08 8341 0707
infosa@hrproducts.com.au



FILTRATION

ADIR MANUAL FILTERS - SCREEN & DISC 50MM & 80MM

Tavlit's professional line of plastic filters are designed for use in all irrigation systems and industry. Filters are available in sizes from 25mm to 80mm.

FEATURES

- Body lock ring enables easy opening of the filter without the use of tools
- Stainless steel weave wire screen element (available)
- Filter disc element is secured to the body and includes a telescopic spine
- Large filtration area for handling large quantities of dirt
- Grooved plastic disc element on telescopic spine (available)

APPLICATIONS

- Water filtration for Agriculture, Turf, domestic and industrial application
- · Applicable for a wide range of flows

SPECIFICATIONS

Recommended Flow Range: 416lpm - 833lpm

Max Recommended Operating Pressure: 1000kPa Filtration Range: 80 - 120 mesh

Body Material: Polypropylene & Glass Filled

End Connection Type: Nylon Male BSP Thread

Locking Ring: Polyamide & Glass Filled

Nylon O Ring: EPDM

MODELS	CODE
50mm Flow Range: Up to 416lpm	
SCREEN FILTERS	
50mm 80 mesh screen filter	NF2MS80
50mm 120 mesh screen filter	NF2MS120
DISC FILTERS	
50mm 80 mesh disc filter	NF2MD80
50mm 120 mesh disc filter	NF2MD120
80mm Flow Range: Up to 833lpm	
SCREEN FILTERS	
80mm 80 mesh screen filter	NF3MS80
80mm 120 mesh screen filter	NF3MS120
DISC FILTERS	
80mm 80 mesh disc filter	NF3MD80
80mm 120 mesh disc filter	NF3MD120



50mm Disc



FILTRATION_TAVLIT_NF5080_V1.05-20









PERTH
PH: 08 9484 6500
FAX: 08 9455 1680
hrsales@hrproducts.com.au

SYDNEY PH: 02 9616 1300 **FAX:** 02 9725 5283

infonsw@hrproducts.com.au

MELBOURNE
PH: 03 8458 7400
FAX: 03 9457 7400
infovic@hrproducts.com.au

BRISBANE PH: 07 3080 6200 FAX: 07 3806 0533

infoqld@hrproducts.com.au


ADELAIDE
PH: 08 8408 7200
FAX: 08 8341 0707
infosa@hrproducts.com.au



FILTRATION

ADIR MANUAL FILTERS - SCREEN & DISC 50MM & 80MM

HEAD LOSS CHART



50mm & 80mm Tavlit Plastic Filters - Spare Parts Screen and Disc Elements		
NFSI80B	80 mesh screen for 50mm & 80mm Tavlit filter bodies - Blue	
NFSI120B	120 mesh screen for 50mm & 80mm Tavlit filter bodies - Red	
NEFD80B	80 mesh disc for 50mm & 80mm Tavlit filter bodies - Yellow	
NEFD120B	120 mesh disc for 50mm & 80mm Tavlit filter bodies - Red	

FILTRATION_TAVLIT_NF5080_V1.05-20










FILTRATION

ADIR MANUAL FILTERS - SCREEN & DISC 50MM & 80MM

FILTER DIMENSIONS



50mm 80mm

Filter Dimensions
A: 280mm
A: 280mm
B: 420mm
B: 450mm
Weight: 4.6kgs
Weight: 5.3kgs

FILTER ELEMENTS

In order to respond to the various needs Tavlit offers the Adir line of filters with two types of filter elements:

- 1. Stainless Steel Stainless steel weave wire screen.
- 2. **Grooved Plastic** disc elements stacked together on a telescopic spine that can be released in order to perform proper flushing of the dirt accumulated on and between the discs.

A wide range of filtration degrees is offered for various applications.









- Mesh count per Linear inch.
- Micron in approximate values may vary between element types

FILTRATION_TAVLIT_NF5080_V1.05-20







