


ARLINGTON WALL MOUNTED



Test pressure: 8 BAR

Max. working pressure: 5 BAR

Max working temperature: 100°C

Material: 32 & 25mm DZR Brass

Connections: ½ inch BSP tapping's

Joints: Hand silver soldered

Finish: Hand polished, plated to British Standards

Leak Tested: Twice

Heat output determined in accordance with EN 442

Manufactured by Rutland Radiators in Hampshire, England.

Rutland London Limited: E: sales@rutland-radiators.co.uk Tel: 01252 790 464
www.rutland-radiators.co.uk

Rutland Radiators reserves the right to alter finishes and dimensions without prior notification.
Drawings and dimensions are supplied to a tolerance of +/- 3mm

RUTLAND RADIATORS – TECHNICAL SPECIFICATION

Arlington

Dimensions (mm) (HxWxD):	Pipe Centres (mm):	Pipe Centres from Wall (mm):	No. of Horizontal Bars:	BTU's:	Watts:
685 x 400 x 125	325	55	3	420	123
685 x 500 x 125	425	55	3	480	141
685 x 685 x 125	610	55	3	546	160
837 x 400 x 125	325	55	3	575	169
837 x 500 x 125	425	55	3	595	174
837 x 685 x 125	610	55	3	624	183
1000 x 400 x 125	325	55	4	655	192
1000 x 500 x 125	425	55	4	675	198
1000 x 685 x 125	610	55	4	695	204
1294 x 400 x 125	325	55	4	675	198
1294 x 500 x 125	425	55	4	700	205
1294 x 685 x 125	610	55	4	860	252
1599 x 400 x 125	325	55	5	810	237
1599 x 475 x 125	400	55	5	887	260
1599 x 575 x 125	500	55	5	978	286
1599 x 685 x 125	610	55	5	1068	313
1854 x 475 x 125	400	55	6	1030	302
1854 x 575 x 125	500	55	6	1125	330
1854 x 685 x 125	610	55	6	1240	363

Please note, all designs can be adapted to individual requests, please call 01252 790464 to discuss your requirements with our design team.

Included:

12 x Brass plated screws.

Valves and tails available from www.rutland-radiators.co.uk at an additional cost.

Cleaning Instructions:

Please ensure you visit the Rutland Radiators website prior to undertaking any cleaning of the towel warmer.

Always avoid chemicals and abrasive cloths/pads.

Installation:

We always advise that our products are installed by a competent and experienced professional or tradesperson.

This towel warmer can be supplied to fit:

- Central Heating Systems
- Hot Water Systems
- Dual Fuel Systems

Rutland London Limited: E: sales@rutland-radiators.co.uk Tel: 01252 790 464

www.rutland-radiators.co.uk

Rutland Radiators reserves the right to alter finishes and dimensions without prior notification.

Drawings and dimensions are supplied to a tolerance of +/- 3mm

RUTLAND RADIATORS – TECHNICAL SPECIFICATION

- Electric only option

Please confirm with your installer/contractor that there is not a water softener on the system prior to installation.

**Rutland London Limited: E: sales@rutland-radiators.co.uk Tel: 01252 790 464
www.rutland-radiators.co.uk**

**Rutland Radiators reserves the right to alter finishes and dimensions without prior notification.
Drawings and dimensions are supplied to a tolerance of +/- 3mm**