


ION



Test pressure: 8 BAR

Max. working pressure: 5 BAR

Max working temperature: 100°C

Material: 32mm DZR Brass

Connections: ½ inch BSP tapping's

Joints: Hand silver soldered

Finish: Hand polished, plated to British Standards

Leak Tested: Twice

Heat output determined in accordance with EN 442

Manufactured by Rutland Radiators in Hampshire, England.

Rutland London Limited: E: sales@rutland-radiators.co.uk Tel: 01252 790 464

www.rutland-radiators.co.uk

Rutland Radiators reserves the right to alter finishes and dimensions without prior notification.

Drawings and dimensions are supplied to a tolerance of +/- 3mm

RUTLAND RADIATORS – TECHNICAL SPECIFICATION

Ion

Dimensions (mm) (HxWxD):	Pipe Centres (mm):	Pipe Centres from Wall (mm):	No. of Horizontal Bars:	BTU's:	Watts:
750 x 300 x 106	200	90	4 + 5	1041	305
750 x 400 x 106	300	90	4 + 5	1211	355
750 x 500 x 106	400	90	4 + 5	1382	405
750 x 600 x 106	500	90	4 + 5	1553	455
1000 x 300 x 106	200	90	4 + 9	1280	375
1000 x 400 x 106	300	90	4 + 9	1484	435
1000 x 500 x 106	400	90	4 + 9	1689	495
1000 x 600 x 106	500	90	4 + 9	1894	555
1200 x 300 x 106	200	90	4 + 11	1501	440
1200 x 400 x 106	300	90	4 + 11	1740	510
1200 x 500 x 106	400	90	4 + 11	1979	580
1200 x 600 x 106	500	90	4 + 11	2218	650
1500 x 300 x 106	200	90	4 + 5 + 9	1740	510
1500 x 400 x 106	300	90	4 + 5 + 9	2013	590
1500 x 500 x 106	400	90	4 + 5 + 9	2286	670
1500 x 600 x 106	500	90	4 + 5 + 9	2559	750

Please note, all designs can be adapted to individual requests, please call 01252 790464 to discuss your requirements with our design team.

Included:

12 x Brass plated screws.

Valves and tails available from www.rutland-radiators.co.uk at an additional cost.

Cleaning Instructions:

Please ensure you visit the Rutland Radiators website prior to undertaking any cleaning of the towel warmer.

Always avoid chemicals and abrasive cloths/pads.

Installation:

We always advise that our products are installed by a competent and experienced professional or tradesperson.

Our towel warmers can be supplied to fit:

- Central Heating Systems
- Hot Water Systems

Rutland London Limited: E: sales@rutland-radiators.co.uk Tel: 01252 790 464

www.rutland-radiators.co.uk

Rutland Radiators reserves the right to alter finishes and dimensions without prior notification.

Drawings and dimensions are supplied to a tolerance of +/- 3mm

RUTLAND RADIATORS – TECHNICAL SPECIFICATION

- Dual Fuel Systems
- Electric only option

Please confirm with your installer/contractor that there is not a water softener on the system prior to installation.

**Rutland London Limited: E: sales@rutland-radiators.co.uk Tel: 01252 790 464
www.rutland-radiators.co.uk**

**Rutland Radiators reserves the right to alter finishes and dimensions without prior notification.
Drawings and dimensions are supplied to a tolerance of +/- 3mm**