

## SWT262T

Family	Dishwasher
Subfamily	Fresh Water System Dishwasher
Basket dimensions	500x500 mm
Panel	Fresh Water System Dishwasher
Filter	5-stages filter system
Rinse pump H.T.R. system	Yes
SHR system	Yes
Usable load height	540 mm
Power connection	400 V 3N~ / 16 A / 6,7 kW / 50 Hz
Depth with open door	1200 mm
Max dish diameter upper basket	240 mm
Max dish height lowe basket	290 mm
Product dimensions WxDxH	600x600x850 mm



### Aesthetics

Control panel	SWT	Led color	Orange
---------------	-----	-----------	--------

### Programs

SWT programs	5- 93°C - 40'; 6- 93°C - 53'; 7- 5' prewash; 8- 85°C - 21'; 9- 85°C - 31'; 10- 85°C - 23'; 11- 85°C - 34'
Drain and self cleaning cycle	Yes
Maximum basket/hour	72
Maximum dishes/hour	1296

### Interface

Display	4 digit	Detergent missing alert	Yes
On/Off button	Yes	Cycle progress alert	Yes
Salt alert	Yes	End-cycle alert	Yes
Rinse aid missing alert	Yes	Manual diagnostic	Yes

### Construction

Tank	Deep drawn	Rinse spray arm	Plastic
Tank material	Stainless steel AISI 304	Door gasket	On 3 sides
Back panel	Galvanized	Rack guides	Embossed
Door	Double wall	Net weight	74,000 kg
Tank filter	Stainless steel	Drain max. height	1000 mm
Washing spray arm	Plastic		

### Technical Features

Tank heating element	6300 W	Water inlet	Cold 15°C
Washing pump	400 W	Max temperature inlet water	60°C
Default connection	6700 W	Max water hardness	12°f - 7°dH

### Electrical Connection

Electrical connection option	230 V 3~ / 19 A / 6,7 kW / 50 Hz; 230 V~ / 16 A / 3,5 kW / 50 Hz
------------------------------	---

## Equipments



<b>Chemicals level probe</b>	Yes, optional KITSONLIV	<b>Automatic opening door</b>	Yes
<b>Automatic incorporated softener</b>	Yes	<b>Door lock</b>	Yes
<b>Boiler thermostop</b>	Yes default ON	<b>Double basket</b>	Yes
<b>Break tank</b>	Yes		


## Accessories Included

**Water supply pipe**

Yes - 2m


**Drain pipe**

Yes - 2m



## Symbols glossary (TT)

---

 Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.