



# **USB 3.1 Type-C to VGA Male Adapter Cable User Manual**



# Contents

1.0 INTRODUCTION.....	1
2.0 FEATURES .....	1
3.0 SPECIFICATIONS.....	1
4.0 PACKAGE CONTENTS .....	2
5.0 OPERATION .....	2
6.0 CONNECTION DIAGRAM .....	2

# USB 3.1 Type-C to VGA Male With Cable

## DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

## 1.0 INTRODUCTION

This is a USB-C male to VGA Male adapter cable, which allows you to transmit signals from your new Macbook pro or Chromebook to a VGA monitor. Besides, there is no need for you to connect the source display to the sink display with a VGA cable, as it is equipped with cable. With this product, you can watch videos or slideshows together on the big screen.

## 2.0 FEATURES

- Supports USB-C input and VGA Male output
- Supports per lane data rates of 2.7Gbps (HBR) and 1.62Gbps (RBR)
- Supports content protection of HDCP
- Support VGA resolution max up to 1920x1200@60Hz
- USB bus power (no external power supply)

## 3.0 SPECIFICATIONS

<b>Input/Output Connector</b>	
Input	USB-C Male x1
Output	VGA Male x1
<b>Operating Frequency</b>	
Vertical Frequency Range	50/60Hz
Video Amplifier Bandwidth	Max to 2.25Gbps/225MHz
<b>Physical</b>	
Length	Max 10ft
Weigh	126.2g
<b>Resolutions(HDTV)</b>	
Resolutions	Max to 1920x1200@60Hz
<b>Warranty</b>	
Limited Warranty	1 Year
<b>Environmental</b>	
Operating Temperature	0 ° to +45°
Operating Humidity	10% to 85 % RH (no condensation)

Storage Temperature	-10°C to +70°C
Storage Humidity	5% to 90 % RH (no condensation)
<b>Power Requirement</b>	
Power Source	USB Bus Power
<b>Regulatory Approvals</b>	
Certifications	FCC,CE
<b>Accessories Adapter</b>	
User Manual	English Version

## 4.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit x1
- User Manual x1

## 5.0 OPERATION

- Connect USB-C Male port of this product to Macbook pro or other Type-C host PC
- Connect VGA Male port of this product to VGA monitor

## 6.0 CONNECTION DIAGRAM



