



Enjoy Your Time on the Water or Dock.

COMPARE WITH SIMILAR PRODUCTS
AND YOU'LL SEE WHY THE
AQUASWEEP BY FAR SURPASSES
ANYTHING ELSE ON THE MARKET IN
BOTH PERFORMANCE AND QUALITY.

Some of the differences:

- The AquaSweep is oil free. The competitor's model requires oil to be added and changed. Also, using the AquaSweep means no chance of disastrous oil leaks.
- The AquaSweep runs at 3,450 rpms.
 The competitor's, even utilizing the 1 HP motor, runs at under 2,000 rpms. This amounts to the AquaSweep moving
 400 gallons of water per minute compared to their 180 gallons per minute.
- The AquaSweep is manufactured using American made stainless steel, even the motor. The competition utilizes powder coated metal.
- The AquaSweep comes standard with an unconditional 5-year motor warranty.
 Theirs, just 2 years.

Model Options and Accessories



Dock Mount Model Specifications

ITEM#	DESCRIPTION	FLOW RATE	FLOW DISTANCE	HEIGHT	WEIGHT	VOLTS	rated input AMPS	WATTS
15000	1/3 HP DOCK MOUNT	300 GPM	40 FT	73"	40 LBS	115	8	630
16000	1/2 HP DOCK MOUNT	400 GPM	50 FT	89"	55 LBS	115	10	680

Fully Programmable Oscillator

Our fully programmable oscillator attachment makes moving muck even easier. No need to turn the *AquaSweep* in its mounting; the oscillator does it for you! We pre-program the oscillator to rotate the *AquaSweep* in 20 degree increments every 20 minutes; you set it for any radius you wish. Then plug it in and forget about it! The oscillator attachment can be added later, or to an existing *AquaSweep* too.



AquaSweep floating model

Designed to conveniently push floating algae, trash and leaves to a location of choice for easy pick-up. It will not adjust down to the bottom to move muck; it's designed to create a strong surface current. Fully-adjustable for various directional flows, and for tidal changes or water level variations due to weather conditions. Stainless steel and high density polyurethane construction is both durable and long lasting, even in salt water!



Floating Model Specifications

ITEM#	DESCRIPTION	FLOW RATE	FLOW DISTANCE	CORD LENGTH	WEIGHT	VOLTS	RATED INPUT AMPS	WATTS
15001	1/3 HP FLOATING	300 GPM	40 FT	35'	42 LBS	115	8	630
16001	1/2 HP FLOATING	400 GPM	50 FT	35'	48 LBS	115	10	670

Scott Aerator Company's main focus is to supply you, our customers, the highest quality value-based water equipment on the market.

Your satisfaction and enjoyment have been our number one goal for over 50 years. Located near Grand Rapids Michigan on the shores of Lake Michigan, Scott Aerator, a family owned business, provides you with a convenient source for tested and proven American manufactured water equipment – guaranteed.

Warranty

All standard Scott Aerator products are warranted for five years against motor defects in materials or workmanship, under normal operating conditions. All other product components are warranted for one year from date of purchase.

Product Orders: orders@scottaerator.com
Technical Support: support@scottaerator.com
General Inquiries: information@scottaerator.com

Check out our website for new products, supplies and updates at www.scottaerator.com



13245 Barry Street Holland, MI 49424 Phone: 616-392-8882 Phone: 1-800-WATER-45 (1-800-928-3745)

616-392-8860

Fax: