

FREY HEADBOARD

M OBJEKTE UNSERER TAGE
 D OBJEKTE UNSERER TAGE

Lean back comfortably and let your mind wander. The last pages of the book are still running through your fingers before the moon says goodbye to the day. Well-being and serenity move into your bedroom with the FREY Headboard. A perfect companion for the KAYA and ZIANS Beds, or simply your bed at home. With FREY the night will be cozy. The fluffy fabrics of the highest quality give you room to express yourself, from simple and delicate colors to imaginative patterns. The acoustics in the bedroom are pleasantly dampened by the FREY Headboard. This creates a feeling of security and warmth. Even the foam comes from local production from the Swabian Alb and is characterized by particularly high durability. FREY can be easily attached to any wall, adapted to the height of the respective bed. FREY is simple and clear, an object to find peace when it is sought.



MATERIAL

Plywood, polyfoam, poly wadding
 Fabric, hand-sewn and hand-upholstered,
 various options

DIMENSIONS


XSmall (for bed width 35.4")
 W 43.3" x H 19.7" x D 2.4"


Small (for bed width 55.1")
 W 63" x H 19.7" x D 2.4"

Medium (for bed width 63")
 W 70.9" x H 19.7" x D 2.4"

Large (for bed width 70.9")
 W 78.7" x H 19.7" x D 2.4"

XLarge (for bed width 78.7")
 W 86.6" x H 19.7" x D 2.4"





FABRIC CATEGORY 1

ERA

MANUFACTURER
Camira

COMPOSITION
100 % polyester

DURABILITY
100.000 martindale

LIGHTFASTNESS
5 (ISO 105-B02)

FLAMMABILITY
EN 1021 - 1&2 Cigarette & Match
BS 7176 Low Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class C, s1, d0

ENVIRONMENTAL
Certified to OEKO-TEX® Standard 100
Certified to Indoor Advantage™ „Gold“
Non metallic dyestuffs



FABRIC CATEGORY 1

RELATE

MANUFACTURER
Kvadrat


COMPOSITION
100% Trevira CS

DURABILITY
80.000 martindale

LIGHTFASTNESS
6-7

FLAMMABILITY
BS 5852 Crib 5
IMO FTP Code 2010 Part 8
NF D 60 013
NFPA 701
SN 198 898 5.2
UNI 9177 Classe 1
US Cal. Bull. 117-2013
NF P 92 507 M1
DIN 4102 B1
EN 1021-1/2
ÖNORM B1/Q1
ASTM E84 Class A Unadhered
ASTM E84 Class B Adhered
UNI 9175 IIM
AS/NZS 3837 class 2
EN 13501-1, B-s1, d0
BS 5867 part 2 type B
BS 5852 part 1 with treatment

ENVIRONMENTAL
EU Ecolabel



FABRIC CATEGORY 1

XTREME

MANUFACTURER
Camira


COMPOSITION
100% post-consumer recycled polyester

DURABILITY
100.000 martindale

LIGHTFASTNESS
6 (ISO 105-B02)

FLAMMABILITY
EN 1021 - 1&2 Cigarette & Match
BS 7176 Low Hazard
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
DIN 4102 B1
NF D 60-013
ÖNORM B 3825 & A 3800-1 (over 58 kg/m3 CMHR foam)
UNI 9175 Classe 1 IM
BS 476 Part 7 Class 1

ENVIRONMENTAL
Certified to the EU Ecolabel
Certified to OEKO-TEX® Standard 100
Certified to Indoor Advantage™ „Gold“
Made from 100% recycled polyester
Non metallic dyestuffs



FABRIC CATEGORY 2

BLAZER

MANUFACTURER
Camira

COMPOSITION
100% virgin wool. Non metallic dyestuffs

DURABILITY
50.000 martindale

LIGHTFASTNESS
5 (ISO 105-B02)

FLAMMABILITY
EN 1021 - 1&2 Cigarette & Match
BS 7176 Low Hazard
NF D 60-013
ÖNORM B 3825 & A 3800-1 (58kg/m3 CMHR Foam)
UNI 9175 Classe 1 IM
BS 476 Part 7 Class 1 (Adhered)
EN 13501-1 Adhered Class D, s1, d0
BS 5852 Ignition Source 5 when FR treated
BS 7176 Medium Hazard when FR treated
BS 476 Part 6 Class 0 when FR treated (Adhered)
EN 13501-1 Adhered Class B, s1, d0 when FR treated
EN 13501-1 Un-adhered Class D, s2, d0 when FR treated
BS 5867-2 Type B Curtains & Drapes when FR treated

ENVIRONMENTAL
Certified to Indoor Advantage™ „Gold“
Rapidly renewable and compostable



FABRIC CATEGORY 2

MAIN LINE FLAX

MANUFACTURER
Camira

COMPOSITION
70% virgin wool, 30% flax

DURABILITY
50.000 martindale

LIGHTFASTNESS
5 (ISO 105-B02)

FLAMMABILITY
EN 1021-1&2 Cigarette & Match
BS 7176 Low Hazard
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
NF D 60-013
ÖNORM B 3825 & A 3800-1 (58kg/m3 CMHR Foam)
UNI 9175 Classe 1 IM
BS 5867-2: Type B Curtains & Drapes

ENVIRONMENTAL
Certified to the EU Ecolabel
Certified to Indoor Advantage™ „Gold“
Rapidly renewable and compostable
Made from wool and bast fibre



FABRIC CATEGORY 2

REMIX 3

MANUFACTURER
Kvadrat

COMPOSITION
90% new wool worsted, 10% nylon

DURABILITY
100.000 martindale

LIGHTFASTNESS
6

FLAMMABILITY
AS/NZS 1530.3
BS 5852 crib 5 with treatment
BS 5852 part 1
IMO FTP Code 2010 Part 7 with treatment
IMO FTP Code 2010 Part 8
NF D 60 013
NFPA 260
SN 198 898 5.3 with treatment
UNI 9175 1IM
US Cal. Bull. 117-2013
EN 1021-1/2
AS/NZS 3837 class 2
ÖNORM B1/Q1
ASTM E84 Class A Unadhered
ASTM E84 Class A Adhered
GB 50222 B1 with treatment (Chinese)

ENVIRONMENTAL
EU Ecolabel
Greenguard Gold
HPD
EPD



FABRIC CATEGORY 3

CITY VELVET RELOADED

MANUFACTURER
JAB

COMPOSITION
Pile: 100% polyester, groundmaterial: 100% polyester

DURABILITY
100.000 martindale

More than 150 colors available



FABRIC CATEGORY 3

PROMISE

MANUFACTURER
JAB (Chivasso)

COMPOSITION
100 % polyester

DURABILITY
100.000 martindale



FABRIC CATEGORY 3

RE-WOOL

MANUFACTURER
Kvadrat


COMPOSITION
45% new wool (worsted), 45% recycled wool, 10% nylon

DURABILITY
100.000 martindale

LIGHTFASTNESS
7

FLAMMABILITY
AS/NZS 1530.3
BS 5852 Crib 5 with treatment
BS 5852 ignition source 3
BS 5852 part 1
EN 1021-1/2
IMO FTP Code 2010 Part 8
NF D 60 013
UNI 9175 1IM
US Cal. Bull. 117-2013
ÖNORM B1/ Q1
AS/NZS 3837, class 2

ENVIRONMENTAL
Complies with EU Ecolabel
Recycled content
No use of AZO dyes, which may split of carcinogenic acryl amines
No use of dyes containing heavy metals/complies with ETAD norm
No use of brominated flame retardants
Complies with REACH
Greenguard and Greenguard Gold certified



FABRIC CATEGORY 3

YOREDALE

MANUFACTURER
Camira


COMPOSITION
95% wool, 3% polyester, 2% polyamide

DURABILITY
50.000 martindale

LIGHTFASTNESS
5 (ISO 105-B02)

FLAMMABILITY
EN 1021 - 1&2 Cigarette & Match
BS 7176 Low Hazard
ONORM B 3825 & A 3800-1 (58kg/m3 CMHR Foam)
UNI 9175 Classe 1 IM
BS 5852 Ignition Source 5 when FR treated
BS 7176 Medium Hazard when FR treated

ENVIRONMENTAL
Certified to Indoor Advantage™ „Gold“
Non metallic dyestuffs



FABRIC CATEGORY 4

CLAY

MANUFACTURER
Kvadrat (Sahco)


COMPOSITION
76% linen, 21% cotton, 3% polyester

DURABILITY
45.000 martindale

LIGHTFASTNESS
5

FLAMMABILITY
BS 5852 crib 5 with treatment
BS 5852 part 1
EN 1021-1/2
US Cal. 117-2013 with Cal. 117 compliant interliner

ENVIRONMENTAL
Greenguard Gold
HPD
EPD



FABRIC CATEGORY 4

FIORD 2

MANUFACTURER
Kvadrat

COMPOSITION
92% new wool worsted, 8% nylon

DURABILITY
60.000 martindale

LIGHTFASTNESS
6

FLAMMABILITY
BS 5852 crib 5 with treatment
BS 5852 part 1
IMO FTP Code 2010 Part 8
NF D 60 013
NFPA 260
SN 198 898 5.3 with treatment
UNI 9175 1IM
US Cal. Bull. 117-2013
EN 1021-1/2
ASTM E84 Class A Adhered
ASTM E84 Class A Unadhered
AS/NZS 3837 class 2
GB 50222 B1 with treatment (Chinese)
ÖNORM B1/Q1

ENVIRONMENTAL
EU Ecolabel
Greenguard Gold
HPD
EPD



FABRIC CATEGORY 4

HALLINGDAL 65

MANUFACTURER
Kvadrat

COMPOSITION
70% new wool, 30% viscose

DURABILITY
100.000 martindale

LIGHTFASTNESS
7

FLAMMABILITY
AS/NZS 1530.3
BS 5852 Crib 5
BS 5852 part 1
IMO FTP Code 2010 Part 8
NF D 60 013
NFPA 260
UNI 9175 1IM
US Cal. Bull. 117-2013
EN 1021-1/2
ASTM E84 Class A Adhered
SN 198 898 5.3 with treatment
ÖNORM B1/Q1
GB 50222 B1 with treatment (Chinese)
AS/NZS 3837 class 2
ASTM E84 Class B Unadhered

ENVIRONMENTAL
EU Ecolabel
Greenguard Gold
HPD
EPD



FABRIC CATEGORY 4

HARALD 3

MANUFACTURER
Kvadrat

COMPOSITION
100% cotton

DURABILITY
100.000 martindale

LIGHTFASTNESS
5

FLAMMABILITY
EN 1021-1
AS/NZS 1530.3
AS/NZS 3837, class 1

ENVIRONMENTAL
No use of AZO dyes, which may split off carcinogenic acrylamines
No use of dyes containing heavy metals/complies with ETAD norm
No use of brominated flame retardants
Content of formaldehyde below 75 ppm, according to EU Eco label requirements
Adheres to the limits set by the Danish Environmental Protection Agency's 'List of undesirable substances'
Complies with REACH regulation



FABRIC CATEGORY 4

STEELCUT 3

MANUFACTURER
Kvadrat

COMPOSITION
90% new wool worsted, 10% nylon

DURABILITY
100.000 martindale

LIGHTFASTNESS
5

FLAMMABILITY
AS/NZS 1530.3
BS 5852 crib 5 with treatment
BS 5852 part 1
IMO FTP Code 2010 Part 8
NF D 60 013
NFPA 260
SN 198 898 5.3 with treatment
UNI 9175 1IM
US Cal. Bull. 117-2013
EN 1021-1/2
AS/NZS 3837 class 2
ÖNORM B1/Q1
ASTM E84 Class A Unadhered
ASTM E84 Class B Adhered

ENVIRONMENTAL
EU Ecolabel
Greenguard Gold
HPD
EPD



FABRIC CATEGORY 4

STEELCUT TRIO 3

MANUFACTURER
Kvadrat

COMPOSITION
90% new wool worsted, 10% nylon

DURABILITY
100.000 martindale

LIGHTFASTNESS
6-7

FLAMMABILITY
AS/NZS 1530.3
BS 5852 crib 5 with treatment
BS 5852 part 1
IMO FTP Code 2010 Part 8
NF D 60 013
NFPA 260
SN 198 898 5.3 with treatment
UNI 9175 1IM
US Cal. Bull. 117-2013
EN 1021-1/2
ASTM E84 Class B Unadhered
ASTM E84 Class B Adhered
ÖNORM B1/Q1
AS/NZS 3837 class 2
GB 50222 B1 with treatment (Chinese)

ENVIRONMENTAL
EU Ecolabel
Greenguard Gold
HPD
EPD



FABRIC CATEGORY 4

TWILL WEAVE

MANUFACTURER
Kvadrat


COMPOSITION
90% new wool (worsted), 10% nylon

DURABILITY
60.000 martindale

LIGHTFASTNESS
6-7

FLAMMABILITY
AS/NZS 1530.3
BS 5852 ignition source 3
BS 5852 part 1
EN 1021-1/2
IMO FTP Code 2010 Part 8
US Cal. Bull. 117-2013
NF D 60 013
UNI 9175 IIM
BS 5852 Crib 5 with treatment
SN 198 898 5.3 with treatment
AS/NZS 3837, class 3
DIN 4102 B1 with treatment
ÖNORM B1/ Q1

ENVIRONMENTAL
EU Ecolabel compliant
REACH compliant
Californian Proposition 65 list compliant
LBC Red list compliant



FABRIC CATEGORY 5

BARU

MANUFACTURER
Kvadrat (Sahco)


COMPOSITION
87% wool, 10% polyester, 3% polyamide

DURABILITY
65.000 martindale

LIGHTFASTNESS
4-5

FLAMMABILITY
BS 5852 part 1
US Cal. Bull. 117-2013
EN 1021-1/2
BS 5852 crib 5 with treatment

ENVIRONMENTAL
Greenguard Gold
EPD



FABRIC CATEGORY 5

CODA 2

MANUFACTURER
Kvadrat


COMPOSITION
90% new wool, 10% nylon

DURABILITY
100.000 martindale

LIGHTFASTNESS
6-7

FLAMMABILITY
BS 5852 part 1
EN 1021-1/2
IMO FTP Code 2010 Part 8
NF D 60 013
NFPA 260
SN 198 898 5.3 with treatment
UNI 9175 1IM
US Cal. Bull. 117-2013
BS 5852 Crib 5 with treatment
AS/NZS 3837, class 3
ÖNORM B1/ Q1

ENVIRONMENTAL
Follow the EU Ecolabel dye restrictions incl. AZO dye
and heavy metal restrictions
REACH compliant
Californian Proposition 65 list compliant
LBC Red list compliant



FABRIC CATEGORY 5

GENTLE 2

MANUFACTURER
Kvadrat Febrik

COMPOSITION
60% new wool, 20% nylon, 20% polyester

DURABILITY
90.000 martindale

LIGHTFASTNESS
6-7

FLAMMABILITY
BS 5852 crib 5 with treatment
BS 5852 part 1
IMO FTP Code 2010 Part 8
UNI 9175 1IM
US Cal. Bull. 117-2013
DIN 4102 B2
EN 1021-1/2
ASTM E84 Class A Unadhered

ENVIRONMENTAL
No use of AZO dyes, which may split off carcinogenic
acryl amines
No use of dyes containing more heavy metals than all-
owed
No content of formaldehyde
No use of brominated flame retardants
Complies with REACH regulation



FABRIC CATEGORY 5

SPRINKLES

MANUFACTURER
Kvadrat


COMPOSITION
40% polyester filling, 30% new wool, 20% polyester,
10% nylon

DURABILITY
80.000 martindale

LIGHTFASTNESS
7

FLAMMABILITY
BS 5852 crib 5 with treatment
BS 5852 part 1
UNI 9175 IIM
US Cal. Bull. 117-2013
DIN 4102 B2
EN 1021-1/2
ASTM E84 Class A Unadhered
IMO FTP Code 2010 Part 8
IMO FTP Code 2010 Part 9

ENVIRONMENTAL
Greenguard Gold
HPD
EPD



MANUFACTURER
Kvadrat

COMPOSITION
94% new wool, 6% nylon

DURABILITY
100.000 martindale

LIGHTFASTNESS
5-6

FLAMMABILITY
EN 1021-1/2
IMO FTP Code 2010 Part 8
NF D 60 013
UNI 9175 IIM
US Cal. Bull. 117-2013
BS 5852 part 1
NFPA 260
BS 5852 Crib 5 with treatment
AS/NZS 3837, class 2
GB 50222 B1 with treatment

ENVIRONMENTAL
No use of AZO dyes, which may split off carcinogenic acrylamines
No use of dyes containing heavy metals
No content of formaldehyde
Adheres to the limits set by the the Danish Environmental Protection Agency's List of undesirable substances'
No use of brominated flameretardants
Complies with REACH regulation
Non metallic dyestuffs

FABRIC CATEGORY 5

VIDAR 4

MANUFACTURER
Kvadrat

COMPOSITION
94% new wool, 6% nylon

DURABILITY
100.000 martindale

LIGHTFASTNESS
5-6

FLAMMABILITY
EN 1021-1/2
IMO FTP Code 2010 Part 8
NF D 60 013
UNI 9175 IIM
US Cal. Bull. 117-2013
BS 5852 part 1
NFPA 260
BS 5852 Crib 5 with treatment
AS/NZS 3837, class 2
GB 50222 B1 with treatment

ENVIRONMENTAL
No use of AZO dyes, which may split off carcinogenic acrylamines
No use of dyes containing heavy metals
No content of formaldehyde
Adheres to the limits set by the the Danish Environmental Protection Agency's 'List of undesirable substances'
No use of brominated flameretardants
Complies with REACH regulation
Non metallic dyestuffs



LEATHER CATEGORY 1

ULTRA

MANUFACTURER
Sørensen Leather

MATERIAL
Protected leather

THICKNESS
0.9-1.1 mm



LEATHER CATEGORY 2

DUNES

MANUFACTURER
Sørensen Leather

MATERIAL
Sørensen Leather

DURABILITY
Aniline leather

THICKNESS
1.1-1.3 mm

