

BERGAMO ARMCHAIR

M TON
D TOM KELLEY

Simple , well-elaborated chair that perfectly fits in the space with the demands of the frequent variability. A variety of wood finishes and upholstery can be used.



W 22.4" x D 20.3" x H 32.7"

SEAT HEIGHT 18.1"
ARMREST HEIGHT 26"

FRAME

BEECH

VARIOUS COLORS

SEAT

BEECH VENEER

VARIOUS COLORS

UPHOLSTERY

FABRIC
LEATHER

VARIOUS COLORS

STACKABILITY

4

WOOD FINISHES

NATURAL WOOD FINISHES



NATURAL BEECH
lacquer/oil

COLORED OIL



W115 OIL SMOKY WHITE
beech/oak



W660 OIL BARK BROWN
beech/oak




W685 OIL EARTHY BROWN
beech/oak



W520 OIL MISTY GREEN
beech/oak



W170 OIL STONE GREY
beech/oak




Colour difference
between beech and oak
in W115 OIL SMOKY
WHITE

STAINS




B4 COFFEE
beech/oak




B105 DARK WENGE
beech/oak




B112 DARK CHOCOLATE
beech/oak



B114 NOUGAT
beech/oak




B116 HONEY
beech



B123 BLACK GRAIN
beech/oak




B580 FOREST GREEN
beech/oak




S110 LIGHT WHITE
beech/oak

WOOD FINISHES

PIGMENTED FINISHES



C120 WHITE
beech/oak




C139 CLOUD GREY
beech/oak



C150 MOON GREY
beech/oak



C180 GREY SHADOW
beech/oak




C250 STEAM BLUE
beech/oak



C270 GRAPHITE BLUE
beech/oak



C350 FACTORY RED
beech/oak



C450 RESIN YELLOW
beech/oak



C540 PEBBLE GREEN
beech/oak



C570 DEEP GREEN
beech/oak









C610 MOCCA BEIGE
beech/oak

FABRICS AND ARTIFICIAL LEATHERS


CATEGORY A

● CURA

| Composition | Width | Abrasion resistance | Pilling | Flame retardancy | Ecology | Cleaning |
|-------------------------|--------|---------------------|---------|--|--------------------------|---|
| 100% recycled polyester | 140 cm | 100 000 MD | 4-5 | EN 1021 Class 1 & 2 CAL TB 117 - 2013 | OEKO-TEX® EU Ecolabel |       |
| | | | | | | 100% RECYCLED |



60019



60112










62125




68182

● GRAIN


| Composition | Width | Abrasion resistance | Pilling | Flame retardancy | Ecology | Cleaning |
|---|--------|---------------------|---------|---|---------|---|
| surface: 94% polyurethane, 6% silicone underlay: 100% polyester | 140 cm | 200 000 MD | | BS 5852 Part 1 CAL TB 117-2013 EN 1021 Part 1 & 2 | REACH |       |
| | | | | | | ANTIMICROBIAL RESISTANCE TO STAINS |



ARCILLA



BLANCO




CANELA



CENIZA



COGNAC








MARRON




NEGRO

FABRICS AND ARTIFICIAL LEATHERS

● RENEWED LOOP

| Composition | Width | Abrasion resistance | Pilling | Flame retardancy | Ecology | Cleaning |
|--|--------|---------------------|---------|--|--------------------------|---|
| 100% recycled polyester, contains 3-10% textile residues | 140 cm | 100 000 MD | 4-5 | EN 1021 Class 1 & 2 CAL TB 117 - 2013 | OEKO-TEX® EU Ecolabel |      |
| | | | | | | 100% RECYCLED |



60999








61280



66257


CATEGORY B

● LOWLANDS


| Composition | Width | Abrasion resistance | Pilling | Flame retardancy | Ecology | Cleaning |
|----------------------------------|--------|---------------------|---------|--|--------------------|---|
| 70% recycled wool, 30% polyamide | 140 cm | 190 000 MD | 3 | BS 5852 Crib 5 EN 1021 Class 1 & 2 CAL TB 117 - 2013 | OEKO-TEX® REACH |      |
| | | | | | | 70% RECYCLED |




511




513



516




521




526



529



550




575

FABRICS AND ARTIFICIAL LEATHERS

CATEGORY C

● ARCO


| Composition | Width | Abrasion resistance | Pilling | Flame retardancy | Ecology | Cleaning |
|---------------------------------|--------|---------------------|---------|------------------------------------|------------------|--|
| 95% virgin wool 5% polyamide | 140 cm | 70 000 MD | 4-5 | DIN EN 1021-1/ -2 UNI 9175 1 IM | REACH AB 2998 |  MARITIME SECTOR |



BLOSSOM




COAST



EBONY




ICE



JASMIN





POND




SECRET

● CLEO


| Composition | Width | Abrasion resistance | Pilling | Flame retardancy | Ecology | Cleaning |
|----------------------------------|--------|---------------------|---------|---|------------------|--|
| 95% virgin wool, 5% polyamide | 140 cm | 70 000 MD | 4-5 | BS 5852 Part 1 CAL TB 117 - 2013 DIN EN 1021-1/-2 ÖNORM B1/Q1 UNI 9175 1 IM | REACH AB 2998 |  MARITIME SECTOR |



COAL



LAMPION




MAGMA



PEARL



SALBEI




WALNUT

WFABRICS AND ARTIFICIAL LEATHERS


CATEGORY D

● FIORD 2

| Composition | Width | Abrasion resistance | Pilling | Flame retardancy | Ecology | Cleaning |
|------------------------------|--------|---------------------|---------|--|-------------|---|
| 92% virgin wool, 8% nylon | 140 cm | 60 000 MD | 4-5 | BS 5852 Part 1 EN 1021 Class 1 & 2 CAL TB 117 - 2013 ÖNORM B1/Q1 UNI 9175 1 IM | EU Ecolabel |  |
| | | | | | | MARITIME SECTOR |



0291




0262




0422



0571



0581



0751




0961

POLO


| Composition | Width | Abrasion resistance | Pilling | Flame retardancy | Ecology | Cleaning |
|----------------|--------|---------------------|---------|------------------|-----------|---|
| 100% polyester | 150 cm | 100 000 MD | 5 | | OEKO-TEX® |  |




BEIGE



BLEU




CASTORO




GRIGIO

Polo is an airy textile mesh which is used for back part of Chips lounge chair. It can also be used to upholster the backs and seats of, for example, a classic range of bentwood furniture.


If used on a seat the Polo mesh is always combined with special underlay material for increased durability.



NERO



PIOMBO




ROSSO

LEATHER

CATEGORY 1

● PRESCOTT

| Composition | Width | Leather thickness | Flame retardancy | Ecology | Cleaning |
|----------------------|------------------------|-------------------|--|---------|--|
| semi-aniline leather | 4.8-5.0 m ² | 1.2-1.4 mm | CAL TB 117 - 2013 BS 5852:1979 BS EN 1021-1-2:2006 | REACH |  MARITIME SECTOR |



ANTILOP



BLACK INK



CLAY



DASH




ROOT




SWAMP


CATEGORY 2

● ELMOTIQUE


| Composition | Width | Leather thickness | Flame retardancy | Ecology | Cleaning |
|-----------------|---------------------|-------------------|--|---------|---|
| aniline leather | ±4.8 m ² | 1.00-1.20 mm | CAL TB 117 - 2013 ISO 8191 Class 1 & 2 EN 1021 Class 1 & 2 | REACH |  |




43024



43807



77875



93957



99001